

National Patch Module

MAG*3.0*178

Two-Factor Authentication for Clinical Capture

Patch Description



Department of Veterans Affairs

Sustainment of VistA Imaging (SVI)

June 2017

Version 1.7

Revision History

Date	Version	Description	Author
2/10/17	1.0	Initial draft	Stacey Marner
3/1/17	1.1	Edits	Garrett Kirin
3/6/17	1.2	Added supported client version section	Stacey Marner
3/8/17	1.3	Edits and checklist	Stacey Marner
3/15/17	1.4	RC edits	Bill Rayno, Stacey Marner
5/17/17	1.5	Updated checksums	Stacey Marner
6/19/17	1.6	Updated document date to June	Stacey Marner
6/27/17	1.7	Updated test sites	Stacey Marner

Two-Factor Authentication for Clinical Capture

Run Date: MAR 08, 2017

Designation: MAG*3*178

Package: Imaging

Priority: MANDATORY

Version: 3

Associated Patches: This patch must be installed after MAG*3.0*151.

Subject: TWO-FACTOR AUTHENTICATION FOR CLINICAL CAPTURE

Category: OTHER

Description:

MAG*3.0*178 provides two-factor authentication (2FA) for the Clinical Capture client. When the user starts Clinical Capture, they will be prompted for their Personal Identity Verification (PIV)/Personal Identification Number (PIN) to log into Veterans Health Information Systems and Technology Architecture (VistA). In order to implement 2FA for Clinical Capture, the development environment was upgraded to Delphi XE8. A splash screen will be displayed during startup and initialization of Clinical Capture. The splash screen will close when the application is ready to be used. There are no other changes to functionality of the Clinical Capture client.

Patch Components:

This patch includes software and documentation files. This document, MAG3_0P178_Patch_Description.pdf, provides an overview, explains the changes, and outlines the installation for this patch. MAG3_0P178_README.txt, if present, is an informative file associated with the patch.

Software:

File Name	Description
MAG3_0P178.KID	Kernel Installation and Distribution System (KIDS) build for Patch 178
MAG3_0P178_Clinical_Capture_Setup.exe	Clinical Capture client installation file
MAG3_0P178_Clinical_Capture_Install.msi	Clinical Capture push installation file

Documentation:

This document, MAG3_0178_Patch_Description.pdf, provides an overview, explains the changes, and outlines the installation for this patch.

Files & Fields Associated:

There are no files or fields associated with this patch.

Forms Associated:

There are no forms associated with this patch.

Mail Groups Associated:

There are no mail groups associated with this patch.

Options Associated:

There are no options associated with this patch.

Protocols Associated:

There are no protocols associated with this patch.

Security Keys Associated:

There are no security keys associated with this patch.

Templates Associated:

There are no templates associated with this patch.

Additional Information:**New Service Requests (NSRs):**

There are no new service requests addressed in this patch.

Patient Safety Issues (PSIs):

There are no patient safety issues associated with this patch.

Defect Tracking System Ticket(s) & Overview:

1. Update Capture with 2FA

Problem: Per the U.S. Department of Veterans Affairs (VA) mandate to meet PIV requirements (VAIQ #7712300), all existing systems must be upgraded to use PIV credentials for authentication.

Resolution: The Remote Procedure Call (RPC) Broker establishes a common and consistent connection for VistA client/server applications. The kernel development team has updated the RPC Broker to accept a PIV for authentication in XWB*1.1*64 and RPC Broker Development Tool Kit XWB*1.1*65. The RPC Broker client component uses the Identity and Access Management (IAM) SSOi Secure Token Service (STS) for Authentication. The client authenticates to IAM with PIV/PIN and obtains a Security Assertion Markup Language (SAML) token; this token is associated with a VistA access/verify code and is used to authenticate to VistA.

Test Sites:

The following sites are test sites for this patch:

- VA Salt Lake City Health Care System
- Fayetteville VAMC (NC)

Software and Documentation Retrieval Instructions:

Software being released and/or documentation describing the new functionality introduced by this patch are available.

The preferred method is to retrieve files from anonymous@download.vista.med.va.gov from the COMMAND prompt (example: sftp anonymous@download.vista.med.va.gov). This transmits the files from the first available server.

Sites may also elect to retrieve files directly from a specific server.

Sites may retrieve the software and/or documentation directly using Secure File Transfer Protocol (SFTP) from the ANONYMOUS.SOFTWARE directory at the following OI Field Offices:

When using Attachmate Reflection (Secure Shell):

Albany:	fo-albany.med.va.gov
Hines:	fo-hines.med.va.gov
Salt Lake City:	fo-slc.med.va.gov

When using the COMMAND prompt (example: sftp anonymous@fo-albany.med.va.gov):

Albany:	anonymous@fo-albany.med.va.gov
Hines:	anonymous@fo-hines.med.va.gov
Salt Lake City:	anonymous@fo-slc.med.va.gov

Documentation can also be found on the VA Software Documentation Library at:
<http://www4.va.gov/vdl/>.

Patch Installation:

Supported Client Versions

When MAG*3.0*178 is released, the list of supported versions of Clinical Capture will change:

Supported Versions	No Longer Supported
3.0.178	3.0.122
3.0.151	3.0.117
3.0.140	3.0.106
3.0.129	3.0.94

Pre/Post Installation Overview:

MAG*3.0*178 must be installed on the VistA System and on 64-bit workstations on which the VistA Imaging Applications will be used. This patch must be installed by the compliance date.

All sites running VistA Imaging 3.0 must install the KIDS portion of this patch. This patch can be loaded while the VistA Imaging System is active and users are on the system. Installing the MAG*3.0*178 KIDS takes 1-5 minutes.

Pre-Installation Instructions:

Verify that the patches listed in the Associated Patches section of this document have been previously installed.

Note: All released VistA Imaging patches must be installed on the VistA system before installing MAG*3.0*178.

VistA System (KIDS) Installation Instructions

Installation Steps

1. Access the Kernel Installation and Distribution System Menu [XPD MAIN].
2. Run the Installation option [XPD INSTALLATION MENU].
3. Load the KIDS file by performing the following steps:
 - a. Run the Load a Distribution [XPD LOAD DISTRIBUTION] option to load the KIDS distribution.
 - b. When prompted, enter the path and file name (MAG3_0P178.KID) of the Patch 178 KIDS file that was downloaded from the Download Server.

- c. When prompted to continue with the load, enter “YES”. A Distribution OK! Message will be displayed when the load is complete.
- 4. After loading the KIDS file, use the following options to verify the contents of the patch.
 - a. Verify Checksums in Transport Global [XPD PRINT CHECKSUM] – Run this option if you want to ensure the integrity of the routines in the patch.
 - b. Compare Transport Global to Current System [XPD COMPARE TO SYSTEM] – Run this option if you want to view all changes that will be made when the patch is installed. All components (routines, options, and so on) in the patch will be compared.
 - c. Back up a Transport Global [XPD BACKUP] – Run this option if you want to create a backup message of any routines exported with the patch. The option will NOT back up any of the other changes.
- 5. After performing the load and any optional verification steps, install the KIDS file by performing the following steps:
 - a. Run the Install Package(s) [XPD INSTALL BUILD] option.
 - b. When prompted for the install name, enter MAG*3.0*178.
 - c. Answer NO to the following prompts, if they appear:

Want KIDS to INHIBIT LOGONs during the install? No//NO Want to DISABLE Scheduled Options, Menu Options, and Protocols? No/NO Want KIDS to Rebuild Menu Trees Upon completion of Install? No//NO

- 6. When the installation has finished, an Install Completed message will be displayed.

KIDS Installation Example

This example shows the output when the KIDS file is installed for the first time. If the user has already installed the patch and is installing the KIDS file in a namespace on which it has previously been installed, the output will be different.

```
Select INSTALL NAME:    MAG*3.0*178    3/1/17@14:51:08
=> VistA Imaging V3 - Patch 178 - Capture 2FA XE8 ;Created on Feb
23,

This Distribution was loaded on Mar 01, 2017@14:51:08 with header of
  VistA Imaging V3 - Patch 178 - Capture 2FA XE8 ;Created on Feb 23,
2017@1
5:18:42
  It consisted of the following Install(s):
    MAG*3.0*178
Checking Install for Package MAG*3.0*178

Install Questions for MAG*3.0*178


Want KIDS to INHIBIT LOGONs during the install? NO//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

Enter the Device you want to print the Install messages.
You can queue the install by enter a 'Q' at the device prompt.
Enter a '^' to abort the install.

DEVICE: HOME//    HERE


Running Pre-Install Routine: PRE^MAGIP178

Running Post-Install Routine: POS^MAGIP178

Post Install Mail Message: Mar 01, 2017@14:52:09

Updating Routine file...

Updating KIDS files...

MAG*3.0*178 Installed.
      Mar 01, 2017@14:52:09

Not a production UCI

NO Install Message sent

100%
Complete

Install Completed
```

Post-Installation Instructions:

VistA Imaging Clinical Capture Client Installation Instructions

The Clinical Imaging Capture client software can be updated using one of the methods outlined below:

- Manual installation
- Automatic installation using other methods (SMS, PSEXEC, etc.)

Note: The Clinical Capture Application is only supported on a Windows 7 operating system; other operating systems are not officially supported.

Clinical Capture is distributed as an MSI and EXE installation. The MSI is intended for sites that want to do a push installation (using SCCM or another tool). The EXE is intended for use to install on a single workstation.

After client installation is complete, log into an updated workstation and use the Help | About menu option to verify that the version number is 3.0.178.1.

Manual Installation

The MAG3_0P178_Clinical_Capture_Setup.exe file can be installed manually on workstations as described in Section “Single Workstation Installation” in the *VistA Imaging System Installation Guide*.

Auto-update Installation

VistA Imaging Auto-update functionality is no longer supported.

Uninstalling Clinical Capture Client MAG*3.0*178

If it is necessary to uninstall the MAG*3.0*178 client, use the Uninstall option from Windows Control Panel to uninstall: “VistA Imaging Clinical Capture”. Then install the previous version of Clinical Capture which was included in MAG*3.0*151.

Routine Information:

VistA KIDS Checksums:

This section lists modified routines for the VistA KIDS build. For each routine, the second line will contain the following information:

;;3.0;IMAGING;**[Patch List]** ; Mar 19, 2002;Build 1;Feb 15, 2017

CHECK1^XTSUMBLD is used to generate the checksums.

Routine	Checksum Before	Checksum After	Patch List
MAGGTU4C	5134971	5140530	**93, 94, 106, 117, 122, 129, 140, 151,178**
MAGIP178	NA	4256676	**178**

Routine MAGIP178 is an installation routine that is automatically deleted after the KIDS installation.