REMINDER UPDATE 2 0 258 VA-MISC UPDATE 16 CHANGES

NOTE: All reminder dialog changes are included in reminder dialog group: VA-GP MISC UPDATE 16

Note: To confirm updates made on any 'national' dialog element or group listed below, choose the INQ (Inquiry/Print) option in the Reminder Dialog Management Menu.

Contents

| 1. | Reminder Dialog ELEMENT: UPDATE VIS DATES OCT-2021 | 2 |
|------------|---|----|
| 2. | Reminder Dialog ELEMENT: VA-WH MAM HEADER2 - SCREEN | 3 |
| 3. | Reminder Dialog ELEMENT: VA-WH TD PREGNANCY CONTRA RESOURCES | 4 |
| 4. | Reminder Dialog GROUP: VA-GP TELE URGENT TYPE | 5 |
| 5. | Reminder Dialog ELEMENT: VA-FLU IMM NCP URL | 6 |
| 6. ADE | Reminder Dialog ELEMENTS: VA-PSAS HISA INITIAL REQUEST SC/GRANT and VA-PSAS CLOTHING ALLOW DITIONAL DETAILS | 7 |
| 7. | Reminder Dialog GROUP: VA-GP PSAS HISA BENEFIT MODIFICATION REQUESTED MAIN | 9 |
| 8. | Reminder TERM: VA-WH NEXT BREAST PROCEDURE | 10 |
| 9. | Reminder Dialog ELEMENT: VA-WH SMART BR OUTSIDE DATE OF PROCEDURE | 11 |
| 10. | Reminder Dialog GROUP: VAL-HTN REFERRAL OTHER | 12 |
| 11. | Reminder Dialog GROUP: VA-COVID-19 PHI BLOOD PRESSURE SELF RECORDED | 13 |
| 12. | Reminder Dialog ELEMENT: VA-HF EYE CARE AT-RISK SCREEN DONE ELSEWHERE | 14 |
| 13. RES | Reminder Dialog GROUPS: VA-GP TRR DM READER EXAM RESULTS and VA-GP TRR NON-DM READER EXAM ULT | 16 |
| 14. | Reminder Order Check Items Group: VA-QT PROLONGING MEDICATIONS | 20 |
| 15. | Reminder ELEMENT: VA-HGB A1C FROM NON VA LAB | 21 |
| 16. | Reminder ELEMENT: VA-HBV TEXT ADDL INFORMATION IMMUNIZATION | 22 |
| 17. | Reminder ELEMENT: VA-MISC UPDATE TEMPLATE FIELDS | 23 |
| 18. | Reminder GROUP: VA-LST RESUSCITATION-CPR/DNR 2 (G) | 25 |
| 19. | Reminder GROUP: VA-NSG SA L/T PICC PREP | 27 |
| 20. | Reminder GROUP: VA-GP SAFETY PLAN REFUSES OFFER | 29 |
| 21. | Reminder ELEMENT: SAFETY PLAN STEP 2 TIP 3 DETAILS | 30 |
| 22. | Reminder DEFINITION: VA-AAA SCREENING | 31 |
| 23. | Reminder ELEMENT: VA-HPV ADMIN VIS | 32 |
| 24. | Reminder GROUP: VA-GP SUICIDE PRIOR ATTEMPTS | 33 |
| 25. | Reminder ELEMENT: VA-SUICIDE RISK HX OF ATTEMPTS | 34 |
| 26. | Reminder GROUP: VA-GP SUICIDE WARNING SIGNS | 36 |

| 27. | Reminder GROUP: VA-GP SUICIDE INTERVENTION ACTION RESIDENTIAL | .37 |
|-----|---|------|
| | | |
| 28. | Reminder ELEMENT: VA-SUICIDE PRIOR ATTEMPTS NO UPDATE | . 38 |
| 29. | Reminder GROUP: VA-GP RAI FRAILTY SCORE | . 39 |

1. Reminder Dialog ELEMENT: UPDATE VIS DATES OCT-2021

<u>Change Made</u>: Vaccine Information Statement (VIS) dates have been updated to be current. Installation of this element will update the VIS dates included in national reminders. The list of VIS date template fields updated are in the 'after' section below.

BEFORE:

This ELEMENT (UPDATE VIS DATES OCT-2021) is new, and was created specifically to include these updated template fields for Hepatitis A and Hepatitis B Vaccine VIS dates.

AFTER:


NAME: UPDATE VIS DATES OCT-2021 Replace

DISABLE:

CLASS: LOCAL//

Additional findings: none Select ADDITIONAL FINDING: DIALOG/PROGRESS NOTE TEXT:

{FLD:IM VIS HAV DT}
{FLD:IM VIS HBV DT}



2. Reminder Dialog ELEMENT: VA-WH MAM HEADER2 - SCREEN

Change Made: The word "to" was missing between "discover" and "their".

This element resides in the VA-WH MAMMOGRAM SCREENING reminder dialog.

BEFORE:

NAME: VA-WH MAM HEADER2 - SCREEN Replace

DISABLE:

CLASS: NATIONAL//

Additional findings: none Select ADDITIONAL FINDING: DIALOG/PROGRESS NOTE TEXT: {FLD:VA-WH MAMMOGRAM GUIDANCE}

The VHA recommends against clinicians teaching women how to perform breast self-examination for breast cancer screening. Women should be encouraged to report breast changes or abnormalities they discover their provider.

AFTER:

NAME: VA-WH MAM HEADER2 - SCREEN Replace

DISABLE:

CLASS: NATIONAL//

Additional findings: none Select ADDITIONAL FINDING: DIALOG/PROGRESS NOTE TEXT: {FLD:VA-WH MAMMOGRAM GUIDANCE}

The VHA recommends against clinicians teaching women how to perform breast self-examination for breast cancer screening. Women should be encouraged to report breast changes or abnormalities they discover to their provider.

| Reminder Resolution: Mammogram Screening | | | |
|--|--|--|--|
| The ACS and VHA recommends: | | | |
| - Women with an average risk for breast cancer undergo regular screening | | | |
| mammography starting at age 45 years. | | | |
| - Women aged 45 to 54 years old should be screened annually. | | | |
| - Women 55 years and older should transition to biennial screening or | | | |
| have the opportunity to continue screening annually. | | | |
| - Women should have the opportunity to begin annual screening between the | | | |
| ages of 40 and 44 years. | | | |
| - Women should continue screening mammography as long as their overall | | | |
| health is good and they have a life expectancy of 10 years or longer. | | | |
| VHA Breast Cancer Screening Guidelines | | | |
| The VHA recommends against clinicians teaching women how to perform breast self-examination for breast cancer screening. Women should be encouraged to report breast changes or abnormalities they discover to their provider. | | | |
| | | | |
| Orders/Documentation of Mammogram | | | |
| C Enter orders | | | |
| C Record prior or outside mammogram: | | | |
| ☐ Mammogram currently scheduled | | | |
| — | | | |


3. Reminder Dialog ELEMENT: VA-WH TD PREGNANCY CONTRA RESOURCES

<u>Change Made</u>: Two CDC weblinks changed within this element. The links were broken due to CDC website changes.

This element resides in the VA-WH UPDATE PREGNANCY STATUS reminder dialog.

```
BEFORE:
NAME: VA-WH TD PREGNANCY CONTRA RESOURCES
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
Contraceptive Resources:
{FLD:WH US MEC LINK}-http://www.cdc.gov/reproductivehealth/unintendedpregnancy/usmec.htm
{FLD:WH US SPR LINK}-http://www.cdc.gov/reproductivehealth/unintendedpregnancy/usspr.htm
AFTER:
NAME: VA-WH TD PREGNANCY CONTRA RESOURCES
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
Contraceptive Resources:
{FLD:WH US MEC LINK} - https://www.cdc.gov/reproductivehealth/contraception/mmwr/mec/summary.html
{FLD:WH US SPR LINK} - https://www.cdc.gov/reproductivehealth/contraception/mmwr/spr/summary.html
```







4. Reminder Dialog GROUP: VA-GP TELE URGENT TYPE

<u>Changes Made</u>: The group was changed to 'local' class to allow facilities to add options, if needed. An option labeled "Chat" was added under the "Type of Visit" group.

This element resides in the VA-TELE URGENT CARE NOTE reminder dialog.

```
BEFORE:
NAME: VA-GP TELE URGENT TYPE
DISABLE:
CLASS: NATIONAL//
GROUP HEADER DIALOG TEXT:
Type of Visit:


Edit? NO//
Select SEQUENCE:
5 VA-TELE URGENT TYPE VIDEO
10 VA-TELE URGENT TYPE PHONE

AFTER:
NAME: VA-GP TELE URGENT TYPE
DISABLE:
```

DISABLE: CLASS: LOCAL// GROUP HEADER DIALOG TEXT: Type of Visit:

```
Edit? NO//
Select SEQUENCE:

VA-TELE URGENT TYPE VIDEO
VA-TELE URGENT TYPE PHONE
VA-TELE URGENT TYPE CHAT
```



5. Reminder Dialog ELEMENT: VA-FLU IMM NCP URL

Changes Made: The URL for Influenza Guidance has changed.

This element resides in the VA-INFLUENZA IMMUNIZATION reminder dialog.

BEFORE:

NAME: VA-FLU IMM NCP URL


DISABLE:

CLASS: NATIONAL//

DIALOG/PROGRESS NOTE TEXT:

{FLD:NCP INFLUENZA IMMUNIZATION GUIDANCE}

Redacted URL



AFTER:


DISABLE:

CLASS: NATIONAL//

DIALOG/PROGRESS NOTE TEXT:

{FLD:NCP INFLUENZA IMMUNIZATION GUIDANCE}

REDACTED URL



6. Reminder Dialog ELEMENTS: VA-PSAS HISA INITIAL REQUEST SC/GRANT and VA-PSAS CLOTHING ALLOW ADDITIONAL DETAILS

<u>Changes Made</u>: One template field in each ELEMENT did not pack when Update_2_0_236 VA-PROSTHETICS TEMPLATES was initially released. To ensure these templates fields get installed, the elements that house the two templates have been included in this misc. update.

This elements resides in the VA-PSAS HOME IMPROVEMENT AND STRUCTURAL ALTERATIONS NOTE reminder dialog.

BEFORE:

There are no BEFORE screen captures to provide. Refer to the 'after' screen captures below.

AFTER:

NAME: VA-PSAS HISA INITIAL REQUEST SC/GRANT

DISABLE:


CLASS: NATIONAL//

DIALOG/PROGRESS NOTE TEXT:

Service-Connected disability: {FLD:VA-PSAS YES/NO(R)}

{FLD:VA-PSAS HISA SC BENEFIT INFO (DISPLAY)}

SAH/SHA/TRA grant in progress or has been processed? {FLD:VA-PSAS YES/NO(R)}



NAME: VA-PSAS CLOTHING ALLOW ADDITIONAL DETAILS

DISABLE:

CLASS: NATIONAL//


DIALOG/PROGRESS NOTE TEXT:

Additional comments: {FLD:VA-PSAS WORD 2 LINES}

Date entered into VBMS: {FLD:VA-PSAS DATE(R)}

Date decision letter sent to Veteran: {FLD:VA-PSAS DATE(R)}

{FLD:VA-PSAS CLOTHING ALLOWANCE LETTER INFO}



7. Reminder Dialog GROUP: VA-GP PSAS HISA BENEFIT MODIFICATION REQUESTED MAIN

Change Made: Misspelling (Modificaton) is corrected in the alternate progress note text.

This element resides in the VA-PSAS HOME IMPROVEMENT AND STRUCTURAL ALTERATIONS NOTE reminder dialog.

```
BEFORE:
NAME: VA-GP PSAS HISA BENEFIT MODIFICATION REQUESTED MAIN DISABLE:
CLASS: NATIONAL//
GROUP HEADER ALTERNATE P/N TEXT:
\\
Modificaton requested:

AFTER:
NAME: VA-GP PSAS HISA BENEFIT MODIFICATION REQUESTED MAIN DISABLE:
CLASS: NATIONAL//
GROUP HEADER ALTERNATE P/N TEXT:
\\
Modification requested:
```

| Reminder Dialog Template: PSAS HOME IMPROVEMENT AND STRUCTURAL ALTERATIONS | |
|--|--|
| Has Veteran used HISA benefit before? | |
| C Yes | |
| C No | |
| Modification requested: | |
| Shower/tub modification | |
| □ Permanent ramping | |
| Lowering of counters/sinks | |
| □ Handrails | |
| Thooring change | |
| □ Widening doorways | |
| ☐ Electrical system updates | |
| Central air conditioning | |
| Repair to previous modification | |
| Cther modification: | |
| | |
| Additional details (should provide specifics on requested modification): | |
| Yisit Info | |
| SAH/SHA/TRA grant in progress of the been processed? Modification requested: | |
| Additional details (should provide specifics on requested modification) | |

8. Reminder TERM: VA-WH NEXT BREAST PROCEDURE

<u>Change Made</u>: The condition field has changed, per guidance from the Women's Health Program Office.

This term resides in the VA-WH MAMMOGRAM SCREENING reminder definition.

BEFORE:

VA-WH NEXT BREAST PROCEDURE

Class: NATIONAL

Sponsor: WOMEN VETERANS HEALTH PROGRAM

Date Created: Review Date:

Description:

This reminder term determine the date the patient is due for a Mammogram, Screening from the Women's Health Patient file.

Findings:

Finding Item: VA-WH NEXT PROCEDURE (FI(1)=CF(58))

Finding Type: REMINDER COMPUTED FINDING

Beginning Date/Time: T

Condition: I((V("Procedure")["Mammogram")!(V("Procedure")["MAMMOGRAM")!

(V("Procedure")["mammogram"))
Condition Case Sensitive: YES
Computed Finding Parameter: BR

AFTER:

VA-WH NEXT BREAST PROCEDURE

Class: NATIONAL

Sponsor: WOMEN VETERANS HEALTH PROGRAM

Date Created: Review Date:

Description:

This reminder term determine the date the patient is due for a Mammogram, Screening from the Women's Health Patient file.

Findings:

Finding Item: VA-WH NEXT PROCEDURE (FI(1)=CF(58))

Finding Type: REMINDER COMPUTED FINDING

Beginning Date/Time: T

Condition: I V("Procedure")'=""
Condition Case Sensitive: YES
Computed Finding Parameter: BR

9. Reminder Dialog ELEMENT: VA-WH SMART BR OUTSIDE DATE OF PROCEDURE

Change Made: A General Finding was added and a new branching logic entry was added.

This element resides in the VA-WH SMART BREAST IMAGING FOLLOW-UP reminder dialog.

BEFORE:

Name: VA-WH SMART BR OUTSIDE DATE OF PROCEDURE

Type: dialog element

Class: NATIONAL

Sponsor: WOMEN VETERANS HEALTH

Dialog Text: Outside report
Alternate P/N Text:

Exclude from P/N:

Resolution type: DONE ELSEWHERE (HISTORICAL)

Finding Item: HF WH SMART OUTSIDE REPORT INFO

Additional Findings: none

Vital Prompt Caption:

Orderable item: N/A

Suppress Checkbox: SUPPRESS

Result Group:

Exclude Mental Health

Test Text from P/N:

ELEMENT COMPONENTS:

MENT COM CINENTS.

Sequence: 5

Additional prompt: PXRM VISIT DATE

Prompt caption: Date:

Override caption: Received on:

Start new line: YES

Exclude from P/N:

Required: YES

Sequence: 10

Additional prompt: PXRM OUTSIDE LOCATION

Prompt caption: Location: Override caption: Location:

Start new line: YES

```
Exclude from P/N: Required:
```

AFTER:

```
VA-WH SMART BR OUTSIDE DATE OF PROCEDURE
DISABLE:
CLASS: NATIONAL//
SPONSOR: WOMEN VETERANS HEALTH PROGRAM//
REVIEW DATE:
RESOLUTION TYPE: DONE AT ENCOUNTER//
ORDERABLE ITEM:
Finding item: GF RADIOLOGY REPORT RECEIVED
FINDING ITEM: RADIOLOGY REPORT RECEIVED//
Additional findings:
    WH PROCEDURE ACTION COMMENT
Select ADDITIONAL FINDING:
DIALOG/PROGRESS NOTE TEXT:
Outside report
  Edit? NO//
ALTERNATE PROGRESS NOTE TEXT:
 Edit? NO//
EXCLUDE FROM PROGRESS NOTE:
SUPPRESS CHECKBOX: SUPPRESS//
Select SEQUENCE: 10// ?
    Answer with COMPONENTS SEQUENCE, or ITEM
   Choose from:
          PXRM DATE
        PXRM COMMENT
  10
Select BRANCHING LOGIC SEQUENCE: 10//
  BRANCHING LOGIC SEQUENCE: 10//
 EVALUATION ITEM: VA-PATIENT IS MALE//
 EVALUATION STATUS: TRUE//
 ACTION: REPLACE//
  REPLACEMENT ITEM: VA-WH SMART BR OUTSIDE DATE OF PROCEDURE MALE
```

10. Reminder Dialog GROUP: VAL-HTN REFERRAL OTHER

<u>Change Made</u>: The group has been enabled and an element added as a sequence for "Refer to Home Telehealth"

This element resides in the VA-HTN ELEVATED BP>140/90 reminder dialog.

BEFORE:


```
Group: VAL-HTN REFERRAL OTHER (Disabled)
Text: Other Referral

AFTER:
```

Group: VAL-HTN REFERRAL OTHER
Text:

Element: VA-HF HTN REFERRAL HT

Text: Refer to Home Telehealth



11. Reminder Dialog GROUP: VA-COVID-19 PHI BLOOD PRESSURE SELF RECORDED

<u>Change Made</u>: The group now contains separate elements to record systolic and diastolic blood pressure.


This group resides in the VA-COVID-19 PREVENTIVE HEALTH INVENTORY reminder dialog.

BEFORE:

Group: VA-COVID-19 PHI BLOOD PRESSURE SELF RECORDED

Text: Enter patient reported blood pressure (enter as SBP/DBP, e.g. 135/85)

Element: VA-COVID-19 PHI BLOOD PRESSURE FOLLOW UP
Text: ++ Elevated BP readings need follow up as clinically appropriate
++



AFTER:

Group: VA-COVID-19 PHI BLOOD PRESSURE SELF RECORDED
Text: Enter patient reported blood pressure

```
++ Enter numeric values for patient reported blood pressure (BP)
++

Element: VA-SELF REPORTED BLOOD PRESSURE SYSTOLIC
   Text: Systolic BP

Element: VA-SELF REPORTED BLOOD PRESSURE DIASTOLIC
   Text: Diastolic BP

Element: VA-SELF REPORTED BLOOD PRESSURE COMMENT
   Text: Additional comment
        Prompts: Comment:

Element: VA-COVID-19 PHI BLOOD PRESSURE FOLLOW UP
   Text: ++ Elevated BP readings need follow up as clinically appropriate ++
```



12. Reminder Dialog ELEMENT: VA-HF EYE CARE AT-RISK SCREEN DONE FLSEWHERE

<u>Change Made</u>: The progress note text was not displaying. "Yes" was removed from the "Exclude from Progress Note" field.

This element resides in the VA-EYE CARE AT-RISK SCREEN (NURSING) reminder dialog.

```
BEFORE:
NAME: VA-HF EYE CARE AT-RISK SCREEN DONE ELSEWHERE
           Replace
DISABLE:
CLASS: NATIONAL//
SPONSOR: OFFICE OF TELEHEALTH SERVICES STORE AND FORWARD TELEHEALTH
         //
REVIEW DATE:
RESOLUTION TYPE: DONE ELSEWHERE (HISTORICAL)//
ORDERABLE ITEM:
Finding item: HF VA-OUTSIDE EYE AT-RISK SCREEN
FINDING ITEM: VA-OUTSIDE EYE AT-RISK SCREEN//
Additional findings: none
Select ADDITIONAL FINDING:
DIALOG/PROGRESS NOTE TEXT:
Exam Information:
  Edit? NO//
ALTERNATE PROGRESS NOTE TEXT:
```

| Outside eye exam of retina was performed by Optometrist or Ophthalmologist within the past year: | | |
|---|--------|--------|
| Exam Information: | | |
| Date: * January 2 2022 Findings/Comment * Normal Exam | | |
| Location: Private Physician | | , |
| \square Patient/Report indicates retinal laser therapy or eye injection within the past 2 years | | |
| <u>V</u> isit Info | Finish | Cancel |
| Patient identified to be at risk for the following eye condition(s): | | |
| | | |
| | | |
| GLAUCOMA: | | |
| Glaucoma Risk Factors | | |
| Information: | | |
| Encounter Diagnosis: 04/07/1999@12:35:21 365.10 (ICD-9-CM) Open angle glaucoma rank: SECONDARY | | |
| Prov. Narr OPEN-ANGLE GLAUCOMA, UNSPECIFIED | | |
| Action: | | |
| No Referral Ordered: | | |
| Eye exam completed elsewhere | | |
| | | |

AFTER:

```
NAME: VA-HF EYE CARE AT-RISK SCREEN DONE ELSEWHERE
           Replace
DISABLE:
CLASS: NATIONAL//
SPONSOR: OFFICE OF TELEHEALTH SERVICES STORE AND FORWARD TELEHEALTH
         //
REVIEW DATE:
RESOLUTION TYPE: DONE ELSEWHERE (HISTORICAL)//
ORDERABLE ITEM:
Finding item: HF VA-OUTSIDE EYE AT-RISK SCREEN
FINDING ITEM: VA-OUTSIDE EYE AT-RISK SCREEN//
Additional findings: none
Select ADDITIONAL FINDING:
DIALOG/PROGRESS NOTE TEXT:
Exam Information:
  Edit? NO//
ALTERNATE PROGRESS NOTE TEXT:
  Edit? NO//
EXCLUDE FROM PROGRESS NOTE:
```

| $oldsymbol{\mathbb{G}}$ Outside eye exam of retina was performed by Optometrist or Ophthalmologist within the past year: | | |
|--|--------|--------|
| Exam Information: | | |
| Date: * January 🔻 2 🔻 2022 ᢏ Findings/Comment * Normal Exam | | |
| Location: Private Physician | | , |
| <u>Y</u> isit Info | Finish | Cancel |
| Patient identified to be at risk for the following eye condition(s): | | |
| | | |
| *************************************** | | |
| GLAUCOMA: | | |
| | | |
| Glaucoma Risk Factors | | |
| Information: | | |
| Encounter Diagnosis: | | |
| 04/07/1999812:35:21 365.10 (ICD-9-CM) Open angle glaucoma rank: SECONDARY | | |
| Prov. Narr OPEN-ANGLE GLAUCOMA, UNSPECIFIED | | |
| Action: | | |
| No Referral Ordered: | | |
| Eye exam completed elsewhere | | |
| Exam Information: | | |
| Date: January 2, 2022 | | |
| Findings/Comment Normal Exam | | |
| Location: Private Physician | | |
| | | |
| | | |

13. Reminder Dialog GROUPS: VA-GP TRR DM READER EXAM RESULTS and VA-GP TRR NON-DM READER EXAM RESULT

<u>Change Made</u>: Similar Health Factors were mapped as Additional Findings, causing the prompt text to duplicate/auto-populate in a second comment field. Removing the additional findings resolves the duplication issue.

These groups reside in the VA-TELERETINOPATHY READER NOTE reminder dialog.

```
BEFORE:
Group: VA-GP TRR NON-DM READER EXAM RESULT

VA-GP TRR MACULA EXAM RESULT

Finding: *NONE*

VA-EX TRR MACULA NORMAL

Finding: TRR EXAM MACULA-NORMAL (EXAM)

Add. Finding: VA-TRR MACULA EXAM NORMAL (HEALTH FACTOR)

VA-EX TRR MACULA ABN

Finding: TRR EXAM MACULA-ABN (EXAM)

Add. Finding: VA-TRR MACULA EXAM ABNORMAL (HEALTH FACTOR)

Add. Finding: VA-TELE EYE GLAUCOMA EXAM ABNORMAL

VA-EX TRR MACULA U/A
```

Finding: TRR EXAM MACULA-U/A (EXAM)

Add. Finding: VA-TRR MACULA EXAM UNABLE TO ASSESS(HEALTH FACTOR)

Add. Finding: VA-TELE EYE GLAUC EXAM UNABLE TO ASSESS

VA-GP TRR OPTIC NERVE EXAM RESULT

Finding: *NONE*

VA-EX TRR OPTIC NERVE NORMAL

Finding: TRR EXAM OPTC NRV-NORMAL (EXAM)

Add. Finding: VA-TRR OPTIC NRV EXAM NORMAL (HEALTH FACTOR)

Add. Finding: VA-TELE EYE GLAUCOMA EXAM NORMAL

(HEALTH FACTOR)

VA-EX TRR OPTIC NERVE ABN

Finding: TRR EXAM OPTC NRV-ABN (EXAM)

Add. Finding: VA-TRR OPTIC NRV EXAM ABNORMAL (HEALTH FACTOR)

Add. Finding: VA-TELE EYE GLAUCOMA EXAM ABNORMAL

(HEALTH FACTOR)

VA-EX TRR OPTIC NERVE U/A

Finding: TRR EXAM OPTC NRV-U/A (EXAM)

Add. Finding: VA-TRR OPTIC NRV EXAM UNABLE TO ASSES

(HEALTH FACTOR)

Add. Finding: VA-TELE EYE GLAUC EXAM UNABLE TO ASSESS

(HEALTH FACTOR)

VA-GP TRR OTH ASSESSMENT EXAM RESULTS

Finding: *NONE*

VA-EX TRR EXAM OTH ASSESS-NORMAL

Finding: TRR EXAM OTH ASSESS-NORM (EXAM)

Add. Finding: VA-TRR OTH ASSESS EXAM NORMAL (HEALTH FACTOR)

VA-EX TRR EXAM OTH ASSESS-ABNORMAL

Finding: TRR EXAM OTH ASSESS-ABN (EXAM)

Add. Finding: VA-TRR OTH ASSESS EXAM ABNORMAL (HEALTH FACTOR)

Add. Finding: VA-TELE EYE GLAUCOMA EXAM ABNORMAL (HEALTH FACTOR)

VA-EX TRR EXAM OTH ASSESS-U/A

Finding: TRR EXAM OTH ASSESS-U/A (EXAM)

Add. Finding: VA-TRR OTH ASSESS UNABLE TO ASSESS (HEALTH FACTOR)

Add. Finding: VA-TELE EYE GLAUC EXAM UNABLE TO ASSESS (HEALTH

FACTOR)

| EYE SCREENING RESULTS: |
|--|
| Diabetic Retinopathy: |
| F Normal - No Diabetic Retinopathy Apparent |
| Selectable Diagnoses: * Type 2 Diabetes Mellitus Without Complications (Ell.5) • |
| Comment: 5495 |
| C Abnormal - Diabetic Retinopathy Present |
| C Unable to assess |
| Macula Findings: |
| C Normal |
| F Absormal Comment: TESTtest |
| C Unable to Assess |
| Optic Herve Head Findings: |
| C Normal |
| Abnormal Comment: TESTtest |
| C Unable to Assess |
| Other Assessment Findings: |
| C Normal |
| Ci Abnormal |
| Tunable to Assess Comment: |

AFTER:

Group: VA-GP TRR NON-DM READER EXAM RESULT

VA-GP TRR MACULA EXAM RESULT

Finding: *NONE*

VA-EX TRR MACULA NORMAL

Finding: TRR EXAM MACULA-NORMAL (EXAM)

Add. Finding: VA-TRR MACULA EXAM NORMAL (HEALTH FACTOR)

VA-EX TRR MACULA ABN

Finding: TRR EXAM MACULA-ABN (EXAM)

Add. Finding: VA-TRR MACULA EXAM ABNORMAL (HEALTH FACTOR)

VA-EX TRR MACULA U/A

Finding: TRR EXAM MACULA-U/A (EXAM)

Add. Finding: VA-TRR MACULA EXAM UNABLE TO ASSESS (HEALTH FACTOR)

VA-GP TRR OPTIC NERVE EXAM RESULT

Finding: *NONE*

VA-EX TRR OPTIC NERVE NORMAL

Finding: TRR EXAM OPTC NRV-NORMAL (EXAM)

Add. Finding: VA-TRR OPTIC NRV EXAM NORMAL (HEALTH FACTOR)

VA-EX TRR OPTIC NERVE ABN

Finding: TRR EXAM OPTC NRV-ABN (EXAM)

Add. Finding: VA-TRR OPTIC NRV EXAM ABNORMAL (HEALTH FACTOR)

VA-EX TRR OPTIC NERVE U/A

Finding: TRR EXAM OPTC NRV-U/A (EXAM)

Add. Finding: VA-TRR OPTIC NRV EXAM UNABLE TO ASSESS (HEALTH FACTOR)

VA-GP TRR OTH ASSESSMENT EXAM RESULTS

Finding: *NONE*

VA-EX TRR EXAM OTH ASSESS-NORMAL

Finding: TRR EXAM OTH ASSESS-NORM (EXAM)

Add. Finding: VA-TRR OTH ASSESS EXAM NORMAL (HEALTH FACTOR)

VA-EX TRR EXAM OTH ASSESS-ABNORMAL

Finding: TRR EXAM OTH ASSESS-ABN (EXAM)

Add. Finding: VA-TRR OTH ASSESS EXAM ABNORMAL

(HEALTH FACTOR)

VA-EX TRR EXAM OTH ASSESS-U/A

Finding: TRR EXAM OTH ASSESS-U/A (EXAM)

Add. Finding: VA-TRR OTH ASSESS UNABLE TO ASSESS

(HEALTH FACTOR)

| Diabetic Reti | nopathy: | |
|---------------|--|--|
| O Normal - | - No Diabetic Retinopathy Apparent | |
| Abnormal | 1 - Diabetic Retinopathy Present Comment: Test 1 | |
| Unable t | 20 assess | |
| Macula Findin | ıgs: | |
| O Normal | | |
| | al Comment: Test 2 | |
| C Unable | | |
| | | |
| Optic Nerve H | Head Findings: | |
| C Normal | | |
| ■ Abnorma | al Comment: Test 3 | |
| C Unable | to Assess | |
| Other Assessm | ment Findings: | |
| C Normal | | |
| Abnorma | al Comment: Test 4 | |
| Clarente | to Assess | |

14. Reminder Order Check Items Group: VA-QT PROLONGING MEDICATIONS

<u>Change Made</u>: Drug Ketoconazole was removed (i.e. DG.KETOCONZAZOLE) and replaced with product Ketoconazole 200MG TAB (i.e. DP.KETOCONAZOLE 200MG TAB)

```
BEFORE:
VA-QT PROLONGING MEDICATIONS (GROUP)
                                                         No. 28
______
Class:
                     NATIONAL
Sponsor:
Review Date:
Group Description:
 Source: Crediblemeds.org
 List of drugs known to prolong QT interval
 Designed for use in Clinical Reminder Order Check (CROC) to warn (relative
 contraindication) when ordering these medications in patients with
 documented long QT syndrome --- R. Silverman [PBM] Jan 2018, Jun 2018
Item List:
 <redacted list for space...>
   DG. KETOCONAZOLE
VA-QT PROLONGING MEDICATIONS (GROUP)
                                                         No. 28
_______
Class:
                     NATIONAL
Sponsor:
Review Date:
Group Description:
 Source: Crediblemeds.org
 List of drugs known to prolong QT interval
 Designed for use in Clinical Reminder Order Check (CROC) to warn (relative
 contraindication) when ordering these medications in patients with
 documented long QT syndrome --- R. Silverman [PBM] Jan 2018, Jun 2018
Item List:
 <redacted list for space...>
   DP.KETOCONAZOLE 200MG TAB
```

15. Reminder ELEMENT: VA-HGB A1C FROM NON VA LAB

<u>Change Made</u>: This is a new standardized reminder dialog element and health factor that can be used in local clinical reminder dialog templates to document a patient's hemoglobin A1C lab test result completed at a non-VA lab. This new element and health factor will be recognized by the quality external peer review process (EPRP) when evaluating diabetic patient labs.

BEFORE:

THIS IS A NEW ELEMENT, THERE IS NO 'BEFORE' INFORMATION TO PRESENT HERE


AFTER:

Element: VA-HGB A1C FROM NON VA LAB

Text: Patient's Hemoglobin A1c from a non-VA lab (please enter re

only as the specific number with decimal point)

Prompts: Result: Date:



16. Reminder ELEMENT: VA-HBV TEXT ADDL INFORMATION IMMUNIZATION

Change Made: Text was missing at the end of the dialog text. The missing text was added.

This element resides in the VA-HEPATITIS B IMMUNIZATION reminder dialog.

```
BEFORE:
NAME: VA-HBV TEXT ADDL INFORMATION IMMUNIZATION Replace
DISABLE:
CLASS: NATIONAL//
RESOLUTION TYPE:
ORDERABLE ITEM:
FINDING ITEM:
Additional findings: none
Select ADDITIONAL FINDING:
DIALOG/PROGRESS NOTE TEXT:...
international travelers to countries with high or intermediate
prevalence of HBV infection (list of countries is available
AFTER:
NAME: VA-HBV TEXT ADDL INFORMATION IMMUNIZATION Replace
DISABLE:
CLASS: NATIONAL//
RESOLUTION TYPE:
ORDERABLE ITEM:
FINDING ITEM:
Additional findings: none
Select ADDITIONAL FINDING:
DIALOG/PROGRESS NOTE TEXT:...
international travelers to countries with high or intermediate
prevalence of HBV infection ({FLD: PBM HEPLISAV-B LIST OF COUNTRIES} is available)
should follow CDC Traveler's Health recommendations:
{FLD: PBM HEPLISAV-B TRAVEL RECOMMEND}
```



17. Reminder ELEMENT: VA-MISC UPDATE TEMPLATE FIELDS

<u>Change Made</u>: Three template fields are included in this element. Installation will ensure your facility has the correct set-up for all three template fields.

BEFORE:

Refer to the AFTER screenshots below to see how all three template fields should display after you install the misc.16 update


AFTER:


NAME: VA-MISC UPDATE TEMPLATE FIELDS


{FLD:LIFELINESUPPORT.ORG}

{FLD:ACP ELIGIBILITY STEPS}

{FLD:ACP QUALIFICATION GUIDELINES}







18. Reminder GROUP: VA-LST RESUSCITATION-CPR/DNR 2 (G)

<u>Change Made</u>: Branching logic was added to the full code and DNR options in section 5a of the VA-LIFE-SUSTANING TREATMENT (D) reminder dialog, to alert the author of existing DNR orders on patient's charts, that should be discontinued if new orders are being placed.

This group resides in the VA-LIFE-SUSTAINING TREATMENT (D) reminder dialog.

BEFORE:

Group: VA-LST RESUSCITATION-CPR/DNR 2 (G)
 Text: *5a. In the event of cardiopulmonary arrest:

```
*5a. In the event of cardiopulmonary arrest:

© Full code: Attempt CPR.
© DNAR/DNR: Do not attempt CPR.
© DNAR/DNR: Except provide CPR during the following procedure and time frame: *
```



AFTER:

Group: VA-LST RESUSCITATION-CPR/DNR 2 (G)

Text: *5a. In the event of cardiopulmonary arrest:

If patient has active DNR order:

a. User selects the "Full Code" option in the LST reminder dialog the following alert will display.

```
REMINDER: DISCONTINUE LST ORDERS THAT NO LONGER REFLECT THE PATIENT'S LST DECISIONS TO ENSURE THAT THE LST
NOTE AND ORDERS ALIGN.

*5a. In the event of cardiopulmonary arrest:

© Full code: Attempt CPR.

***URGENT ALERT: The patient has an existing DNR order.

You MUST manually discontinue the DNR order from the Orders tab
immediately after completing this template.
```

b. User selects the "DNAR/DNR" option in the LST reminder dialog the following alert will display.

```
REMINDER: DISCONTINUE LST ORDERS THAT NO LONGER REFLECT THE PATIENT'S LST DECISIONS TO ENSURE THAT THE LST
NOTE AND ORDERS ALIGN.

*5a. In the event of cardiopulmonary arrest:

C Full code: Attempt CPR.

DNAR/DNR: Do not attempt CPR.

***URGENT ALERT: The patient has an existing DNR order.

To avoid duplicate orders, you MUST manually discontinue the DNR order from the Orders tab immediately after completing this template. OR, if the patient's LST plan has not changed (including code status and decisions about other LSTs), this template does not need to be completed.
```

c. User selects the "DNAR/DNR: Except..." option in the LST reminder dialog the following alert will display.

```
REMINDER: DISCONTINUE LST ORDERS THAT NO LONGER REFLECT THE PATIENT'S LST DECISIONS TO ENSURE THAT THE LST NOTE AND ORDERS ALIGN.

*5a. In the event of cardiopulmonary arrest:

C Full code: Attempt CPR.
C DNAR/DNR: Do not attempt CPR.
C DNAR/DNR: Except provide CPR during the following procedure and time frame: *

***URGENT ALERT: The patient has an existing DNR order.

You MUST manually discontinue the DNR order from the Orders tab immediately after completing this template and placing the DNR Except order.
```

If the patient has an existing DNAR/DNR Except order:

d. User selects the "Full Code" option in the LST reminder dialog the following alert will display.

```
REMINDER: DISCONTINUE LST ORDERS THAT NO LONGER REFLECT THE PATIENT'S LST DECISIONS TO ENSURE THAT THE LST NOTE AND ORDERS ALIGN.

*5a. In the event of cardiopulmonary arrest:

Full code: Attempt CPR.

***URGENT ALERT: The patient has an existing DNR Except order.

You MUST manually discontinue the DNR Except order from the Orders tab immediately after completing this template.
```

e. User selects the "DNAR/DNR" option in the LST reminder dialog the following alert will display.

```
REMINDER: DISCONTINUE LST ORDERS THAT NO LONGER REFLECT THE PATIENT'S LST DECISIONS TO ENSURE THAT THE LST NOTE AND ORDERS ALIGN.

*5a. In the event of cardiopulmonary arrest:

C Full code: Attempt CPR.

DNAR/DNR: Do not attempt CPR.

***URGENT ALERT: The patient has an existing DNR Except order.

You MUST manually discontinue the DNR Except order from the Orders tab immediately after completing this template and placing the DNR order.
```

f. User selects the "DNAR/DNR: Except..." option in the LST reminder dialog the following alert will display.

```
REMINDER: DISCONTINUE LST ORDERS THAT NO LONGER REFLECT THE PATIENT'S LST DECISIONS TO ENSURE THAT THE LST NOTE AND ORDERS ALIGN.

*5a. In the event of cardiopulmonary arrest:

© Full code: Attempt CPR.
© DNAR/DNR: Do not attempt CPR.
© DNAR/DNR: Except provide CPR during the following procedure and time frame: *

*** URGENT ALERT: The patient has an existing DNR Except order.

To avoid duplicate orders, you MUST manually discontinue the DNR Except order from the Orders tab immediately after completing this template. OR, if the patient's LST plan has not changed (including code status and decisions about other LSTs), this template does not need to be completed.
```

If the patient has existing DNR and DNAR/DNR Except orders:

a. User selects the "Full Code" option in the LST reminder dialog the following alert will display.

```
REMINDER: DISCONTINUE LST ORDERS THAT NO LONGER REFLECT THE PATIENT'S LST DECISIONS TO ENSURE THAT THE LST NOTE AND ORDERS ALIGN.

*5a. In the event of cardiopulmonary arrest:

Full code: Attempt CPR.

***URGENT ALERT: The patient has an existing DNR orders.

You MUST manually discontinue both DNR orders from the Orders tab immediately after completing this template.
```

19. Reminder GROUP: VA-NSG SA L/T PICC PREP

<u>Change Made</u>: The elements were updated in the Insertion preparation section in the VAAES NSG IV Insertion and Maintenance note template. New selection options were added, along with mapped Health Factors.

This group resides in the VA-AES NSG IV INSERT AND MAINTAIN reminder dialog.

BEFORE:

Group: VA-NSG SA L/T PICC PREP
Text: Insertion preparation:

Element: VA-NSG L/T PICC PREP-INSTRUCTIONS

Text: - Hand hygiene performed

- Cap worn by inserter
- Sterile glove worn by inserter Sterile gown worn by inserter
- Mask worn by all present
- Draped patient in sterile fashion with large full body fenestrated drape

Element: VA-NSG L/T PICC PREP-CHLORHEXIDINE

Text: Insertion site scrubbed with chlorhexidine

Element: VA-NSG L/T PICC PREP-ANTIBICROBIAL

Text: Insertion site scrubbed with other antimicrobial: {FLD:TEXT (1-60 CHAR)}

Element: VA-NSG L/T PICC PREP-LIDOCAINE

Text: Lidocaine 1% intradermal: Procedure total given (ml): {FLD:

(1-10 CHAR)}

Element: VA-NSG L/T PICC PREP-OTH PREP

Text: Other: {FLD:TEXT (1-60 CHAR)}

| Reminder Dialog Template: Va-Aes Nsg Iv Insert And Maintain |
|--|
| Patient identified and Time Out performed: The control of the c |
| drape Insertion site scrubbed with chlorhexidine Insertion site scrubbed with other antimicrobial: Lidocaine 1% intradermal: Procedure total given (ml): Other: |

AFTER:

Group: VA-NSG SA L/T PICC PREP Text: Insertion preparation:

Element: VA-NSG L/T PICC PREP-HAND HYGIENE

Text: Hand hygiene performed

Finding: VA-VAAES PICC INSERT PREP HAND HYGIENE (HEALTH FACTOR)


Element: VA-NSG L/T PICC PREP-CAP WORN

Text: Cap worn by inserter

Finding: VA-VAAES PICC INSERT PREP CAP (HEALTH FACTOR)

Element: VA-NSG L/T PICC PREP-STERILE GLOVES

Text: Sterile gloves worn by inserter Finding: VA-VAAES PICC INSERT PREP STERILE GLOVES (HEALTH FACTOR) Element: VA-NSG L/T PICC PREP-STERILE GOWN Text: Sterile gown worn by inserter Finding: VA-VAAES PICC INSERT PREP GOWN (HEALTH FACTOR) Element: VA-NSG L/T PICC PREP-MASK Text: Mask worn by all present Finding: VA-VAAES PICC INSERT PREP MASK (HEALTH FACTOR) Element: VA-NSG L/T PICC PREP-DRAPE Text: Patient draped in sterile fashion with large fenestrated drape Finding: VA-VAAES PICC INSERT PREP DRAPE (HEALTH FACTOR) Element: VA-NSG L/T PICC PREP-CHLORHEXIDINE Text: Insertion site scrubbed with chlorhexidine Finding: VA-VAAES PICC INSERTION PREP CHLOR (HEALTH FACTOR) Element: VA-NSG L/T PICC PREP-ANTIBICROBIAL Text: Insertion site scrubbed with other antimicro (1-60 CHAR)} Finding: VA-VAAES PICC INSERTION PREP ANTIMIC Element: VA-NSG L/T PICC PREP-LIDOCAINE Text: Lidocaine 1% intradermal: Procedure total g (1-10 CHAR)} Finding: *NONE* Element: VA-NSG L/T PICC PREP-OTH PREP Text: Other: {FLD:TEXT (1-60 CHAR)} Finding: VA-VAAES PICC INSERTION PREP OTHER (HEALTH FACTOR)



20. Reminder GROUP: VA-GP SAFFTY PLAN REFUSES OFFER

Change Made: The word "refused" was changed to "declined" in the dialog text.


This group resides in the VA-OSP SUICIDE SAFETY PLAN REVIEW/DECLINE reminder dialog.

<mark>BEFORE</mark>:

Group: VA-GP SAFETY PLAN REFUSES OFFER
GROUP HEADER DIALOG TEXT:
Veteran refused offer to complete a suicide prevention safety plan.

Edit? NO//
GROUP HEADER ALTERNATE P/N TEXT:

\\Veteran refused offer to complete a suicide prevention safety plan.




AFTER:

Group: VA-GP SAFETY PLAN REFUSES OFFER GROUP HEADER DIALOG TEXT:

Veteran declined offer to complete a suicide prevention safety plan.

Edit? NO//
GROUP HEADER ALTERNATE P/N TEXT:

\Veteran declined offer to complete a suicide prevention safety plan



21. Reminder FLEMENT: SAFFTY PLAN STEP 2 TIP 3 DETAILS

Change Made: The hyperlink to the Virtual Hope Box has changed..

This element resides in the VA-OSP SUICIDE SAFETY PLAN reminder dialog.

BEFORE

Element: SAFETY PLAN STEP 2 TIP 3 DETAILS

Text: View TIP for creating Virtual Hope Box as coping strategy {FLD:VA-OSP VHB URL}


https://www.health.mil/Reference-Center/Fact-Sheets/2020/10/26/Virtual-Hope-Box-App


AFTER:

Element: SAFETY PLAN STEP 2 TIP 3 DETAILS

Text: View TIP for creating Virtual Hope Box as coping strategy {FLD:VA-OSP VHB URL}

REDACTED URL (Note from the person doing the 508 editing for outside of the VA, there is an APP called "Virtual Hope Box" that may have the same information.)





22. Reminder DEFINITION: VA-AAA SCREENING

<u>Change Made</u>: The hyperlink to the USPSTF Recommendations has changed..

BEFORE:

Select Reminder Definition: VA-AAA SCREENING

Web Addresses for Reminder Information

Select URL: http://www.uspreventiveservicestaskforce.org/uspstf/uspsaneu.htm



AFTER:

Select Reminder Definition: VA-AAA SCREENING

Web Addresses for Reminder Information

Select URL:

https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/abdominal-aortic-aneurysm-screening



23. Reminder ELEMENT: VA-HPV ADMIN VIS


<u>Change Made</u>: The VIS hyperlink was not displaying on the Reminder Dialog. Installing this element will ensure the VIS hyperlink displays (as intended) on the reminder dialog.

This element resides in the VA-HUMAN PAPILLOMAVIRUS (HPV) VACCINE reminder dialog.

BEFORE:

Element: VA-HPV ADMIN VIS

Text: The HPV Gardasil-9 VIS dated {FLD:IM VIS HPV9 DT} was given to the patient.



AFTER:

Element: VA-HPV ADMIN VIS

Text: The HPV Gardasil-9 VIS dated {FLD:IM VIS HPV9 DT} was given to

the patient.

{FLD:IM VIS HPV URL}



24. Reminder GROUP: VA-GP SUICIDE PRIOR ATTEMPTS

Change Made: Additional text has been included in the question.

This group resides in the VA-OSP SUICIDE RISK ASSESSMENT reminder dialog.

BEFORE:

GROUP: VA-GP SUICIDE PRIOR ATTEMPTS

Text: Has the Veteran ever made a prior suicide attempt other than those documented in the SBORs/past CRSEs noted above?*.

| Suicidal Behavior | | |
|--|--|--|
| Previous suicide attempts documented in the Suicide Behavior and Overdose Report (SBOR) or by previous CSREs. No previous suicide attempts documented | | |
| The CAPRI, REACH VET, Risk Indicators, STORM Tool for Analytic Lookup (CRISTAL) dashboard is another resource to check the patient record for details of prior suicide behaviors: CRISTAL dashboard | | |
| Suicide Attempt: A non-fatal self-inflicted potentially injurious behavior with any intent to die as a result of the behavior. | | |
| Has the Veteran ever made a prior suicide attempt other than those documented in the SBORs/past CSREs noted above?* | | |
| C No | | |
| Cl yes | | |
| Unknown/Not reported | | |

AFTER:

GROUP: VA-GP SUICIDE PRIOR ATTEMPTS

Text: Has the Veteran ever made a prior suicide attempt, including any reported today, other than those documented in the SBORs/past CRSEs noted above?*.

| Su | Suicidal Behavior | | |
|----|---|--|--|
| | Previous suicide attempts documented in the Suicide Behavior and Overdose Report (SBOR) or by previous CSREs. No previous suicide attempts documented | | |
| | The CAPRI, REACH VET, Risk Indicators, STORM Tool for Analytic Lookup (CRISTAL) dashboard is another resource to check the patient record for details of prior suicide behaviors: CRISTAL dashboard | | |
| | Suicide Attempt: A non-fatal self-inflicted potentially injurious behavior with any intent to die as a result of the behavior. | | |
| | Has the Veteran ever made a prior suicide attempt, including any reported today, other than those documented in the SBORs/past CSREs noted above?* | | |
| | С но | | |
| | C Yes | | |
| | Unknown/Not reported | | |

25. Reminder ELEMENT: VA-SUICIDE RISK HX OF ATTEMPTS

<u>Change Made</u>: The word "attempt(s)" was change to "behavior(s)".

This element resides in the VA-OSP SUICIDE RISK ASSESSMENT reminder dialog.

BEFORE:

NAME: VA-SUICIDE RISK HX OF ATTEMPTS

DIALOG/PROGRESS NOTE TEXT:
History of suicide attempt(s)

| Risk | Factors |
|------|--|
| | factors may increase the likelihood of engaging in suicidal self-directed violence. They may be modifiable risk factors may also be targets of intervention. |
| Indi | cate which of these risk factors is present for the Veteran. (select all that apply) * |
| F | History of suicide attempt(s) |
| | Comment: |
| | Recent psychosocial stressors (e.g., homelessness, legal problems, financial problems, relationship prob |
| Г | Access to lethal means (e.g., firearms, large quantities of medications) |
| Г | History of mental health hospitalization(s): (Please include dates, reasons for hospitalization and dura |
| Г | Psychological conditions or symptoms (e.g., mood or affective disorder, personality disorder, psychosis, |
| Г | History of non-suicidal self-directed violence (e.g., cutting, burning) |
| Г | Losses (e.g., loss of a loved one or relationship) |
| | Medical conditions and health-related problems (e.g., TBI, HIV/AIDS, insomnia, chronic pain) |
| Г | Member of a minority group at increased risk for suicide (e.g., LGBT) |
| | Preexisting risk factors (e.g., history of trauma, family history of suicide attempt) |

AFTER:

NAME: VA-SUICIDE RISK HX OF ATTEMPTS

DIALOG/PROGRESS NOTE TEXT:

History of suicidal behavior(s)

| Risk Factors | | | | | | | |
|--|--|--|--|--|--|--|--|
| Risk factors may increase the likelihood of engaging in suicidal self-directed violence. They may be of risk for suicide. Modifiable risk factors may also be targets of intervention. | | | | | | | |
| Indicate which of these risk factors is present for the Veteran. (select all that apply) * | | | | | | | |
| History of suicidal behavior(s) | | | | | | | |
| Comment: | | | | | | | |
| Recent psychosocial stressors (e.g., homelessness, legal problems, financial problems, relation | | | | | | | |
| \square Access to lethal means (e.g., firearms, large quantities of medications) | | | | | | | |
| \square History of mental health hospitalization(s): (Please include dates, reasons for hospitalization | | | | | | | |
| \square Psychological conditions or symptoms (e.g., mood or affective disorder, personality disorder, | | | | | | | |
| \square History of non-suicidal self-directed violence (e.g., cutting, burning) | | | | | | | |
| \square Losses (e.g., loss of a loved one or relationship) | | | | | | | |
| \square Medical conditions and health-related problems (e.g., TBI, HIV/AIDS, insomnia, chronic pain) | | | | | | | |
| \square Member of a minority group at increased risk for suicide (e.g., LGBT) | | | | | | | |
| Preexisting risk factors (e.g. history of trauma family history of suicide attempt) | | | | | | | |

26. Reminder GROUP: VA-GP SUICIDE WARNING SIGNS

Change Made: Shifted and removed text from this group.

This group resides in the VA-OSP SUICIDE RISK ASSESSMENT reminder dialog.

<mark>BEFORE</mark>:

Group: VA-GP SUICIDE WARNING SIGNS

Text: Warning Signs

Warning Signs: Factors specific to the individual which when exacerbated or increase, signal an acute increase in risk of suicidal behavior in the immediate future (i.e., minutes and days). These can be assessed by asking the Veteran to describe thoughts, feelings, and behaviors experienced prior to most recent exacerbation of suicidal ideation or behavior.

Select all warnings that are CURRENTLY PRESENT for this Veteran to inform your assessment of acute risk. (select all that apply)*

Group: VA-GP SUICIDE WARNING SIGNS DIRECT

Text: Verbal or non-verbal expression of suicidal ideation or

behavior:*

| Warning Signs | | | | | | | |
|--|--|--|--|--|--|--|--|
| Warning Signs: Factors specific to the individual which when exacerbated or increase, signal an acute increase in risk of suicida future (i.e., minutes and days). These can be assessed by asking the Veteran to describe thoughts, feelings, and behaviors expe exacerbation of suicidal ideation or behavior. | | | | | | | |
| Select all warnings that are CURRENTLY PRESENT for this Veteran to inform your assessment of acute risk. (select all that apply)* | | | | | | | |
| Verbal or non-verbal expression of suicidal ideation or behavior:* | | | | | | | |
| ☐ None noted | | | | | | | |
| C Unknown | | | | | | | |
| Ω Select warning signs: (select all that apply) s | | | | | | | |

AFTER:

Group: VA-GP SUICIDE WARNING SIGNS

Text: Warning Signs

Warning Signs: Factors specific to the individual which when exacerbated or increase, signal an acute increase in risk of suicidal behavior in the immediate future (i.e., minutes and days). These can be assessed by asking the Veteran to describe thoughts, feelings, and behaviors experienced prior to most recent exacerbation of suicidal ideation or behavior.

Group: VA-GP SUICIDE WARNING SIGNS DIRECT

Text: Select all warnings that are CURRENTLY PRESENT for this Veteran to inform your assessment of acute risk.*

GROUP HEADER ALTERNATE P/N TEXT:

The following warning signs are currently present for the Veteran:

| Warning Signs | | | | | | | |
|--|--|--|--|--|--|--|--|
| Warning Signs: Factors specific to the individual which when exacerbated or increase, signal an acute increase future (i.e., minutes and days). These can be assessed by asking the Veteran to describe thoughts, feelings, exacerbation of suicidal ideation or behavior. | | | | | | | |
| Select all warnings that are CURRENTLY PRESENT for this Veteran to inform your assessment of acute risk:* | | | | | | | |
| ☐ Unknown ☐ Select warning signs: (select all that apply)* | | | | | | | |

27. Reminder GROUP: VA-GP SUICIDE INTERVENTION ACTION RESIDENTIAL

Change Made: The text "Currently" has been edited to be "Currently/Transferring to".

This group resides in the VA-OSP SUICIDE RISK ASSESSMENT reminder dialog.

BEFORE:

Group: VA-GP SUICIDE INTERVENTION ACTION RESIDENTIAL

Text: Strategies for Managing Risk if the Veteran is Currently in RESIDENTIAL Treatment: (Select all that apply)

| | Strategies for Managing all that apply) | Risk in | OUTPATIENT | (including home and community-based) setting: (Select |
|-----|---|---------|------------|---|
| | Strategies for Managing apply) | Risk if | the Vetera | n is Currently in RESIDENTIAL Treatment: (Select all that |
| | Strategies for Managing apply) | Risk if | the Vetera | n is Currently in INPATIENT Treatment: (Select all that |
| □ : | Strategies for Managing CENTER: (Select all th | | | n is Currently in the EMERGENCY DEPARTMENT/URGENT CARE |

AFTER:

Group: VA-GP SUICIDE INTERVENTION ACTION RESIDENTIAL

Text: Strategies for Managing Risk if the Veteran is Currently/Transferring to in RESIDENTIAL Treatment: (Select all that apply)

| | I . | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| Е | Strategies for Managing Risk in OUTPATIENT (including home and community-based) setting: (Select all that apply) | | | | | | | | |
| Г | Strategies for Managing Risk if the Veteran is Currently/Transferring to in RESIDENTIAL Treatment: (Select all that apply) | | | | | | | | |
| | Strategies for Managing Risk if the Veteran is Currently in INPATIENT Treatment: (Select all that apply) | | | | | | | | |
| Г | Strategies for Managing Risk if the Veteran is Currently in the EMERGENCY DEPARTMENT/URGENT CARE CENTER: (Select all that apply) | | | | | | | | |

28. Reminder FLEMENT: VA-SUICIDE PRIOR ATTEMPTS NO UPDATE


<u>Change Made</u>: One word in the alternate progress note text has changed from "Screening" to "Evaluation".

This element resides in the VA-OSP SUICIDE RISK ASSESSMENT reminder dialog.

BEFORE:

NAME: VA-SUICIDE PRIOR ATTEMPTS NO UPDATE Replace ALTERNATE PROGRESS NOTE TEXT:

The Veteran has not made any suicide attempts since the last VA Comprehensive Suicide Risk Screening was completed.




Suicidal Behavior
------The Veteran has not made any suicide attempts since the last VA
Comprehensive Suicide Risk Screening was completed.

AFTER

NAME: VA-SUICIDE PRIOR ATTEMPTS NO UPDATE Replace ALTERNATE PROGRESS NOTE TEXT:

The Veteran has not made any suicide attempts since the last VA Comprehensive Suicide Risk Evaluation was completed.



```
Suicidal Behavior

The Veteran has not made any suicide attempts since the last VA


Comprehensive Suicide Risk Evaluation was completed.
```


29. Reminder GROUP: VA-GP RAI FRAILTY SCORE


<u>Changes Made</u>: Change #1 - The hyperlink to the RAI online tool has changed; from Red Cap to Power Apps. Change #2 - a text box has been added to the end of the group to allow for RAI calculations to be entered into the dialog and note.

This group resides in the VA-RAI FRAILTY SCORE reminder dialog.

```
BEFORE:
NAME: VA-GP RAI FRAILTY SCORE Replace
DISABLE:
CLASS: NATIONAL//
Select SEQUENCE: 15// ?
    Answer with COMPONENTS SEQUENCE, or ITEM
Choose from:
    5    VA-GP RAI FRAILTY RISK SCORE
10    VA-GP RAI FRAILTY HX CA
```







AFTER:

NAME: VA-GP RAI FRAILTY SCORE Replace

DISABLE:


CLASS: NATIONAL//


Select SEQUENCE: 15// ?

Answer with COMPONENTS SEQUENCE, or ITEM

Choose from:

- 5 VA-GP RAI FRAILTY RISK SCORE
- 10 VA-GP RAI FRAILTY HX CA
- 15 VA-BLANK LINE DIALOG & NOTE
- 20 VA-GP RAI FRAILTY SCORE ONLINE





| U.S. Department of Veterans Affairs | Surgical Paus | e Risk Analysis Index (RAI |) | | | | | |
|---|---------------|----------------------------|------------------|--|--|--|--|--|
| The RAI is an assessment of frailtya global syndrome of physiological decline and loss of reserve marked by diminished cognition, stream coordination. It can be used to predict the risk of postoperative morbidity and mortality. | | | | | | | | |
| Patient Demographics | | | | | | | | |
| Age: Social History | Sex: | | | | | | | |
| 000201 | | Reset Form | Calculate RAI So | | | | | |