REMINDER UPDATE_2_0_385 VA-MISC UPDATE 24 CHANGES

NOTE: All reminder dialog changes are included in reminder dialog group: <mark>VA-GP MISC UPDATE 24</mark>

Note: To confirm updates made on any 'national' dialog element or group listed below, choose the INQ (Inquiry/Print) option in the Reminder Dialog Management Menu.

Table of Contents

1. Reminder ELEMENT: VAL-OPC 2 DAY FS DIETICIAN

Change Made: The word "dietician" was changed to dietitian" in the dialog text.

The element resides in the VA-OPC 2 DAY POST DISCHARGE reminder dialog.

BEFORE:

```
Element: VAL-OPC 2 DAY FS DIETICIAN

     DIALOG/PROGRESS NOTE TEXT:
        Dietician/Nutrition Services

     ALTERNATE PROGRESS NOTE TEXT:
        Dietician/Nutrition Services
```

AFTER:

```
 Element: VAL-OPC 2 DAY FS DIETICIAN

     DIALOG/PROGRESS NOTE TEXT:
        Dietitian/Nutrition Services

     ALTERNATE PROGRESS NOTE TEXT:
        Dietitian/Nutrition Services
```

2. Reminder GROUPS: VA-GP COMMUNITY CARE RFS INFORMATION and VA-GP COMMUNITY CARE RFS INFORMATION SCANNED

Change Made: Template field {FLD:TEXT (1-10 CHAR) REQ} was replaced with {FLD:TEXT (1-15 CHAR)REQ in both groups to allow for an increase in number-length when a consult number is entered.

The groups reside in the VA-COMMUNITY CARE RFS NOTE reminder dialog.

BEFORE:

```
Group: VA-GP COMMUNITY CARE RFS INFORMATION
    Text: Community Care Consult: COMMUNITY CARE-{FLD:TEXT (1-30 CHAR) REQ}
                Consult No: {FLD:TEXT (1-10 CHAR)REQ}
                Date sent to scanning: {FLD:DATE (*)}

Group: VA-GP COMMUNITY CARE RFS INFORMATION SCANNED
    Text: Community Care Consult: COMMUNITY CARE-{FLD:TEXT (1-30 CHAR) REQ}
                Consult No: {FLD:TEXT (1-10 CHAR)REQ}
                Date scanned: {FLD:DATE (*)}
```

AFTER:

```
Group: VA-GP COMMUNITY CARE RFS INFORMATION
    Text: Community Care Consult: COMMUNITY CARE-{FLD:TEXT (1-30 CHAR) REQ}
                Consult No: {FLD:TEXT (1-15 CHAR)REQ}
                Date sent to scanning: {FLD:DATE (*)}

Group: VA-GP COMMUNITY CARE RFS INFORMATION SCANNED
    Text: Community Care Consult: COMMUNITY CARE-{FLD:TEXT (1-30 CHAR) REQ}
                Consult No: {FLD:TEXT (1-15 CHAR)REQ}
                Date scanned: {FLD:DATE (*)}
```

Reminder Dialog Template: Va-Community Care Rfs Note

Community Care RFS Response Note Version 1.1

☐ Click to see list of consults

Select One

   ○ Request for Services (RFS) documentation has been sent for scanning to VISTA Imaging

   ◉ Request for Services (RFS) documentation has been scanned to VISTA Imaging

      Community Care Consult: COMMUNITY CARE-*

           Consult No: *

           Date scanned: *   ⋯

3. Reminder GROUP: VA-GEC PCS REVIEW VDC MONTH 1

<u>Change Made</u>: Alternate progress note text was added and 'yes' was removed from the exclude from PN text field.

The group resides in the VA-GEC PERSONAL CARE SERVICES REVIEW reminder dialog.

==BEFORE:==

```
Group: VA-GEC PCS REVIEW VDC MONTH 1
    Group Header Dialog Text:
      Monthly VDC Provider contacts with Veteran:
        Month 1 *
    Group Header Alternate P/N Text:

    Exclude from Progress Note: YES
```

==AFTER:==

```
Group: VA-GEC PCS REVIEW VDC MONTH 1
    Group Header Dialog Text:
      Monthly VDC Provider contacts with Veteran:
        Month 1 *
    Group Header Alternate P/N Text:
        Monthly VDC Provider contacts with Veteran:

    Exclude from Progress Note:
```

```
Reminder Dialog Template: GEC PERSONAL CARE SERVICES REVIEW

Care plan has been reviewed *
    ⊙ Yes
    ⊙ No
    ⊚ Veteran is enrolled in Veteran Directed Care (VDC)
        Monthly VDC Provider contacts with Veteran:
        Month 1 *
            ⊙ Phone
            ⊙ In person
            ⊙ Virtual
            ⊙ No contact

Information to complete oversight obtained from:
Community vendor
Community vendor point of contact
Care plan has been reviewed: Veteran is enrolled in Veteran Directed Care
(VDC)
    Monthly VDC Provider contacts with Veteran:
Case Mix Tool:
    Date Completed:
    Case Mix Score:
```

4. Reminder ELEMENTS: VA-SCI/D PQD ETIOLOGY INFO VERIFIED, VA-SCI/D PQD INFO VERIFIED-MS and VA-SCI/D PQD INFO VERIFIED-MOTOR NEURON

Change Made: The health factors were removed from the Finding Items in all three Elements.

The elements do not reside within any reminder dialog.

BEFORE:

```
Element: VA-SCI/D PQD ETIOLOGY INFO VERIFIED
    FINDING ITEM: VA-SCI/D ETIOLOGY REVIEW DATE

Element: VA-SCI/D PQD INFO VERIFIED-MS
    FINDING ITEM: VA-SCI/D KURTZKE SCALE REVIEW DATE

Element: VA-SCI/D PQD INFO VERIFIED-MOTOR NEURON
    FINDING ITEM: VA-SCI/D MOTOR NEURON REVIEW DATE
```

AFTER:

```
Element: VA-SCI/D PQD ETIOLOGY INFO VERIFIED
    FINDING ITEM: < the health factor has been removed

Element: VA-SCI/D PQD INFO VERIFIED-MS
```

```
      FINDING ITEM: < the health factor has been removed

Element: VA-SCI/D PQD INFO VERIFIED-MOTOR NEURON
      FINDING ITEM: < the health factor has been removed
```

5. Reminder ORDER CHECK RULES: VA-OPIOID DRUG CLASS (CN101) and VA-BENZODIAZEPINE DRUG CLASS (CN302)

<u>Change Made:</u> Order Check Text to a hyperlink was updated to provide the correct hyperlink.

<mark>BEFORE:</mark>

Reminder Order Check Rule: <mark>VA-BENZODIAZEPINE DRUG CLASS (CN302)</mark>

```
Display Name:          Potential dangerous drug combination with a BENZODIAZEPE
Class:                 NATIONAL
Order Check Text

  Combination of Benzodiazepines and Opioids may result in potentially
  unsafe drug interactions; prescribing of Opioids and Benzodiazepines
  concurrently has been shown to have a 4-fold increased risk of OVERDOSE
  in the Veteran population (BMJ 2015;350:h2698).

  Co-prescribing opioid and benzodiazepines is particularly dangerous when
  patients have other risk factors for overdose or suicide.  The
  Stratification Tool for Opioid Risk Mitigation (STORM) decision support
```

tool provides estimates of adverse event risk, a summary of risk factors, and recommended risk mitigation interventions and treatment alternatives for patients. Review STORM by cutting and pasting this URL link into your browser:
https://spsites.cdw.va.gov/sites/OMHO_PsychPharm/Pages/Real-Time-STORM-Dashboard.aspx

Reminder Order Check Rule: VA-OPIOID DRUG CLASS (CN101)

Display Name: Potential dangerous drug combination with an OPIOID
Class: NATIONAL
Order Check Text

   Combination of Benzodiazepines and Opioids may result in potentially
   unsafe drug interactions; prescribing of Opioids and Benzodiazepines
   concurrently has been shown to have a 4-fold increased risk of OVERDOSE
   in the Veteran population (BMJ 2015;350:h2698).

   Co-prescribing opioid and benzodiazepines is particularly dangerous when
   patients have other risk factors for overdose or suicide. The
   Stratification Tool for Opioid Risk Mitigation (STORM) decision support
   tool provides estimates of adverse event risk, a summary of risk factors,
   and recommended risk mitigation interventions and treatment alternatives
   for patients. Review STORM by cutting and pasting this URL link into your
   browser:
   https://spsites.cdw.va.gov/sites/OMHO_PsychPharm/Pages/Real-Time-STORM-Dashboard.aspx

AFTER:

Reminder Order Check Rule: VA-BENZODIAZEPINE DRUG CLASS (CN302)

Display Name: Potential dangerous drug combination with a BENZODIAZEPE
Class: NATIONAL
Order Check Text

   Combination of Benzodiazepines and Opioids may result in potentially
   unsafe drug interactions; prescribing of Opioids and Benzodiazepines
   concurrently has been shown to have a 4-fold increased risk of OVERDOSE
   in the Veteran population (BMJ 2015;350:h2698).

   Co-prescribing opioid and benzodiazepines is particularly dangerous when
   patients have other risk factors for overdose or suicide. The
   Stratification Tool for Opioid Risk Mitigation (STORM) decision support
   tool provides estimates of adverse event risk, a summary of risk factors,
   and recommended risk mitigation interventions and treatment alternatives
   for patients. Review STORM by cutting and pasting this URL link into your

```
browser:
```
https://vaww.pbi.cdw.va.gov/PBIRS/Pages/ReportViewer.aspx?/RVS/OMHSP_PERC/SSRS/Proc
ution/CDS/STORM/ORM_PatientLookup

Reminder Order Check Rule: VA-OPIOID DRUG CLASS (CN101)

```
Display Name:          Potential dangerous drug combination with an OPIOID
Class:                 NATIONAL
Order Check Text

   Combination of Benzodiazepines and Opioids may result in potentially
   unsafe drug interactions; prescribing of Opioids and Benzodiazepines
   concurrently has been shown to have a 4-fold increased risk of OVERDOSE
   in the Veteran population (BMJ 2015;350:h2698).

   Co-prescribing opioid and benzodiazepines is particularly dangerous when
   patients have other risk factors for overdose or suicide.  The
   Stratification Tool for Opioid Risk Mitigation (STORM) decision support
   tool provides estimates of adverse event risk, a summary of risk factors,
   and recommended risk mitigation interventions and treatment alternatives
   for patients.  Review STORM by cutting and pasting this URL link into your
   browser:
```
https://vaww.pbi.cdw.va.gov/PBIRS/Pages/ReportViewer.aspx?/RVS/OMHSP_PERC/SSRS/Proc
ution/CDS/STORM/ORM_PatientLookup

6. Reminder ELEMENT: VA-ONC LUNG MT DETAILED INSTRUCTIONS

Change Made: The dialog text was edited.

The element resides in the VA-ONCOLOGY LUNG EARLY STAGE PATHWAYS reminder dialog.

BEFORE:

```
Element: VA-ONC LUNG MT DETAILED INSTRUCTIONS
  Dialog/Progress Note Text:
    ++ See Lung Molecular testing pathway: PD-L1 expression should
       be performed using 22C3 antibody and determined by TPS score. ++
```

AFTER:

```
Element: VA-ONC LUNG MT DETAILED INSTRUCTIONS
  Dialog/Progress Note Text:
    ++ Follow Lung Molecular testing pathway: perform PD-L1 by TPS\\
       and CGP; PD-L1 expression should be performed using 22C3 antibody\\
       and determined by TPS score. ++
```


Reminder Dialog Template: Early Stage Lung Cancer Pathways

7. Reminder GROUP: VA-GP REACH VET PROV REACH OUT TO VETERAN COMBO

Change Made: The dialog text was edited. "Choose on option" changed to "Choose one option"

The group resides in the VA-REACH VET PROVIDER TEMPLATE reminder dialog.

BEFORE:

```
Group: VA-GP REACH VET PROV REACH OUT TO VETERAN COMBO
 Text: ++ NOTE: Choose on option from below, based on the type of
       outreach you conducted ++
```

AFTER:

```
Group: VA-GP REACH VET PROV REACH OUT TO VETERAN COMBO
 Text: ++ NOTE: Choose one option from below, based on the type of
       outreach you conducted ++
```


8. Reminder GROUP: VA-GP TECS TECH COMP EXAM-CATARACT/CC/VM/HANDOUTS

Change Made: A new element and health factor was added to this group.

The group resides in the VA-TECS TECHNICIAN reminder dialog.

BEFORE:

```
Group: VA-GP TECS TECH COMP EXAM-CATARACT/CC/VM/HANDOUTS
 Group: VA-GP TECS TECH-CATARACT SURGERY EVALUATION
  Element: VA-HF TECS TECH CATARACT SURG EVAL-YES
```

```
        Element: VA-HF TECS TECH CATARACT SURG EVAL-NO
        Element: VA-HF TECS TECH CATARACT SURG EVAL-N/A
      Group: VA-GP TECS TECH-COMMUNITY CARE
        Element: VA-HF TECS TECH COMMUNITY CARE-YES
        Element: VA-HF TECS TECH COMMUNITY CARE-NO
      Group: BLANK LINE DIALOG & NOTE (DO NOT MODIFY)
      Element: VA-TXT TECS TECH OKAY TO LEAVE MESSAGE
      Group: BLANK LINE DIALOG & NOTE (DO NOT MODIFY)
      Element: VA-TXT TECS TECH OPTICAL EDUCATION
```

AFTER:

```
   Group: VA-GP TECS TECH COMP EXAM-CATARACT/CC/VM/HANDOUTS
    Group: VA-GP TECS TECH-CATARACT SURGERY EVALUATION
      Element: VA-HF TECS TECH CATARACT SURG EVAL-YES
      Element: VA-HF TECS TECH CATARACT SURG EVAL-NO
      Element: VA-HF TECS TECH CATARACT SURG EVAL-N/A
    Group: VA-GP TECS TECH-COMMUNITY CARE
      Element: VA-HF TECS TECH COMMUNITY CARE-YES
      Element: VA-HF TECS TECH COMMUNITY CARE-NO
    Group: BLANK LINE DIALOG & NOTE (DO NOT MODIFY)
    Element: VA-TXT TECS TECH OKAY TO LEAVE MESSAGE
    Group: BLANK LINE DIALOG & NOTE (DO NOT MODIFY)
    Element: VA-TXT TECS TECH OPTICAL EDUCATION
    Group: BLANK LINE DIALOG & NOTE (DO NOT MODIFY)
    Element: VA-HF TECS TECH PT RESULT INSTRUCTIONS
        Finding: VA-TECS TECH PT RESULT INSTRUCTIONS (HEALTH FACTOR)
```


9. Reminder ELEMENT: VA-TXT TELESTROKE PROVIDER CONSULT-CANCEL

Change Made: A misspelled word was corrected.

The element resides in the VA-ACUTE STROKE PROVIDER TEMPLATE reminder dialog.

BEFORE:

```
Element: VA-TXT TELESTROKE PROVIDER CONSULT-CANCEL
    DIALOG/PROGRESS NOTE TEXT:
    NTSP criteria for TeleStroke consult:
      1. Any B.E.F.A.S.T symptomes with a last known well with 4.5 hours
            OR
      2. Hemiparesis plus any V.A.N. symptoms (Vision, Aphasia, or Neglect)
         with a last known well within 23 hours

    I discussed this with the physician above.
    Please consult local neurology.
```

AFTER:

```
Element: VA-TXT TELESTROKE PROVIDER CONSULT-CANCEL
    DIALOG/PROGRESS NOTE TEXT:
    NTSP criteria for TeleStroke consult:
      1. Any B.E.F.A.S.T symptoms with a last known well with 4.5 hours
            OR
      2. Hemiparesis plus any V.A.N. symptoms (Vision, Aphasia, or Neglect)
         with a last known well within 23 hours

    I discussed this with the physician above.
    Please consult local neurology.
```


Reminder Dialog Template: VA- ACUTE STROKE PROVIDER TEMPLATE

Acute Stroke Provider template v 2.1

Please record all times in the patient's time zone.

Time contacted:

Time on video or at bedside:

Reason for consult:

Requesting physician:

○ Cancelled Consult:

    NTSP criteria for TeleStroke consult:
      1. Any B.E.F.A.S.T symptoms with a last known well with 4.5 hours
            OR
      2. Hemiparesis plus any V.A.N. symptoms (Vision, Aphasia, or Neglect)
         with a last known well within 23 hours

    I discussed this with the physician above.

    Please consult local neurology.

10. Reminder ELEMENT: VA-ONC KID PATHWAYS VIEW INSTRUCTIONS/SHAREPOINT

Change Made: Additional text was included in the VIEW button.

The element resides in the VA-ONCOLOGY KIDNEY CANCER PATHWAYS reminder dialog.

Element: VA-ONC KID PATHWAYS VIEW INSTRUCTIONS/SHAREPOINT

Oncology Clinical Pathways are a decision support tool designed by
interdisciplinary subject matter experts for all members of a Veteran's care
team to use for the treatment of specific cancers.

Clinical Pathways templates facilitate the documentation of medical
decision-making.

Document using the pathway templates when a treatment decision is made.
Documentation of historical treatments is not necessary (except for molecular
testing).

Document that molecular testing has been ordered for complete data capture
(i.e., molecular testing completed 3 years ago, choose 'Previously ordered').

Pathway recommended care is stated for each pathway. Indicate use of the
pathway by checking the check box. Recommended treatment listed is considered
'On Pathway', unless otherwise stated.

Clinical trial is always considered on pathway. Document the name and number of
the clinical trial.

If off pathway, document the treatment that is being pursued and a reason why
treating off pathway.

Some templates have detailed instructions that provide specific data
definitions of each selection.

When a choice is followed by a colon (:), there will be more selections
revealed when clicked.

Uncheck a checkbox if you change your mind and do not wish to indicate use for
a section of the pathway.

If you click Finish on the template, any selections you made will add health
factors to the encounter. If you make an incorrect selection and click Finish,
you should remove the incorrect health factor from the encounter.

Element: VA-ONC KID PATHWAYS VIEW INSTRUCTIONS/SHAREPOINT

```
Oncology Clinical Pathways are a decision support tool designed by
interdisciplinary subject matter experts for all members of a Veteran's care
team to use for the treatment of specific cancers.

Clinical Pathways templates facilitate the documentation of medical
decision-making.

Document using the pathway templates when a treatment decision is made.
Documentation of historical treatments is not necessary (except for molecular
testing).

Pathway recommended care is stated for each pathway. Indicate use of the
pathway by checking the check box. Recommended treatment listed is considered
'On Pathway', unless otherwise stated.

Clinical trial is always considered on pathway. Document the name and number of
the clinical trial.
      Please contact [          ]          for
      assistance with cancer trial navigation.

If off pathway, document the treatment that is being pursued and a reason why
treating off pathway.
      Off Pathway Options:
         Patient preference/declined: Patient prefers not to receive the treatment
            specified on pathway or declines that treatment after the provider has
            discussed the evidence and best clinical practice.
         Toxicity and/or comorbidity: Provider does not recommend on pathway
            treatment due to concerns about anticipated toxicities or due to medical
            problems the patient has that impact their eligibility for the on
            pathway treatment.
         Prior treatment continued: Patient was started on another treatment prior
            to pathways and a change in therapy is not indicated.
         Prior treatment precludes: Patient's prior cancer history or treatment
            precludes abiding by the pathway.
         Pathway guidance needs update: Pathway or CPRS template has not been
            updated to reflect most recent data.
         Patient barriers: Patient related factors other than medical issues that
            potentially make them not eligible for on pathway choice, such as
            transportation issues, support barriers, etc.
         Treatment unavailable: Specified on pathway treatments are not available
            at specific center due to national shortages, or other factors.

Some templates have detailed instructions that provide specific data
definitions of each selection.

Document that molecular testing has been ordered for complete data capture
(i.e., molecular testing completed 3 years ago, choose 'Previously ordered').

When a choice is followed by a colon (:), there will be more selections
revealed when clicked.

Uncheck a checkbox if you change your mind and do not wish to indicate use for
a section of the pathway.

If you click Finish on the template, any selections you made will add health
factors to the encounter. If you make an incorrect selection and click Finish,
you should remove the incorrect health factor from the encounter.
```

11. Reminder ELEMENT: VA-FLU IMM NCP URL

Change Made: The immunization link (in the template field) has been updated for the 2023-2024 flu season.

The element resides in the VA-INFLUENZA IMMUNIZATION reminder dialog.

```
Element: VA-FLU IMM NCP URL
     Text: {FLD:NCP INFLUENZA IMMUNIZATION GUIDANCE}

     Link > REDACTED
```

```
Element: VA-FLU IMM NCP URL
     Text: {FLD:NCP INFLUENZA IMMUNIZATION GUIDANCE}

     Link > REDACTED
```


12. Reminder DEFINITION: VA-RELATIONSHIP HEALTH AND SAFETY SCREEN

<u>Change Made:</u> The baseline frequency was changed from <mark>**1 year for ages 18 to 99**</mark> to <mark style="background:cyan">**1 year for ages 18 and older**</mark>, to eliminate messages that the reminder definition cannot be determined (CNBD) for ages >99.

The reminder definition is the VA-RELATIONSHIP HEALTH AND SAFETY SCREEN.

<mark>**BEFORE:**</mark>

```
Definition: VA-RELATIONSHIP HEALTH AND SAFETY SCREEN
     Baseline Frequency:

     Do In Advance Time Frame:  Wait until actually DUE
                Sex Specific:
                Ignore on N/A:
      Frequency for Age Range:   1 year for ages 18 to 99
```

<mark style="background:cyan">**AFTER:**</mark>

```
Definition: VA-RELATIONSHIP HEALTH AND SAFETY SCREEN
     Baseline Frequency:

     Do In Advance Time Frame:  Wait until actually DUE
                Sex Specific:
                Ignore on N/A:
      Frequency for Age Range:   1 year for ages 18 and older
```

13. Reminder ELEMENTS: VA-TXTZ RHS RESOURCE - HOTLINE and VA-TXTZ RHS RESOURCE - HOTLINE 2

Change Made: The class has been changed to LOCAL to allow sites to include additional links, if needed.

The elements reside in the VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN reminder dialog.

BEFORE:

```
ELEMENT: VA-TXTZ RHS RESOURCE - HOTLINE
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
- Offered information such as IPV National flyer with general IPV
education, National DV hotline number 1-800-799-SAFE(7233), and web address
{FLD:VA-RHS SCREEN THE HOTLINE}

ELEMENT: VA-TXTZ RHS RESOURCE - HOTLINE 2
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
- Offered information such as IPV National flyer with general IPV
education, National DV hotline number 1-800-799-SAFE(7233), and web address
{FLD:VA-RHS SCREEN THE HOTLINE}
```

AFTER:

```
ELEMENT: VA-TXTZ RHS RESOURCE - HOTLINE
DISABLE:
CLASS: LOCAL//
DIALOG/PROGRESS NOTE TEXT:
- Offered information such as IPV National flyer with general IPV
education, National DV hotline number 1-800-799-SAFE(7233), and web address
{FLD:VA-RHS SCREEN THE HOTLINE}

ELEMENT: VA-TXTZ RHS RESOURCE - HOTLINE 2
DISABLE:
CLASS: LOCAL//
DIALOG/PROGRESS NOTE TEXT:
- Offered information such as IPV National flyer with general IPV
education, National DV hotline number 1-800-799-SAFE(7233), and web address
{FLD:VA-RHS SCREEN THE HOTLINE}
```

14. Reminder ELEMENT: VA-TXTZ RHS SCREEN INFO BUTTON

Change Made: The template field dialog text was changed to read "For Screeners: Additional Screening Resources"

The element resides in the VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN reminder dialog.

BEFORE:

```
ELEMENT: VA-TXTZ RHS SCREEN INFO BUTTON
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
{FLD:VA-RHS SCREENING LINK}

(the link dialog text read as "Relationship Health and Safety Screening Resources")
```

AFTER:

```
ELEMENT: VA-TXTZ RHS SCREEN INFO BUTTON
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
{FLD:VA-RHS SCREENING LINK}
```

15. Reminder GROUP: VA-GP RHS SESSION FORMAT

Change Made: The dialog text was changed to read "Session Format: Optional to complete"

The group resides in the VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN reminder dialog.

BEFORE:

```
Group: VA-GP RHS SESSION FORMAT
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
Session Format: (Optional to complete if done as a stand-alone
note. Select the checkbox to activate.)
```

AFTER:

```
Group: VA-GP RHS SESSION FORMAT
DISABLE:
CLASS: NATIONAL//
DIALOG/PROGRESS NOTE TEXT:
```

16. Reminder GROUP: VA-TXTZ RHS PRIMARY SCREEN NEGATIVE and VA-TXTZ RHS PRIMARY SCREEN NEGATIVE 2

Change Made: The RESOLUTION section has been removed from these two groups.

The groups reside is the VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN reminder dialog.

BEFORE:

```
Group: VA-TXTZ RHS PRIMARY SCREEN NEGATIVE
DISABLE:
CLASS: NATIONAL//
SEQUENCE:
   5      VAL-TXT PRIM SCREEN NEGATIVE STATEMENT
   10     VA-GP RHS RESOLUTION PRIM NEGATIVE  << this sequence has been removed
   20     VA-GP RHS RESOURCE
   30     VA-GP RHS EDUCATION
   40     VA-GP RHS SAFETY PLAN
```

Group: VA-TXTZ RHS PRIMARY SCREEN NEGATIVE 2
DISABLE:
CLASS: NATIONAL//
SEQUENCE:
  5   VAL-TXT PRIM SCREEN NEGATIVE STATEMENT
  10   VA-GP RHS RESOLUTION PRIM NEGATIVE 2 *<< this sequence has been removed*
  20   VA-GP RHS RESOURCE 2
  30   VA-GP RHS EDUCATION
  40   VA-GP RHS SAFETY PLAN 2

Reminder Dialog Template: RHS SCREEN

PRIMARY SCREEN RESULT:

⦿ The Primary Screen is NEGATIVE. The individual answered "never" to all forms of IPV above (i.e., answered "never" to all 5 items)

  ++ If the primary screen is negative, the individual has the option to be offered a consult but it is not required. ++

RESOLUTION:
  ☐ Individual accepts future consult
  ☐ Individual accepts warm hand-off/consult to be placed
  ☐ Clinical Provider trained by IPVAP who conducted the screen will complete RHS Assessment and related needs.
  ☐ Individual declines consult

The individual accepts resources:
  ☐ Yes
  ☐ No
  ☐ Other:

AFTER:

Group: VA-TXTZ RHS PRIMARY SCREEN NEGATIVE
DISABLE:
CLASS: NATIONAL//
SEQUENCE:
  5   VAL-TXT PRIM SCREEN NEGATIVE STATEMENT
  20   VA-GP RHS RESOURCE
  30   VA-GP RHS EDUCATION
  40   VA-GP RHS SAFETY PLAN

Group: VA-TXTZ RHS PRIMARY SCREEN NEGATIVE 2
DISABLE:
CLASS: NATIONAL//
SEQUENCE:
  5   VAL-TXT PRIM SCREEN NEGATIVE STATEMENT
  20   VA-GP RHS RESOURCE 2
  30   VA-GP RHS EDUCATION

(take note: the RESOLUTION section has been removed)

17. Reminder GROUPS: VA-GP RHS RESOURCE and VA-GP RHS RESOURCE 2

<u>Change Made:</u> The group text was changed to read "The individual accepts education and/or resources" and "for example a consult or referral" was added to the 'other' option (element).

The groups reside in the VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN reminder dialog.

<mark>BEFORE:</mark>

```
Group: VA-GP RHS RESOURCE
  TEXT: The individual accepts resources:
  Group: VA-GP RHS RESOURCE - YES
    Element: VA-TXTZ RHS RESOURCE - IPV EDU
    Element: VA-TXTZ RHS RESOURCE - HOTLINE
    Element: VA-TXTZ RHS RESOURCE - IPV INFO
    Element: VA-TXTZ RHS RESOURCE YES - OTHER
  Element: VA-TXTZ RHS RESOURCE - NO
  Element: VA-TXTZ RHS RESOURCE - OTHER
```

```
Group: VA-GP RHS RESOURCE 2
  TEXT: The individual accepts resources:
  Group: VA-GP RHS RESOURCE - YES 2
    Element: VA-TXTZ RHS RESOURCE - IPV EDU 2
    Element: VA-TXTZ RHS RESOURCE - HOTLINE 2
    Element: VA-TXTZ RHS RESOURCE - IPV INFO 2
    Element: VA-TXTZ RHS RESOURCE YES - OTHER 2
  Element: VA-TXTZ RHS RESOURCE - NO 2
  Element: VA-TXTZ RHS RESOURCE - OTHER 2
```

AFTER:

```
Group: VA-GP RHS RESOURCE
  Text: The individual accepts education and/or resources:
  Group: VA-GP RHS RESOURCE - YES
    Element: VA-TXTZ RHS RESOURCE - IPV EDU
    Element: VA-TXTZ RHS RESOURCE - HOTLINE
    Element: VA-TXTZ RHS RESOURCE - IPV INFO
    Element: VA-TXTZ RHS RESOURCE YES - OTHER
    Text: - Other (for example a consult or referral):
  Element: VA-TXTZ RHS RESOURCE - NO
  Element: VA-TXTZ RHS RESOURCE - OTHER
```

```
Group: VA-GP RHS RESOURCE 2
  Text: The individual accepts education and/or resources:
  Group: VA-GP RHS RESOURCE - YES 2
    Element: VA-TXTZ RHS RESOURCE - IPV EDU 2
    Element: VA-TXTZ RHS RESOURCE - HOTLINE 2
    Element: VA-TXTZ RHS RESOURCE - IPV INFO 2
    Element: VA-TXTZ RHS RESOURCE YES - OTHER 2
    Text: - Other (for example a consult or referral):
  Element: VA-TXTZ RHS RESOURCE - NO 2
  Element: VA-TXTZ RHS RESOURCE - OTHER 2
```

Reminder Dialog Template: RHS SCREEN

The Primary Screen is NEGATIVE. The individual answered "never" to all forms of IPV above (i.e., answered "never" to all 5 items)

++ If the primary screen is negative, the individual has the option to be offered a consult but it is not required. ++

The individual accepts education and/or resources:

- Yes
  - □ - Offered verbal universal education about IPV
  - □ - Offered information such as the National DV hotline number 1-800-799-SAFE(7233), web address www.thehotline.org and IPV National flyer with general IPV education
  - □ - Offered IPV information to include state domestic violence hotline, local shelters and name of Intimate Partner Violence Assistance Program Coordinator (IPVAP-C) or trained Licensed Independent Providers (LIPs).
    <<PLACEHOLDER for link to local resources>>
  - ☑ - Other (for example a consult or referral): [   ]
- No
- Other:

18. Reminder ELEMENTS: VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG, VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG 2, VA-TXTZ RHS CONSULT BY IPV PROVIDER, VA-TXTZ RHS CONSULT BY IPV PROVIDER 2, VAL-TXT RHS CONSULT DECLINED and VAL-TXT RHS CONSULT DECLINED 2

Change Made: Minor edits were made to the dialog text in each of the elements. All the elements reside under the RESOLUTION section.

The elements reside in the VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN reminder dialog.

BEFORE:

Element: VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG
 DIALOG/PROGRESS NOTE TEXT:
 Individual accepts future consult
 ALTERNATE PROGRESS NOTE TEXT:
 Individual accepts future consult

Element: VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG 2
 DIALOG/PROGRESS NOTE TEXT:
 Individual accepts future consult
 ALTERNATE PROGRESS NOTE TEXT:
 Individual accepts future consult

Element: VA-TXTZ RHS CONSULT BY IPV PROVIDER
 DIALOG/PROGRESS NOTE TEXT:
 Clinical Provider trained by IPVAP who conducted the screen will complete RHS Assessment and related needs.

Element: VA-TXTZ RHS CONSULT BY IPV PROVIDER 2
 DIALOG/PROGRESS NOTE TEXT:
 Clinical Provider trained by IPVAP who conducted the screen will complete RHS Assessment and related needs.

Element: VAL-TXT RHS CONSULT DECLINED
 DIALOG/PROGRESS NOTE TEXT:
 Individual declines consult
 ALTERNATE PROGRESS NOTE TEXT:
 Individual declines consult

Element: VAL-TXT RHS CONSULT DECLINED 2
 DIALOG/PROGRESS NOTE TEXT:
 Individual declines consult
 ALTERNATE PROGRESS NOTE TEXT:
 Individual declines consult

AFTER:

Element: VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG
 DIALOG/PROGRESS NOTE TEXT:
 Individual accepts future consult or referral
 ALTERNATE PROGRESS NOTE TEXT:
 Individual accepts future consult or referral

Element: VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG 2
 DIALOG/PROGRESS NOTE TEXT:
 Individual accepts future consult or referral
 ALTERNATE PROGRESS NOTE TEXT:
 Individual accepts future consult or referral

Element: VA-TXTZ RHS CONSULT BY IPV PROVIDER
 DIALOG/PROGRESS NOTE TEXT:
 Clinical Provider who conducted the screen will complete further assessment and related needs.

Element: VA-TXTZ RHS CONSULT BY IPV PROVIDER 2
 DIALOG/PROGRESS NOTE TEXT:
 Clinical Provider who conducted the screen will complete further assessment and related needs.

Element: VAL-TXT RHS CONSULT DECLINED
 DIALOG/PROGRESS NOTE TEXT:
 Individual declines consult or referral
 ALTERNATE PROGRESS NOTE TEXT:
 Individual declines consult or referral

Element: VAL-TXT RHS CONSULT DECLINED 2
 DIALOG/PROGRESS NOTE TEXT:
 Individual declines consult or referral
 ALTERNATE PROGRESS NOTE TEXT:
 Individual declines consult or referral