



Update _2_0_156

Clinical Reminders

VA-COVID-19 Antibody Testing

Install Guide

July 2020

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION	1
INSTALL DETAILS	8
INSTALL EXAMPLE	9
POST INSTALLATION	15

Introduction

DESCRIPTION:

1. NEW TEMPLATE - Coronavirus Disease 2019 (COVID-19) Antibody/Polymerase Chain Reaction (PCR) Panel Testing

The following template is for use in COVID-19 PCR/Antigen and Antibody testing and tracking.

Our understanding of the antibody response to COVID-19 is still developing.

Recommendation if the patient screens positive:

If patient screens positive, clinical staff will:

- Review COVID-19 Antibody testing information with Veteran <https://Redacted/Antibody%20Testing%20Information%20Sheet.pdf>
- Ensure patient agrees to 5 tests over 8 weeks (minimum 3 tests over 4 weeks) if either is positive
- Document verbal consent for Antibody testing using this template
- Order both PCR/Antibody from this template

IF EITHER the PCR or Antibody test is positive, clinical staff will:

- Notify patient of the results
- Document verbal consent for repeat testing every two weeks using this template
- Document symptoms at the time of future collections through this template, per their local processes

The ordering options in this template are locally modifiable, your site can order one set of tests for the current date and time for each of the five testing intervals or they can order the initial set of tests and if the initial set is positive, they can order the remaining 4 sets of lab tests for the current date and time and future 2 week intervals. This will be a local decision and you can disable the ordering 4 sets option if that is an option that you will not use.

If you order all 4 sets of lab tests after the initial positive, the template can be used to document symptoms only at the time the patient returns for the lab test collection.

2. Other Covid-19 template updates
 - a. Screening update version 5.2
 - i. If patient reports that they have been diagnosed, there is a date prompt and the question about recovered has been removed and a note indicating no further screening is needed
 - ii. Exposure question added

- iii. This change will also be reflected in the ED Triage and SCI/Nursing admission templates.
- b. Telephone follow up note version 3.1
 - i. Symptoms updated to align with current screening
 - ii. Changed time from a radio button to a text box where a specific time is entered instead of a range
- c. Reminder dialog element VAL-COVID-19 RTW PROVIDER SIGNATURE updated to remove txml field from alternate progress note text.
- d. CLC template version 2.1
 - i. Temperature guidelines updated
 - ii. Exposure question added
- e. SCI/D COVID Screen
 - i. Health factors removed from diagnosis section
 - ii. Ability to revise a previously documented diagnosis removed
 - iii. Caregiver section changed to required Yes/No replies for each option
 - iv. New health factors added to caregiver no options

UPDATE_2_0_156 contains 1 Reminder Exchange entry:

UPDATE_2_0_156 VA-COVID-19 ANTIBODY TESTING

The exchange file contains the following components:

TIU TEMPLATE FIELD

BLANK SPACE1
 DATE (*)
 VA COVID PROVIDER
 VA COVID SIGNATURE
 VA-TIME SPENT

HEALTH FACTORS

VA-REMINDER UPDATES
 VA-UPDATE_2_0_156
 VA-SCI/D PQD
 VA-SCI/D PQD-SCID
 VA-SCI/D PQD-MULTIPLE SCLEROSIS
 VA-SCI/D PQD-MOTOR NEURON OTHER
 VA-SCI/D PQD-MOTOR NEURON POLIOMYELITIS
 VA-SCI/D PQD-MOTOR NEURON PLS
 VA-SCI/D PQD-MOTOR NEURON ALS
 VA-SCI/D NEURO LEVEL-SENSORY LT
 VA-SCI/D NLI-SL UNK/UNABLE
 VA-SCI/D NEURO LEVEL-SENSORY RT
 VA-SCI/D NLI-SR UNK/UNABLE
 VA-SCI/D NEURO LEVEL-MOTOR LT
 VA-SCI/D NLI-ML UNK/UNABLE

VA-SCI/D NEURO LEVEL-MOTOR RT
VA-SCI/D NLI-MR UNK/UNABLE
VA-SCI/D KURTZKE SCALE
VA-SCI/D KURTZKE SCALE 10.0
VA-SCI/D KURTZKE SCALE 9.5
VA-SCI/D KURTZKE SCALE 9.0
VA-SCI/D KURTZKE SCALE 8.5
VA-SCI/D KURTZKE SCALE 8.0
VA-SCI/D KURTZKE SCALE 7.5
VA-SCI/D KURTZKE SCALE 7.0
VA-SCI/D KURTZKE SCALE 6.5
VA-SCI/D KURTZKE SCALE 6.0
VA-SCI/D KURTZKE SCALE 5.5
VA-SCI/D KURTZKE SCALE 5.0
VA-SCI/D KURTZKE SCALE 4.5
VA-SCI/D KURTZKE SCALE 4.0
VA-SCI/D KURTZKE SCALE 3.5
VA-SCI/D KURTZKE SCALE 3.0
VA-SCI/D KURTZKE SCALE 2.5
VA-SCI/D KURTZKE SCALE 2.0
VA-SCI/D KURTZKE SCALE 1.5
VA-SCI/D KURTZKE SCALE 1.0
VA-SCI/D KURTZKE SCALE 0.0
VA-SCI/D NLI-SL L05
VA-SCI/D NLI-SL L04
VA-SCI/D NLI-SL L03
VA-SCI/D NLI-SL L02
VA-SCI/D NLI-SL L01
VA-SCI/D NLI-SR S04 S05 INTACT
VA-SCI/D NLI-SR S03
VA-SCI/D NLI-SR S02
VA-SCI/D NLI-SR S01
VA-SCI/D NLI-SR L05
VA-SCI/D NLI-SR L04
VA-SCI/D NLI-SR L03
VA-SCI/D NLI-SR L02
VA-SCI/D NLI-SR L01
VA-SCI/D NLI-SR T12
VA-SCI/D NLI-SR T11
VA-SCI/D NLI-SR T10
VA-SCI/D NLI-SR T09
VA-SCI/D NLI-SR T08
VA-SCI/D NLI-SR T07
VA-SCI/D NLI-SR T06
VA-SCI/D NLI-SR T05
VA-SCI/D NLI-SR T04

VA-SCI/D NLI-SR T03
VA-SCI/D NLI-SR T02
VA-SCI/D NLI-SR T01
VA-SCI/D NLI-SR C08
VA-SCI/D NLI-SR C07
VA-SCI/D NLI-SR C06
VA-SCI/D NLI-SR C05
VA-SCI/D NLI-SR C04
VA-SCI/D NLI-SR C03
VA-SCI/D NLI-SR C02
VA-SCI/D NLI-SR C01
VA-SCI/D NLI-SL S04 S05 INTACT
VA-SCI/D NLI-SL S03
VA-SCI/D NLI-SL S02
VA-SCI/D NLI-SL S01
VA-SCI/D NLI-SL T12
VA-SCI/D NLI-SL T11
VA-SCI/D NLI-SL T10
VA-SCI/D NLI-SL T09
VA-SCI/D NLI-SL T08
VA-SCI/D NLI-SL T07
VA-SCI/D NLI-SL T06
VA-SCI/D NLI-SL T05
VA-SCI/D NLI-SL T04
VA-SCI/D NLI-SL T03
VA-SCI/D NLI-SL T02
VA-SCI/D NLI-SL T01
VA-SCI/D NLI-SL C08
VA-SCI/D NLI-SL C07
VA-SCI/D NLI-SL C06
VA-SCI/D NLI-SL C05
VA-SCI/D NLI-SL C04
VA-SCI/D NLI-SL C03
VA-SCI/D NLI-SL C02
VA-SCI/D NLI-SL C01
VA-SCI/D NLI-MR S04 S05 INTACT
VA-SCI/D NLI-MR S03
VA-SCI/D NLI-MR S02
VA-SCI/D NLI-MR S01
VA-SCI/D NLI-MR L05
VA-SCI/D NLI-MR L04
VA-SCI/D NLI-MR L03
VA-SCI/D NLI-MR L02
VA-SCI/D NLI-MR L01
VA-SCI/D NLI-MR T12
VA-SCI/D NLI-MR T11

VA-SCI/D NLI-MR T10
VA-SCI/D NLI-MR T09
VA-SCI/D NLI-MR T08
VA-SCI/D NLI-MR T07
VA-SCI/D NLI-MR T06
VA-SCI/D NLI-MR T05
VA-SCI/D NLI-MR T04
VA-SCI/D NLI-MR T03
VA-SCI/D NLI-MR T02
VA-SCI/D NLI-MR T01
VA-SCI/D NLI-MR C08
VA-SCI/D NLI-MR C07
VA-SCI/D NLI-MR C06
VA-SCI/D NLI-MR C05
VA-SCI/D NLI-MR C04
VA-SCI/D NLI-MR C03
VA-SCI/D NLI-MR C02
VA-SCI/D NLI-MR C01
VA-SCI/D NLI-ML S04 S05 INTACT
VA-SCI/D NLI-ML S03
VA-SCI/D NLI-ML S02
VA-SCI/D NLI-ML S01
VA-SCI/D NLI-ML L05
VA-SCI/D NLI-ML L04
VA-SCI/D NLI-ML L03
VA-SCI/D NLI-ML L02
VA-SCI/D NLI-ML L01
VA-SCI/D NLI-ML T12
VA-SCI/D NLI-ML T11
VA-SCI/D NLI-ML T10
VA-SCI/D NLI-ML T09
VA-SCI/D NLI-ML T08
VA-SCI/D NLI-ML T07
VA-SCI/D NLI-ML T06
VA-SCI/D NLI-ML T05
VA-SCI/D NLI-ML T04
VA-SCI/D NLI-ML T03
VA-SCI/D NLI-ML T02
VA-SCI/D NLI-ML T01
VA-SCI/D NLI-ML C08
VA-SCI/D NLI-ML C07
VA-SCI/D NLI-ML C06
VA-SCI/D NLI-ML C05
VA-SCI/D NLI-ML C04
VA-SCI/D NLI-ML C03
VA-SCI/D NLI-ML C02

VA-SCI/D NLI-ML C01
VA-SCI/D ETIOLOGY
VA-SCI/D ETIOLOGY-OTH NON-TRAUMA
VA-SCI/D ETIOLOGY-RADIATION
VA-SCI/D ETIOLOGY-TOXIC
VA-SCI/D ETIOLOGY-GENETIC
VA-SCI/D ETIOLOGY-AUTOIMMUNE
VA-SCI/D ETIOLOGY-METABOLIC
VA-SCI/D ETIOLOGY-TUMOR
VA-SCI/D ETIOLOGY-SYRINGOMYELIA
VA-SCI/D ETIOLOGY-ARTHRITIC DZ
VA-SCI/D ETIOLOGY-COLUMNAR DEGEN
VA-SCI/D ETIOLOGY-INFECTON
VA-SCI/D ETIOLOGY-VASC CHNG
VA-SCI/D ETIOLOGY-OTH TRAUMA
VA-SCI/D ETIOLOGY-VIOLENCE
VA-SCI/D ETIOLOGY-VEHICULAR
VA-SCI/D ETIOLOGY-SPORTS
VA-SCI/D ETIOLOGY-FALL
VA-SCI/D ASIA
VA-SCI/D ASIA-E
VA-SCI/D ASIA-D
VA-SCI/D ASIA-C
VA-SCI/D ASIA-B
VA-SCI/D ASIA-A
VA-SCI/D CAREGIVER STATUS
VA-SCI/D VA BOWEL AND BLADDER N
VA-SCI/D COVID SCREEN
VA-SCI/D COVID BOWEL/BLADDER NO PLAN
VA-SCI/D COVID BOWEL/BLADDER PLAN
VA-SCI/D VA BOWEL AND BLADDER
VA-SCI/D CAREGIVER-UNPAID NON FAM MEMB N
VA-SCI/D COVID CG-UNPAID NO FAM NO PLAN
VA-SCI/D COVID CG-UNPAID NO FAM PLAN
VA-SCI/D CAREGIVER-UNPAID NON FAM MEMBER
VA-SCI/D CAREGIVER-UNPAID FAMILY MEMB N
VA-SCI/D COVID CG-UNPAID FAM NO PLAN
VA-SCI/D COVID CG-UNPAID FAM PLAN
VA-SCI/D CAREGIVER-UNPAID FAMILY MEMBER
VA-SCI/D CAREGIVER-PAID FAMILY MEMBER N
VA-SCI/D COVID CG-PAID FAM MEMB NO PLAN
VA-SCI/D COVID CG-PAID FAM MEMB PLAN
VA-SCI/D CAREGIVER-PAID FAMILY MEMBER
VA-SCI/D CAREGIVER-PAID NON AGENCY/FAM N
VA-SCI/D COVID CG-PAID NO AG/FAM NO PLAN
VA-SCI/D COVID CG-PAID NO AG/FAM PLAN

VA-SCI/D CAREGIVER-PAID NON AGENCY/FAM
VA-SCI/D CAREGIVER-PAID AGENCY N
VA-SCI/D COVID CG-PAID AGENCY NO PLAN
VA-SCI/D COVID CG-PAID AGENCY PLAN
VA-SCI/D CAREGIVER-PAID AGENCY
VA-SCI/D REVIEW DATE
VA-SCI/D CAREGIVER STATUS REVIEW DATE
VA-SCI/D CAREGIVER-NO
VA-TRAVEL SCREEN [C]
VA-COVID-19 PRIOR DIAGNOSIS
VA-COVID SCREEN NEGATIVE
VA-COVID SCREEN POSITIVE
VA-EXPOSURE TO COVID NO
VA-EXPOSURE TO COVID YES
VA-COVID-19
VA-NO HEADACHE LOSS OF TASTE OR SMELL
VA-SYMPTOM LOSS OF SMELL
VA-SYMPTOM LOSS OF TASTE
VA-SYMPTOM HEADACHE
VA-SCI/D COVID SCREEN ADDL SYMPTOM
VA-SCI/D COVID SCREEN NO ADDL SYMPTOM
VA-SCI/D COVID SCREEN OTHER SYMPTOM
VA-SCI/D COVID SCREEN CONJUNCTIVITIS
VA-SCI/D COVID SCREEN NAUSEA
VA-SCI/D COVID SCREEN LOSS SMELL
VA-SCI/D COVID SCREEN LOSS TASTE
VA-SCI/D COVID SCREEN MYALGIA
VA-SCI/D COVID SCREEN SORE THROAT
VA-COVID-19 OUTSIDE PCR SPEC COLLECTED
VA-COVID-19 PCR LAB OUTSIDE NEGATIVE
VA-COVID-19 PCR LAB OUTSIDE POSITIVE
VA-NO NAUSEA VOMITING OR DIARRHEA
VA-SYMPTOM VOMITING
VA-SYMPTOM NAUSEA
VA-TRAVEL DIARRHEA YES
VA-TRAVEL FLU NO
VA-TRAVEL FLU YES
VA-TRAVEL COUGH NO
VA-TRAVEL COUGH YES
VA-TRAVEL FEVER NO
VA-TRAVEL FEVER YES
VA-COVID-19 NO PRIOR DIAGNOSIS
VA-COVID-19 NOT WAITING FOR LABS
VA-COVID-19 WAITING FOR LABS
COVID-19
COVID-19:AB SYMPTOMS NO HISTORY

COVID-19:AB SYMPTOMS ONSET DATE REPORTED
COVID-19:AB SYMPTOMS REOCCURRENCE=NA
COVID-19:AB SYMPTOMS REOCCURRENCE=NO
COVID-19:AB SYMPTOMS REOCCURRENCE=YES
VA-TRAVEL DIARRHEA NO
VA-TRAVEL COUGH,SOB,SORE THROAT NO
VA-TRAVEL COUGH,SOB,SORE THROAT YES

REMINDER SPONSOR

Office of Geriatric Extended Care
Office of Nursing Service

REMINDER TERM

VA-REMINDER UPDATE_2_0_156
VA-SCI/D PQD (OBJ)
VA-SCI/D PRIMARY DIAGNOSIS
VA-SCI/D CAREGIVER STATUS
VA-COVID-19 PREVIOUS SYMPTOM SCREEN
VA-BL COVID SCREEN COMPLETE TODAY

REMINDER DEFINITION

VA-OBJ SCI/D PRIMARY QUALIFYING DIAGNOSIS

REMINDER DIALOG

VA-COVID-19 CLC SCREEN
VA-COVID-19 ANTIBODY/PCR PANEL TESTING
VA-COVID-19 UPDATE JUL 2020

HEALTH SUMMARY TYPE

VA-COVID-19 PREVIOUS SYMPTOM
COVID19 LAB RESULTS LAST 6
VA-SCI/D CAREGIVER STATUS
VA-SCI/D CAREGIVER REVIEW DATE
VA-SCI/D PRIM QUAL DIAGNOSIS

HEALTH SUMMARY OBJECTS

VA-COVID-19 PREVIOUS SYMPTOM (TIU)
COVID19 LAB RESULTS LAST 6 (TIU)
VA-SCI/D CAREGIVER STATUS
VA-SCI/D CAREGIVER REVIEW DATE (TIU)
VA-SCI/D PRIMARY QUALIFYING DIAGNOSIS (TIU)

TIU DOCUMENT DEFINITION

VA-COVID-19 PREVIOUS SYMPTOM
COVID19 LAB RESULTS LAST 6
VA-SCI/D CAREGIVER STATUS

Pre-Install

Using the Vista menu Reminder Dialog Manager, Reminder Dialog, change your view to ELEMENT and choose inquire/print for the reminder dialog element VAL-COVID-19 RTW PROVIDER SIGNATURE.

Change your view to GROUP and choose inquire/print for the reminder dialog group VAL-COVID-19 CLC SCREEN LOCAL GROUP.

Save this info for the post install, it will make adding information back post -install easier if your site has made local edits. Not all sites will have made local edits to this dialog element.

Install Details

This update is being distributed as a web host file. The address for the host file is:

https://vaww.va.gov/reminders/docs/UPDATE_2_0_156.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

This update is also being distributed as a vista mailman message. The mailman message will be titled **UPDATE 156.PRD**


Installation:

=====

This update can be loaded with users on the system. Installation will take less than 30 minutes.

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista



```
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                 LMM  Load MailMan Message
CMM  Create MailMan Message           LR   List Reminder Definitions
DFE  Delete Exchange File Entry       LWH  Load Web Host File
IFE  Install Exchange File Entry      RI   Reminder Definition Inquiry
IH   Installation History              RP   Repack
Select Action: Next Screen// LWH  Load Web Host File
Input the URL for the .prd file: https://[Redacted]/UPDATE_2_0_156.PRD
```

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

https://Redacted/UPDATE_2_0_156.PRD

You should see a message at the top of your screen that the file loaded successfully

If you are unable to load web host file, you will use vista mail to install the exchange file and use the LMM load Mailman Message Option. The subject of the email will be UPDATE 156. You will see a message similar to this one.

MailMan message 131677 successfully loaded.

Search and locate an entry titled **UPDATE_2_0_156 VA-COVID-19 ANTIBODY TESTING** in reminder exchange.

+Item	Entry	Source	Date Packed
197	UPDATE_2_0_156 VA-COVID-19 ANTIBODY TESTING		07/14/2020@17:37
198	UPDATE_2_0_16 VA-WH MAMMOGRAM SCREENING		09/15/2017@05:59
199	UPDATE_2_0_17 VA-WH PRECONCEPT ION CARE		11/14/2016@08:43
200	UPDATE_2_0_17 VA-WH PRECONCEPT ION CARE		11/14/2016@09:36
201	UPDATE_2_0_18 MISC UPDATE 2		10/20/2016@12:42
202	UPDATE_2_0_18 MISC UPDATE 2		02/27/2019@07:13

+	+ Next Screen	- Prev Screen	?? More Actions	>>>
CFE	Create Exchange File Entry	LHF	Load Host File	
CHF	Create Host File	LMM	Load MailMan Message	
CMM	Create MailMan Message	LR	List Reminder Definitions	
DFE	Delete Exchange File Entry	LWH	Load Web Host File	
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry	
IH	Installation History	RP	Repack	
Select Action: Next Screen// IFE Install Exchange File Entry				
Enter a list or range of numbers (1-438): 197				

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
 Enter the number that corresponds with your entry **UPDATE_2_0_156 VA-COVID-19 ANTIBODY TESTING** (in this example it is entry 197 it will vary by site). The date of the exchange file should be 07/14/2020.

```

Component                                     Category      Exists
Source:
Date Packed: 07/14/2020@17:37:57
Package Version: 2.0P46

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-COVID-19 CLC SCREEN
  VA-COVID-19 ANTIBODY/PCR PANEL TESTING
  VA-COVID-19 UPDATE JUL 2020

REMINDER TERM
  VA-REMINDER UPDATE_2_0_156

Keywords:

+      Enter ?? for more actions                >>>
IA  Install all Components                      IS  Install Selected Component
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.

Select Action: Next Screen// **IA Install all Components**

You will see several prompts, for all new entries you will choose **I to Install**

For this component VA-TIME SPENT you will choose **O to Overwrite**, for all other components that already exists but the packed component is different, you will choose **S to Skip**.

You will then be prompted to install the reminder dialog component – VA-COVID-19 UPDATE JUL 2020. Even though most components already exist, you will still choose IA to install all.

```

Packed reminder dialog: VA-COVID-19 UPDATE JUL 2020 [NATIONAL DIALOG]

```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-COVID-19 UPDATE JUL 2020 Finding: *NONE*	group	X
2	2	VA-COVID SCREEN VERSION Finding: *NONE*	element	X
3	3	VA-COVID-19 FOLLOW-UP CALL VERSION Finding: *NONE*	element	X
4	4	VA-GP COVID PRIOR TESTING N Finding: VA-COVID-19 NO PRIOR DIAGNOSIS (HEALTH FACTOR)	group	X
5	4.3	VA-GP COVID SYMPTOM PRIOR TEST Finding: *NONE*	group	X
6	4.3.5	VA-COVID SYMPTOM PRIOR TEST Finding: VA-COVID-19 WAITING FOR LABS (HEALTH FACTOR)	element	X

```

+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage     QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// IA  Install All

```

At the **Select Action** prompt, type **IA** to install the dialog – VA-COVID-19 UPDATE JUL 2020.

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```

Packed reminder dialog: VA-COVID-19 UPDATE JUL 2020 [NATIONAL DIALOG]
VA-COVID-19 UPDATE JUL 2020 (group) installed from exchange file.
Item  Seq.  Dialog Findings                                     Type  Exists
-----
1      VA-COVID-19 UPDATE JUL 2020                             group  X
      Finding: *NONE*

2      2 VA-COVID SCREEN VERSION                                 element X
      Finding: *NONE*

3      3 VA-COVID-19 FOLLOW-UP CALL VERSION                     element X
      Finding: *NONE*

4      4 VA-GP COVID PRIOR TESTING N                           group  X
      Finding: VA-COVID-19 NO PRIOR DIAGNOSIS (HEALTH FACTOR)
5      4.3 VA-GP COVID SYMPTOM PRIOR TEST                       group  X
      Finding: *NONE*
6      4.3.5 VA-COVID SYMPTOM PRIOR TEST                       element X
      Finding: VA-COVID-19 WAITING FOR LABS (HEALTH FACTOR)
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage     QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// Q

```

After completing this dialog install, you will type Q.

You will then be prompted to install the reminder dialog component – VA-COVID-19 ANTIBODY/PCR PANEL TESTING .

```

Packed reminder dialog: VA-COVID-19 ANTIBODY/PCR PANEL TESTING [NATIONAL DIALOG]
Item  Seq.  Dialog Findings                                     Type  Exists
-----
1      VA-COVID-19 ANTIBODY/PCR PANEL TESTING                     dialog
2      10 VA-COVID-19 ANTIBODY/PCR PANEL TESTING VERSION         element
      Finding: *NONE*
3      20 VA-COVID-19 ANTIBODY/PCR PANEL TESTING LAB OBJECT     element
      Finding: *NONE*
4      30 VA-COVID-19 ANTIBODY/PCR PANEL TESTING SYMPTOMS       group
      Finding: *NONE*
5      30.10 VA-COVID-19 ANTIBODY/PCR PANEL TESTING SYMPTOMS Y  group
      Finding: *NONE*
6      30.10.10 VA-GP COVID SYMPTOM FEVER                       group  X
      Finding: *NONE*
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage     QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** to install the dialog – VA-COVID-19 ANTIBODY/PCR PANEL TESTING

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```
Packed reminder dialog: VA-COVID-19 ANTIBODY/PCR PANEL TESTING [NATIONAL DIALOG]
VA-COVID-19 ANTIBODY/PCR PANEL TESTING (reminder dialog) installed from exchange
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-COVID-19 ANTIBODY/PCR PANEL TESTING	dialog	X
2	10	VA-COVID-19 ANTIBODY/PCR PANEL TESTING VERSION Finding: *NONE*	element	X
3	20	VA-COVID-19 ANTIBODY/PCR PANEL TESTING LAB OBJECT Finding: *NONE*	element	X
4	30	VA-COVID-19 ANTIBODY/PCR PANEL TESTING SYMPTOMS Finding: *NONE*	group	X
5	30.10	VA-COVID-19 ANTIBODY/PCR PANEL TESTING SYMPTOMS Y Finding: *NONE*	group	X
6	30.10.10	VA-GP COVID SYMPTOM FEVER Finding: *NONE*	group	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// Q				

After completing this dialog install, you will type Q.

You will be prompted to install the reminder dialog component – VA-COVID-19 CLC SCREEN. Even though most components already exist, you will still choose IA to install all.

```
Packed reminder dialog: VA-COVID-19 CLC SCREEN [NATIONAL DIALOG]
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-COVID-19 CLC SCREEN	dialog	X
2	5	VA-COVID-19 CLC SCREEN VERSION Finding: *NONE*	element	X
3	10	VA-COVID-19 CLC COVID SCREEN HEADER Finding: *NONE*	group	X
4	10.5	VA-COVID-19 CLC TEMPERATURE Finding: TEMPERATURE (GMRV VITAL TYPE)	group	X
5	10.15	VA-COVID-19 CLC SYMPTOM COUGH,SOB,SORE THROAT Finding: *NONE*	group	X
6	10.15.5	VA-COVID-19 CLC SYMPTOM COUGH,SOB,SORE THROAT Y Finding: VA-TRAVEL COUGH,SOB,SORE THROAT YES (HEALTH FACTOR)	element	X
7		PXRM COMMENT	prompt	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// IA				

At the **Select Action** prompt, type **IA** to install the dialog – **VA-COVID-19 CLC SCREEN**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```

Packed reminder dialog: VA-COVID-19 CLC SCREEN [NATIONAL DIALOG]
VA-COVID-19 CLC SCREEN (reminder dialog) installed from exchange file.
Item  Seq.  Dialog Findings                                     Type  Exists
-----
 1     VA-COVID-19 CLC SCREEN                               dialog  X
 2     5 VA-COVID-19 CLC SCREEN VERSION                     element  X
      Finding: *NONE*
 3     10 VA-COVID-19 CLC COVID SCREEN HEADER              group   X
      Finding: *NONE*
 4     10.5 VA-COVID-19 CLC TEMPERATURE                   group   X
      Finding: TEMPERATURE (GMRV VITAL TYPE)
 5     10.15 VA-COVID-19 CLC SYMPTOM COUGH,SOB,SORE THROAT  group   X
      Finding: *NONE*
 6     10.15.5 VA-COVID-19 CLC SYMPTOM COUGH,SOB,SORE     element  X
      THROAT Y
      Finding: VA-TRAVEL COUGH,SOB,SORE THROAT YES (HEALTH FACTOR)
 7     PXRM COMMENT                                       prompt  X
+     + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage     QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen//

```

After completing this dialog install, you will type Q.

You will then be prompted to install the health summary components.

for all new entries you will choose **I to Install**

You will then be brought back to this screen where you will type Q for quit

```

Component                                     Category  Exists
-----
Source:
Date Packed: 07/14/2020@17:37:57
Package Version: 2.0P46

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-COVID-19 CLC SCREEN
  VA-COVID-19 ANTIBODY/PCR PANEL TESTING
  VA-COVID-19 UPDATE JUL 2020

REMINDER TERM
  VA-REMINDER UPDATE_2_0_156

Keywords:

+     Enter ?? for more actions                                     >>>
IA  Install all Components      IS  Install Selected Component
Select Action: Next Screen// Q

```

You will then be returned to this screen. At the **Select Action** prompt, type **Q**.

Install complete.

Post Installation

1. **Make the Dialog able to be attached to a Personal/Shared template and/or progress note title.**

From the Reminders Manager Menu:

Select Reminder Managers Menu Option: **CP CPRS Reminder Configuration**

- CA Add/Edit Reminder Categories
- CL CPRS Lookup Categories
- CS CPRS Cover Sheet Reminder List
- MH Mental Health Dialogs Active
- PN Progress Note Headers
- RA Reminder GUI Resolution Active
- TIU TIU Template Reminder Dialog Parameter**
- DL Default Outside Location
- PT Position Reminder Text at Cursor

Select CPRS Reminder Configuration Option: **TIU TIU Template Reminder Dialog Parameter**

Reminder Dialogs allowed as Templates may be set for the following:

- 1 User USR [choose from NEW PERSON]
- 3 Service SRV [choose from SERVICE/SECTION]
- 4 Division DIV [choose from INSTITUTION]
- 5 System SYS [NATREM.FO-SLC.MED.VA.GOV]

Enter selection: **5** *Choose the appropriate number for your site. Your site may do this by System or other levels. The example below uses SYSTEM level*

Setting Reminder Dialogs allowed as Templates for System:

Select Display Sequence: **?**

148 VA-VETERANS CHOICE NOTE

149 VA-TBI SCREENING

*When you type a question mark above, you will see the list of #'s (with dialogs) that are already taken. Choose a number **NOT** on this list. For this example, looking above I see the number 150 is not present, so I will use 150.*

Select Display Sequence: **150**

Are you adding 150 as a new Display Sequence? Yes// **Y YES**

Display Sequence: 150// **<Enter>** 150

Clinical Reminder Dialog: VA-COVID-19 ANTIBODY/PCR PANEL TESTING

then **<enter>** reminder dialog NATIONAL

OK? Yes// **<Enter>** (Yes)

Add to shared templates in CPRS

To do this, go to Template Editor, then Shared Templates, select the appropriate folder (if applicable), and choose **New Template** (top right-hand corner).


Type in the following information:

Name: COVID-19 ANTIBODY/PCR PANEL TESTING

Template Type: **Reminder Dialog**

Reminder Dialog: VA-COVID-19 ANTIBODY/PCR PANEL TESTING

Next, select Apply.



Setup of specific Note title. (Optional)

If your site wants to create a new note title specifically for this template, you can add this to the category that your site uses for your clinic notes. The note title should be:

COVID-19 PCR AND ANTIBODY TESTING

Map it to the VHA Enterprise Standard Title: INFECTIOUS DISEASE NOTE

Note: Comprehensive information on Creating Document Definitions can be found beginning on page 47 of the [TIU/ASU Implementation Guide](#)

2. Edit Health Summary Type COVID19 LAB RESULTS LAST 6

- a. You will edit the Health Summary Type Component SLT (Select Lab Tests) and add all of your local lab tests for both COVID-19 PCR Antigen and COVID-19 Antibody testing.

3. **Configure lab ordering.**

- a. **Sites can decide how to configure the order option, if you want only one test ordered each time, you will disable the dialog group for multiple tests, if your site wants to order the first test and then after it is positive order the other 4 tests with one order set you will not disable any items.**

The dialog group names are listed below:

1. Group VAL-COVID-19 ANTIBODY/PCR PANEL TESTING ORDER PCR ROUTINE – used for one-time order
 - a. Add local order set for **routine** COVID-19 ANTIBODY TESTING and COVID-19 PCR ANTIGEN testing.
 2. Group VAL-COVID-19 ANTIBODY/PCR PANEL TESTING ORDER PCR STAT – used for one-time stat order
 - a. Add local order set for **STAT or Urgent** COVID-19 PCR ANTIGEN and Routine COVID-19 ANTIBODY TESTING
 3. Group VAL-COVID-19 ANTIBODY/PCR PANEL TESTING ORDER PCR ROUTINE - used for one-time routine order and future orders for routine test at 2-week intervals.
 - a. Add local order set for **routine** COVID-19 ANTIBODY TESTING and COVID-19 PCR ANTIGEN testing for now and then at 2 week intervals for a total of 4 sets (weeks 2,4,6 and 8).
 - b. If your site does not want to display this option, you can edit the dialog group and at the disable prompt enter 2 - DISABLE AND DO NOT SEND MESSAGE.
 4. Element VAL-COVID-19 ANTIBODY/PCR PANEL TEST ORDERED – used by sites that order multiple tests and will allow to document only symptoms without placing an order. If you site is using the template for each order and not using the option to order multiple tests, you may want to disable this element.
4. **Open in CPRS or Review in Vista the template VA-SCREEN COVID and confirm the version number displays as 5.2**
5. **Open in CPRS or Review in Vista the template VA-COVID-19 TELEPHONE FOLLOW-UP and confirm the version number displays as 3.1.**
6. **Open in CPRS or Review in Vista the template VA-COVID-19 CLC SCREEN and confirm the version number is 2.1.**
7. **Open in CPRS or Review in Vista the template VA-COVID-19 SCI/D SCREEN and confirm the version number is 2.0.**
8. **Add local content to reminder dialog group VAL-COVID-19 CLC SCREEN LOCAL GROUP.**

Review the pre-install for this element and edit to make any local changes

9. Add local content to reminder dialog element VAL-COVID-19 RTW PROVIDER SIGNATURE if needed. (Optional)

Review the pre-install for this element and edit to make any local changes.

You should not have any txml fields in the alternate progress note text, do not edit this element to add any fields to the alternate text.

NOTE: If there are any questions or problems during the installation, please notify your local IT support to log a national help desk ticket or contact the VA Service Desk and have them submit a national ticket to:

Category: Affected Service

Affected Service: VistA – CPRS: Clinical Reminders

Assignment Group: Redacted