



Update _2_0_173I

Clinical Reminders

**VA-COVID-19 IMMUNIZATION REMINDER UPDATE I
Install Guide**

AUGUST 2021

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION 1
INSTALL DETAILS 6
INSTALL EXAMPLE 6
POST-INSTALLATION..... 12

Introduction

DESCRIPTION:

The COVID-19 reminder definition and dialog are being updated to include the NOVAVAX Vaccine options.

The dialog was updated so that it no longer locks a user out of options after one dose was given, for example if Dose 1 of Moderna is given, a user can document a Pfizer or Janssen dose following, they are no longer locked out of the other options.

If the patient has a prior series 1 dose of any other vaccine and no series 1 of the one being administered and the user chooses to document series 2, provide a suggestion that the first dose of the vaccine type should be series 1.

Moved the vaccine list and age ranges under the detailed information.

Options to document additional doses of Pfizer and Moderna vaccines are included in the dialog and these can be enabled by each facility when they begin to administer those doses.

Update the bypass section to include all vaccines

Added section under record Prior COVID-19 Vaccine (historical) to document non-US approved vaccine types

This update also includes a fix to the detailed text for the seasonal influenza reminder

2021-2022 Influenza vaccine formulations on VA Formulary

Product VistA Name	Type	CVX Approved for age	CPT\\ Approved for age
Afluria Quadrivalent Prefilled syringes INFLUENZA, INJECTABLE, QUADRIVALENT, PRES FREE	IIV4	150 >=3 years	90686
Afluria Quadrivalent Multiple-Dose Vial INFLUENZA, INJECTABLE, QUADRIVALENT	IIV4	158 >=3 years	90688
Fluad Quadrivalent Adjuvanted Prefilled Syringe INFLUENZA, QUADRIVALENT, ADJUVANTED	IIV4	205 >=65 years	90694

Reminder definition updates:

UPDATE JUNE 2021

Change vaccine B1 to be a 2 dose vaccine

Remove 99Y from the finding

Add FF 6, 16 and 26

Add term for future appointment to resolve the reminder temporarily
Add baseline frequency for all ages
Remove unused terms and FFs to simplify logic
Added placeholder logic for additional doses if needed
Historical documentation of WHO approved vaccinations will resolve the reminder
(AstraZenica; BIBP, SinoPharm; and CornaVac, Sinovac)

UPDATE_2_0_173I contains 1 Reminder Exchange entry:
UPDATE_2_0_173I VA-COVID-19 IMMUNIZATION REMINDER

REMINDER GENERAL FINDINGS

1 VIEW PROGRESS NOTE TEXT

TIU TEMPLATE FIELD

2 IM SARS COV-2 ADOLESCENT-CHILD APPROVAL TEXT
3 IM SARS COV-2 INFO TEXT EUA AGES
4 IM SARS COV-2 CDC VACCINE ANAPHYLAXIS INFO URL
5 IM SARS COV-2 CDC VACCINE CLINICAL CONSIDERATIONS
URL
6 IM SARS COV-2 CDC VACCINE INFO URL
7 IM SARS COV-2 VA PRE SCREEN FORM
8 IM SARS COV-2 VHA VACCINE INFO URL
9 IM SARS COV-2 PROVIDER EUA FACT URL A1
10 IM SARS COV-2 PROVIDER EUA FACT URL D2
11 IM SARS COV-2 PROVIDER EUA FACT URL C2
12 BLANK TEXT FIELD FOR DIALOGS
13 IM SARS COV-2 VIS/EUA INFO URL D2
14 IM SARS COV-2 ADMIN D2 INFO PRE TEXT
15 IM SARS COV-2 ADMIN INFO POST TEXT D2 #2
16 IM SARS COV-2 D2 DOSE
17 IM SARS COV-2 D2 DOSE #3
18 IM SARS COV-2 DOSE #2 WARNING
19 IM SARS COV-2 ADMIN INFO POST TEXT D2 #1
20 IM SARS COV-2 VIS/EUA INFO URL C2
21 IM SARS COV-2 ADMIN C2 INFO PRE TEXT
22 IM SARS COV-2 ADMIN INFO POST TEXT C2 #2
23 IM SARS COV-2 C2 DOSE
24 IM SARS COV-2 DOSE C2 #3 WARNING
25 IM SARS COV-2 C2 DOSE #3
26 IM SARS COV-2 ADMIN INFO POST TEXT C2 #1
27 IM SARS COV-2 VIS/EUA INFO URL E2
28 IM SARS COV-2 ADMIN E2 INFO PRE TEXT
29 IM SARS COV-2 ADMIN INFO POST TEXT E2 #2
30 IM SARS COV-2 E2 DOSE
31 IM SARS COV-2 ADMIN INFO POST TEXT E2 #1
32 IM SARS COV-2 VA SIDE EFFECTS AE REPORTING
33 IM SARS COV-2 VIS/EUA INFO URL B1
34 IM SARS COV-2 ADMIN B1 INFO PRE TEXT
35 IM SARS COV-2 ADMIN INFO POST TEXT B1 #2
36 IM SARS COV-2 B1 DOSE

37 IM SARS COV-2 DOSE B1 #3 WARNING
38 IM SARS COV-2 B1 DOSE #3
39 IM SARS COV-2 ADMIN INFO POST TEXT B1 #1
40 IM SARS COV-2 VIS/EUA INFO URL A1
41 IM SARS COV-2 ADMIN A1 INFO PRE TEXT
42 IM SARS COV-2 ADMIN INFO POST TEXT A1 #B
43 IM SARS COV-2 A1 DOSE
44 IM SARS COV-2 DOSE A1 #2 WARNING
45 IM SARS COV-2 A1 DOSE #2
46 IM SARS COV-2 ADMIN INFO POST TEXT A1
47 IM SCRIBE
48 IM SARS COV-2 OUTSIDE INSTR 2
49 IM SARS COV-2 OUTSIDE INSTR 1
50 IM SARS COV-2 OUTSIDE WARNING
51 IM SARS COV-2 DOSE E2 #3 WARNING
52 IM SARS COV-2 E2 DOSE #3

IMMUNIZATION

SARS-COV-2 (COVID-19) VACCINE, UNSPECIFIED
COVID-19 (ASTRAZENECA), VECTOR-NR, RS-CHADOX1,
PF, 0.5 ML
COVID-19 (PFIZER), MRNA, LNP-S, PF, 30 MCG/0.3 ML
DOSE
COVID-19 (MODERNA), MRNA, LNP-S, PF, 100 MCG/0.5
ML DOSE
COVID-19 (NOVAVAX), SUBUNIT, RS-NANOPARTICLE+MATRI
X-M1 ADJUVANT, PF, 0.5 ML
COVID-19 (JANSSEN), VECTOR-NR, RS-AD26, PF, 0.5 ML
COVID-19 (QAZCOVID-IN) IV NON-US VACCINE
COVID-19 NON-US VACCINE, PRODUCT UNKNOWN
COVID-19 (EPIVACCORONA) PS NON-US VACCINEX
COVID-19 (JIANGSU PROVINCE CENTERS FOR DISEASE
CONTROL AND PREVENTION) PS NON-US VACCINE
COVID-19 (ANHUI ZHIFEI LONGCOM BIOPHARMACEUTICAL
+ INSTITUTE OF MICROBIOLOGY) PS NON-US VACCINE
COVID-19 (CANSINO BIOLOGICAL INC./BEIJING
INSTITUTE OF BIOTECHNOLOGY) VVNR NON-US VACCINE
COVID-19 (COVIVAC) LAV NON-US VACCINE
COVID-19 (SPUTNIK LIGHT) VVNR NON-US VACCINE
COVID-19 (SPUTNIK V) VVNR NON-US VACCINE
COVID-19 (COVAXIN) IV NON-US VACCINE
COVID-19 (SINOVAC), INACTIVATED VIRUS, NON-US
COVID-19 (BIBP, SINOPHARM) IV NON-US VACCINE

HEALTH FACTORS

53 VA-REMINDER UPDATES [C]
54 VA-UPDATE_2_0_173I
55 IMMUNIZATION [C]
56 VA-SARS-COV-2 VACCINE ANATOMIC SITE
57 COVID-19 [C]
58 COVID-19 IMMUNIZATION DIALOG BYPASS USE
59 VA-SARS-COV-2 IMMUN EDUC VVC/TELE VST
60 VA-SARS-COV-2 VACCINE CONTRAIND B1
61 VA-SARS-COV-2 VACCINE CONTRAIND E2

62 VA-SARS-COV-2 VACCINE CONTRAIND A1
63 VA-SARS-COV-2 VACCINE CONTRAIND D2
64 VA-SARS-COV-2 VACCINE CONTRAIND C2
65 VA-SARS-COV-2 VACCINE DEFERRED
66 VA-SARS-COV-2 VACCINE REFUSAL
67 VA-SARS-COV-2 IMM REFUSAL - NVX CVX 211
68 VA-SARS-COV-2 IMM REFUSAL - AZN CVX 210
69 VA-SARS-COV-2 IMM REFUSAL - JSN CVX 212
70 VA-SARS-COV-2 IMM REFUSAL - UNS CVX 213
71 VA-SARS-COV-2 IMM REFUSAL - PFR CVX 208
72 VA-SARS-COV-2 IMM REFUSAL - MOD CVX 207
73 COVID-19 VERBAL REPORT COVID VACCINE

REMINDER SPONSOR

74 NATIONAL CENTER FOR HEALTH PROMOTION AND DISEASE
PREVENTION (NCP)
75 OFFICE OF NURSING SERVICE
76 VA NATIONAL CENTER FOR HEALTH PROMOTION AND
DISEASE PREVENTION (NCP)

REMINDER COMPUTED FINDINGS

VA-AGE
VA-ASU USER CLASS
VA-IS INPATIENT
VA-APPOINTMENTS FOR A PATIENT

REMINDER TAXONOMY

77 VA-SARS-COV-2 IMM PFIZER SERIES 3
78 VA-SARS-COV-2 IMM PFIZER SERIES 2
79 VA-SARS-COV-2 IMM PFIZER SERIES 1
80 VA-SARS-COV-2 IMM MODERNA SERIES 3
81 VA-SARS-COV-2 IMM MODERNA SERIES 2
82 VA-SARS-COV-2 IMM MODERNA SERIES 1
83 VA-SARS-COV-2 IMM ASTRAZENECA SERIES 2
84 VA-SARS-COV-2 IMM ASTRAZENECA SERIES 1
85 VA-SARS-COV-2 IMM NOVAVAX SERIES 3
86 VA-SARS-COV-2 IMM NOVAVAX SERIES 2
87 VA-SARS-COV-2 IMM NOVAVAX SERIES 1
88 VA-SARS-COV-2 IMM JANSSEN SERIES 2
89 VA-SARS-COV-2 IMM JANSSEN SERIES 1
90 VA-IMMUNIZATION ICD10 CODE
91 VA-SARS-COV-2 IMM ASTRAZENECA SERIES 3

REMINDER LOCATION LIST

92 COVID-19 VACCINATION CLINICS

REMINDER TERM

93 VA-REMINDER UPDATE_2_0_173I
94 VA-COVID-19 ADOLESCENT AGE RANGE
95 VA-BL COVID-19 IMM BYPASS AUTHORIZATION
96 VA-CURRENT INPATIENT
97 VA-SARS-COV-2 VACCINE E2 2 DOSE
98 VA-SARS-COV-2 IM DOSE NOT ASTRAZENECA
99 VA-SARS-COV-2 IM DOSE NOT MODERNA

100 VA-SARS-COV-2 VACCINE E2 1 DOSE
101 VA-SARS-COV-2 VACCINE B1 2 DOSE
102 VA-SARS-COV-2 VACCINE B1 1 DOSE
103 VA-SARS-COV-2 IM DOSE NOT NOVAVAX
104 VA-SARS-COV-2 VACCINE A1 1 DOSE
105 VA-SARS-COV-2 VACCINE D2 2 DOSE
106 VA-SARS-COV-2 VACCINE D2 1 DOSE
107 VA-SARS-COV-2 IM DOSE NOT PFIZER
108 VA-SARS-COV-2 VACCINE C2 2 DOSE
109 VA-SARS-COV-2 VACCINE C2 1 DOSE
110 VA-COVID-19 VACCINATION CLINIC FUTURE APPT
111 VA-SARS-COV-2 VACCINE DOSE #1 OF 2
112 VA-SARS-COV-2 VACCINE REFUSAL
113 VA-SARS-COV-2 VACCINE CONTRAINDICATION
114 VA-SARS-COV-2 VACCINE E2
115 VA-SARS-COV-2 VACCINE D2
116 VA-SARS-COV-2 VACCINE C2
117 VA-SARS-COV-2 VACCINE B1
118 VA-SARS-COV-2 VACCINE A1
119 VA-SARS-COV-2 VACCINE INDICATION AGE
120 VA-SARS-COV-2 VACCINE WHO APPROVED ALL (INCL US)
121 VA-SARS-COV-2 VACCINE INDICATION ADDL DOSE NEEDED
122 VA-SARS-COV-2 VACCINE WHO APPROVED NON-US
COMPLETED
123 VA-SARS-COV-2 VACCINE INDICATION 6
124 VA-SARS-COV-2 VACCINE INDICATION 5
125 VA-SARS-COV-2 VACCINE INDICATION 4
126 VA-SARS-COV-2 VACCINE INDICATION 3
127 VA-SARS-COV-2 VACCINE INDICATION 2
128 VA-SARS-COV-2 VACCINE INDICATION 1

REMINDER DEFINITION

129 VA-SARS COV-2 IMMUNIZATION

HEALTH SUMMARY COMPONENT

PCE IMMUNIZATIONS SELECT CHRON

HEALTH SUMMARY TYPE

130 SARS-COV-2 IMMUNIZATION

HEALTH SUMMARY OBJECTS

131 SARS-COV-2 IMMUNIZATION (TIU)

TIU DOCUMENT DEFINITION

132 SARS-COV-2 IMMUNIZATION

REMINDER DIALOG

133 VAL-FLU IMM DETAILED INFO BUTTON

134 VA-SARS-COV-2 IMMUNIZATION

Pre-Install

This update will overwrite the dialog components that have your lot numbers embedded for the covid-19 immunizations.

Create a backup of the groups that contain your local lot numbers. You can reinstall this backup exchange file post install to restore your lot numbers.

https://REDACTED/COVID-19_LOCAL_BACKUP_173I.pptx

or

See the document COVID-19 LOCAL BACKUP 173I-508.pptx

In addition to backing them up and restoring post-install, If you would like to, you can inquire and save the reminder dialog prompts that contain your local lot number additions prior to installation to confirm post install.

In Dialog manager, reminder Dialog, change view to prompts, choose INQ and save an INQUIRY of the following prompts: IM SARS-COV-2 VACCINE C2 MVX LOT EXP, IM SARS-COV-2 VACCINE D2 MVX LOT EXP and IM SARS-COV-2 VACCINE A1 MVX LOT EXP

Install Details

This update is being distributed as a web host file. The address for the host file is:
https://Redacted/UPDATE_2_0_173I.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

This update can be loaded with users on the system. Installation will take less than 5 minutes

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista


```

+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE Create Exchange File Entry      LHF Load Host File
CHF Create Host File                 LMM Load MailMan Message
CMM Create MailMan Message           LR  List Reminder Definitions
DFE Delete Exchange File Entry       LWH Load Web Host File
IFE Install Exchange File Entry       RI  Reminder Definition Inquiry
IH  Installation History              RP  Repack
Select Action: Next Screen// LWH  Load Web Host File
Input the URL for the .prd file: https://[REDACTED]UPDATE_2_0_173I.PRD

```

At the **Select Action**: prompt, enter **LWH** for Load Web Host File
 At the **Input the url for the .prd file**: prompt, type the following web address:

https://vaww.va.gov/reminders/docs/UPDATE_2_0_173I.PRD

Search and locate an entry titled **UPDATE_2_0_173I VA-COVID-19 IMMUNIZATION REMINDER**.

```

+Item  Entry                                     Source                                     Date Packed
167  UPDATE_2_0_173I VA-COVID-19
     IMMUNIZATION REMINDER
168  UPD..._2_0_173I VA-COVID-19
     IMMUNIZATION REMINDER
169  UPDATE_2_0_173I VA-COVID-19
     IMMUNIZATION REMINDER
170  UPDATE_2_0_174 VAES TEMPLATE
     UPDATES
171  UPDATE_2_0_175 VA-CLINICAL
     APPEAL DECISION
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE Create Exchange File Entry      LHF Load Host File
CHF Create Host File                 LMM Load MailMan Message
CMM Create MailMan Message           LR  List Reminder Definitions
DFE Delete Exchange File Entry       LWH Load Web Host File
IFE Install Exchange File Entry       RI  Reminder Definition Inquiry
IH  Installation History              RP  Repack
Select Action: Next Screen// IFE  Install Exchange File Entry
Enter a list or range of numbers (1-469): 169

```

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
 Enter the number that corresponds with your entry **UPDATE_2_0_173I VA-COVID-19 IMMUNIZATION REMINDER**. (in this example it is entry 169 it will vary by site). The date of the exchange file should be 08/12/2021.

```

Component                                     Category   Exists
Source:
Date Packed: 08/12/2021@12:23:13
Package Version: 2.0P42

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-SARS-COV-2 IMMUNIZATION
  VAL-FLU IMM DETAILED INFO BUTTON

REMINDER LOCATION LIST
  COVID-19 VACCINATION CLINICS

REMINDER TERM
  VA-REMINDER UPDATE_2_0_173I

+ Enter ?? for more actions >>>
IA Install all Components      IS Install Selected Component
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** for **Install all Components** and hit enter.

Install the new TEMPLATE FIELDS.

Overwrite any TEMPLATE FIELDS that you are prompted to overwrite

Install the new HEALTH FACTORS.

Skip any HEALTH FACTORS that you are prompted to overwrite

Install the new REMINDER TAXONOMIES

Install the new REMINDER LOCATION LIST

Install the the new REMINDER TERM.

Skip any REMINDER TERMS that you are prompted to overwrite with TWO exceptions,

you will **Overwrite** the REMINDER TERM **VA-SARS-COV-2 VACCINE DOSE #1 OF 2**

and **Overwrite** the REMINDER TERM : **VA-SARS-COV-2 VACCINE INDICATION AGE**

REMINDER TERM entry named VA-SARS-COV-2 VACCINE DOSE #1 OF 2 already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- M Merge findings
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// overwrite the current entry**

Are you sure you want to overwrite? N// **Y**

REMINDER TERM entry named VA-SARS-COV-2 VACCINE INDICATION AGE already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry

- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// overwrite the current entry**

Are you sure you want to overwrite? N// **Y**

OVERWRITE the reminder definition

REMINDER DEFINITION entry named VA-SARS COV-2 IMMUNIZATION already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// overwrite the current entry**

Are you sure you want to overwrite? N// **Y**

OVERWRITE any HEALTH SUMMARY TYPE entries that you are prompted to overwrite
HEALTH SUMMARY TYPE entry named SARS-COV-2 IMMUNIZATION already exists
but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// overwrite the current entry**

Are you sure you want to overwrite? N// **YES**

OVERWRITE any HEALTH SUMMARY OBJECTS entries that you are prompted to
overwrite

HEALTH SUMMARY OBJECTS entry named SARS-COV-2 IMMUNIZATION (TIU)
already exists but the packed component is different, what do you
want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// overwrite the current entry**

Are you sure you want to overwrite? N// **YES**

You will then be prompted to install the first dialog component. You will choose IA to install all even though some items will already have an X to indicate they exist.

Packed reminder dialog: VAL-FLU IMM DETAILED INFO BUTTON

Item	Seq.	Dialog Findings	Type	Exists
1		VAL-FLU IMM DETAILED INFO BUTTON	element	X
		Finding: VIEW PROGRESS NOTE TEXT (REMINDER GENERAL FINDING)		X
2		PXRM GF PRINT BUTTON	prompt	X

+ Next Screen		- Prev Screen		?? More Actions	
DD	Dialog Details	DT	Dialog Text	IS	Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU	Quit
DS	Dialog Summary	IA	Install All		

Select Action: Quit// IA

At the **Select Action** prompt, type **IA** to install the dialog – **VAL-FLU IMM DETAILED INFO BUTTON**

Packed reminder dialog: VAL-FLU IMM DETAILED INFO BUTTON

Item	Seq.	Dialog Findings	Type	Exists
1		VAL-FLU IMM DETAILED INFO BUTTON	element	X
		Finding: VIEW PROGRESS NOTE TEXT (REMINDER GENERAL FINDING)		X
2		PXRM GF PRINT BUTTON	prompt	X

+ Next Screen		- Prev Screen		?? More Actions	
DD	Dialog Details	DT	Dialog Text	IS	Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU	Quit
DS	Dialog Summary	IA	Install All		

Select Action: Quit// Q

You will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will be prompted to install the next reminder dialog component. You will choose IA to install all even though some items will already have an X to indicate they exist.

```
Packed reminder dialog: VA-SARS-COV-2 IMMUNIZATION
```

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-SARS-COV-2 IMMUNIZATION	dialog	X		
2	3	VA-TEXT SARS-COV-2 IMMUNIZATION HEADER Finding: *NONE*	element	X		
3	5	VAL-SARS-COV-2 VACCINE INFO TEXT GP Finding: *NONE*	group	X		
4	5.3	VAL-SARS-COV-2 VACCINE INFO TEXT GP 1 Finding: *NONE*	group	X		
5	5.3.4	VAL-SARS-COV-2 VACCINE INFO TEXT GP EUA Finding: *NONE*	group	X		
6	5.3.4.5	VAL-SARS-COV-2 VACCINE INFO TEXT EUA URLS Finding: *NONE*	element	X		
7	5.3.8	VAL-SARS-COV-2 VACCINE INFO TEXT GP ACIP Finding: *NONE*	group	X		
+ + Next Screen - Prev Screen ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// IA						

At the **Select Action** prompt, type **IA** to install the dialog – **VA-SARS-COV-2 IMMUNIZATION**

```
Packed reminder dialog: VA-SARS-COV-2 IMMUNIZATION
VA-SARS-COV-2 IMMUNIZATION (reminder dialog) installed from exchange file.
```

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-SARS-COV-2 IMMUNIZATION	dialog	X		
2	3	VA-TEXT SARS-COV-2 IMMUNIZATION HEADER Finding: *NONE*	element	X		
3	5	VAL-SARS-COV-2 VACCINE INFO TEXT GP Finding: *NONE*	group	X		
4	5.3	VAL-SARS-COV-2 VACCINE INFO TEXT GP 1 Finding: *NONE*	group	X		
5	5.3.4	VAL-SARS-COV-2 VACCINE INFO TEXT GP EUA Finding: *NONE*	group	X		
6	5.3.4.5	VAL-SARS-COV-2 VACCINE INFO TEXT EUA URLS Finding: *NONE*	element	X		
7	5.3.8	VAL-SARS-COV-2 VACCINE INFO TEXT GP ACIP Finding: *NONE*	group	X		
+ + Next Screen - Prev Screen ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// Q						

You will then be returned to this screen. At the **Select Action** prompt, type **Q**.

```
Component                                Category  Exists
Source:
Date Packed: 08/12/2021@12:23:13
Package Version: 2.0P42

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-SARS-COV-2 IMMUNIZATION
  VAL-FLU IMM DETAILED INFO BUTTON

REMINDER LOCATION LIST
  COVID-19 VACCINATION CLINICS

REMINDER TERM
  VA-REMINDER UPDATE_2_0_173I

+      Enter ?? for more actions          >>>
IA  Install all Components                IS  Install Selected Component
Select Action: Next Screen// Q
```

You will then be returned to this screen. At the Select Action prompt, type **Q**.

Install complete.

Post-Installation

You will need to close and reopen CPRS to see the txml field changes.

1. Install the exchange file that you created in the pre install step.

*****You have to do this to restore your lot #s/expiration dates. If you do not do this, you will have to re-enter all of your available lot #s into the prompts and your users will have no options to choose from until you do this.*****

2. Ensure the appropriate refusal elements (highlighted below) are enabled/disabled based on local vaccine availability.

120 20.28.3 Group: VAL-SARS-COV-2 VACCINE REFUSED
121 20.28.3.2 Element: VAL-SARS-COV-2 VACCINE REFUSED MODERNA
122 20.28.3.4 Element: VAL-SARS-COV-2 VACCINE REFUSED PFIZER
123 20.28.3.6 Element: VAL-SARS-COV-2 VACCINE REFUSED JANSSEN
124 20.28.3.10 Element: VAL-SARS-COV-2 VACCINE REFUSED NOVAVAX
125 20.28.3.12 Element: VAL-SARS-COV-2 VACCINE REFUSED ASTRAZENECA

3. Verify the lot numbers and refusal options are appropriate for your site, please open the reminder dialog and ensure your local lot numbers are displayed and the appropriate refusal options display.

4. Enable third/additional dose options if appropriate for your site.

FDA and CDC have recommended a 3rd dose in the series for moderately to severely immunocompromised patients

This is for Moderna and Pfizer only at this time

To enable the 3rd dose option you will need to remove the 'disable' entry from one or both of these dialog elements

Moderna additional dose dialog group

Group: VAL-SARS-COV-2 VACCINE ADMIN C2 D#3 GP

Pfizer additional dose dialog group

Group: VAL-SARS-COV-2 VACCINE ADMIN D2 D#3 GP

5. Update reminder location list: COVID-19 VACCINATION CLINICS.

A. Complete this step if you want the reminder to resolve when the patient already has a future appointment scheduled in a COVID-19 vaccination clinic.

CF Reminder Computed Finding Management ...
RM Reminder Definition Management ...
SM Reminder Sponsor Management ...
TXM Reminder Taxonomy Management
TRM Reminder Term Management ...
LM Reminder Location List Management ...
RX Reminder Exchange
RT Reminder Test

OS Other Supporting Menus ...
INFO Reminder Information Only Menu ...
DM Reminder Dialog Management ...
CP CPRS Reminder Configuration ...
RP Reminder Reports ...
MST Reminders MST Synchronization Management ...
PL Reminder Patient List Menu ...
PAR Reminder Parameters ...
VS NLM Value Set Menu
ROC Reminder Order Check Menu ...
CQM NLM Clinical Quality Measures Menu
XM Reminder Extract Menu ...

Select Reminder Managers Menu <TEST ACCOUNT> Option: LM Reminder Location List Management

LL List Location Lists
LI Location List Inquiry
LE Add/Edit Reminder Location List
LC Copy Location List

Select Reminder Location List Management <TEST ACCOUNT> Option: LE Add/Edit Reminder Location List

Select Location List: COVID-19 VACCINATION CLINICS LOCAL
NAME: COVID-19 VACCINATION CLINICS Replace

CLASS: LOCAL//

SPONSOR:

REVIEW DATE:

DESCRIPTION:

Edit? NO//

Select CLINIC STOP:

Select HOSPITAL LOCATION: ADD YOUR CLINIC LOCATIONS AT THIS PROMPT

If your site wants the reminder to only resolve for future appointment and wants the reminder to be due if a patient has an appointment for the current date to document administration using the reminder:

EDIT THE REMINDER TERM: VA-COVID-19 VACCINATION CLINIC FUTURE APPT and CHANGE the beginning date and time in the finding item CF.VA-APPOINTMENTS FOR A PATIENT to be T+1.

B. Complete this step if you DO NOT WANT the reminder to resolve when the patient already has a future appointment scheduled in a COVID-19 vaccination clinic or if your site does not have any COVID-19 vaccination clinics.

EDIT THE REMINDER TERM: VA-COVID-19 VACCINATION CLINIC FUTURE APPT and delete the finding item CF.VA-APPOINTMENTS FOR A PATIENT.

If you do not either add items to the location list OR remove the location list from the reminder term, you will receive a vista warning message every time a chart is opened:

Warning Reminder Location List COVID-19 VACCINATION CLINICS
does not contain or expand to contain any hospital locations!