



Update _2_0_180

Clinical Reminders

VA-AES TEMPLATE UPDATE

Install Guide

January 2021

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

Introduction	3
Pre-Install.....	22
Install Details	22
Install Example	22
Post Installation	26

Introduction

This release contains updates to the following reminder dialogs:

- VA-AES NSG FREQUENT DOCUMENTATION
- VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT
- VA-AES ACUTE INPATIENT NSG ADMISSION SCREEN

REMINDER: The VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT AND VA-AES ACUTE INPATIENT NSG ADMISSION SCREEN templates are mandated for use and replace the VA-COVID-19 NSG ADMISSION AND SHIFT ASSESSMENT template.

The primary focus of this release is to enhance functionality within the VA-AES NSG FREQUENT DOCUMENTATION dialog to allow LPN/LVN/UAPs to document using the national standardized template.

Since the VA-AES NSG FREQUENT DOCUMENTATION shares groups and elements that are within the VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT, updates to shared data elements will update both templates (See enhancements list below).

The VA-AES ACUTE INPATIENT NSG ADMISSION dialog has one update:

- General Information – Acute Rehab Areas: Moderate Assist added under Ability to Ambulate Prior to Admission section.

The major enhancements to the VA-AES NSG FREQUENT DOCUMENTATION and VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT are as follows:

National Early Warning Score (NEWS):

- Added NEWS Scoring Reference Button
- Removed auto calculating score of Pulse Oximetry and added Confirm Option
- Capitalized header to match other section headers
- Change Pulse Oximetry to Oxygen Saturation
- Added option to confirm oxygen saturation when not previously documented
- Added option to confirm AVPU when not previously documented
- Updated branching logic to accurately display NEWS score 3 for systolic blood pressure of 90
- Updated “No recent documentation of supplemental oxygen use..” to read “no current documentation of supplemental oxygen use” for consistency

Activities of Daily Living:

- Added Check box in front of Personal Care
- Peri care removed from Personal Care and placed as own section under ADL

- Added Cardiovascular Embolism Prevention section
- Added Comment Section at the bottom
- Placed in alphabetical order
- Health Factors added to this section

Activities of Daily Living – Oral Care:

- Removed redundancy of Oral Care from the Non-ventilated patient and Ventilated patient sub header

Activity/Mobilization:

- Add measurement in parenthesis after Mobilization or Ambulation Distance and Minutes (Moved from end of line). These sections were added to Shift Assessment as well.
- Added Mobilization Tolerance to Shift Assessment
- Added Health Summary Info Button for Last Activity Goal achieved Frequent Doc only
- Added Mobility Status section
- Added PT/OT/Rehab involved in care selection
- Added Gait section

Environmental Safety Management:

- Added this section from the Shift Assessment template
- Added dashes to each text line under Implemented safety standards of care
- Alphabetize the options under Therapeutic Companion
- Added an Option for LPN/LVN at bedside under Patient Safety Attendant
- Added Discontinued option (with comment box) under Therapeutic Companion and Patient Safety Attendant

Genitourinary:

- This section was added
- Added Incontinent under elimination and removed “Voiding, no difficulty option”

Pain:

- Spelled out DVPRS in header
- Spelled out PAINAD in header

The enhancements to the VA-AES NSG FREQUENT DOCUMENTATION:

Landing Page:

- Changed instructional text to “Any section not labeled (RN Only) may be completed by RN, LPN, LVN, UAP”

- Added (RN Only) after headers to indicate sections that can only be completed by RN (Does not print in final progress note text)
- Sections placed in alphabetical order (with exception of NEWS being at top)

Affect/Behavior:

- This section header was added, and content mirrors shift assessment

Brief Confusion Assessment Method – bCAM

- Updated header to spell out bCAM acronym
- Added instructional text “Must complete Richmond Agitation Sedation Scale (RASS) first (does not print in final progress note text)

Clinical Institute Withdrawal Assessment for Alcohol-Revised (CIWA-AR)

- Updated header to spell out CIWA-AR acronym
- Added helper text as to where to find the total score
- Added “unable to perform” option with free text box

Clinical Opiate Withdrawal Scale – COWS:

- Updated header to spell out acronym
- Added Helper text as to where to find the total score

Gastrointestinal:

- This content was added

Detailed Repositioning:

- Rebuilt Time and Position section to add health factors
- Added measurement in parenthesis

Neuro Checks:

- Added Strength and Sensation section from Shift Assessment
- Strength > Unequal Grip... – changed Hand amputation to Amputation present (also updated in Shift Assessment Neurological section)
- Strength – added comment check box with text box (also updated in Shift Assessment Neurological section)
- Sensation – added comment check box with text box (also updated in Shift Assessment Neurological section)
- Added health factors on comment options under strength (also updated in Shift Assessment Neurological section)
- Added health factors on comment options under sensation (also updated in Shift Assessment Neurological section)

National Institutes of Health Stroke Scale (NIHSS):

- This content was added.

Oral Intake:

- Added Tube Feeding option
- Breakfast, Lunch and Dinner options rebuilt to accommodate health factors
- NPO removed from breakfast, lunch, and dinner and added as an option under “Reasons for Inadequate Intake”

Pain:

- Removed the word Reassessment from Header

Provider Notification:

- This section header and content was added.

Vascular Checks:

- This section header was added
- Capillary Refill, Peripheral Pulse, and Temperature were added from the Shift Assessment

The **VA-AES NSG FREQUENT DOCUMENTATION** dialog contains national health factors that were developed to promote uniformity of data, and facilitation of reports to meet directives, policies, and regulatory metrics that support the characteristics of a high reliability organization. These national health factors are standardized and must be loaded without modification. A complete list of health factors and the corresponding text within the can be found at the following link (the link is redacted):

VAAES Nursing Frequent Documentation National Health Factor Spreadsheet

The template and Health Factors may not be changed or revised at the local level except for local elements identified in post-install instructions. Requests to add elements to the note must go through the approval process outlined in the SOP (link redacted)..

Please Note:

For questions or feedback on the template please utilize the REDACTED. For training questions please refer to the REDACTED.

A VAAES Nursing Frequent Documentation contingency form is in process and will be forthcoming.

UPDATE_2_0_180 contains 1 Reminder Exchange entry:

UPDATE_2_0_180 VA-AES TEMPLATE UPDATE

REMINDER GENERAL FINDINGS

VIEW PROGRESS NOTE TEXT

TIU TEMPLATE FIELD

VA-NSG FLATUS 2
VA-NSG BM AMT
VA-NSG BM COLOR 2
VA-EDIT 20
VA-NSG BM DESC
VA-NSG ELIMINATION
VA-NSG GI SYMPTOMS
GEN WORD PROCESSING
VA-NSG DATE/TIME
VA-NSG YES/NO
VA-EDIT 50
EDIT 12+
WORD 65
VA-NSG GU COLOR CHAR
VA-NSG GU ELIM 2
VA-NSG TEMP AB
VA-NSG TEMP
NURRN
VA-NSG CAP REF
VA-GEN WORD PROCESSING
VA-WORD 2 LINES
VA-WEBLINK RN LIBRARY
VA-NSG ED UNDERSTAND
VA-NSG PROVIDED TO
VA-NSG ED METHOD
EDIT 50
VA-NSG ED TOPICS
VA-NSG PAIN 2
EDIT 25
VA-NSG CPOT MUSC TENSE 2
VA-NSG CPOT VOCAL 2
VA-NSG CPOT BODY MVMT 2
VA-NSG CPOT FACIAL 2
VA-NSG PAINAD 5
VA-NSG PAINAD 4
VA-NSG PAINAD 3
VA-NSG PAINAD 2
VA-NSG PAINAD 1
VA-NSG LATERALITY

VA-NSG ADAPT UTENSILS
VA-NEWS AVPU CONFIRM
VA-NEWS SUPPLEMENTAL 02 CONFIRM
VA-NEWS PULSE OXIMETRY CONFIRM
VA-WEBLINK BCAM
VA-NSG BCAM 4
VA-NSG BCAM 3
VA-NSG BCAM 2
VA-NSG BCAM 1
VA-NSG 1-4
WORD 1 LINE
VA-NSG BEFAST 5
VA-NSG BEFAST 4
VA-NSG BEFAST INST
VA-NSG BEFAST 3
VA-NSG BEFAST 2
VA-NSG BEFAST 1
VA-NSG SENSATION AB
VA-NSG SENSATION
VA-NSG UE STRENGTH AB
VA-NSG UE STRENGTH
VA-NSG GRIP STRENGTH AB
VA-NSG PUPILS
VA-NSG MM
VA-EDIT 12+
TELESTROKE DATE BLANK
VA-NSG POS TOL
VA-NSG ONS WEBLINK

HEALTH FACTORS

VA-REMINDER UPDATES
VA-UPDATE_2_0_180
VA-VAAES PROVIDER NOTIFICATION
VA-VAAES PROVIDER NOTIFY REASON OTHER
VA-VAAES PROVIDER NOTIFY REASON ORDER
VA-VAAES PROVIDER NOTIFY REASON PAIN
VA-VAAES PROVIDER NOTIFY REASON NEWS
VA-VAAES PROVIDER NOTIFY REASON FALL
VA-VAAES PROVIDER NOTIFY REASON COND
VA-VAAES PROVIDER NOTIFY PROV NAME
VA-VAAES PROVIDER NOTIFY
VA-VAAES GASTRO
VA-VAAES GASTRO LAST BM
VA-VAAES GASTRO ASSESS
VA-VAAES URO
VA-VAAES URO CATH ISC CG SF MAINTAIN

VA-VAAES URO CATH ISC CAREGIVER
VA-VAAES URO CATH ISC PT SF MAINTAIN
VA-VAAES URO CATH ISC PT OTHER
VA-VAAES URO CATH ISC PT TOT ASSIST
VA-VAAES URO CATH ISC PT ASSIST
VA-VAAES URO CATH ISC PT IND
VA-VAAES URO CATH ISC PATIENT
VA-VAAES URO CATH ISC STAFF SF MAINTAIN
VA-VAAES URO CATH ISC RED RUBBER
VA-VAAES URO CATH ISC TIEMAN
VA-VAAES URO CATH ISC COUDE
VA-VAAES URO CATH ISC REG
VA-VAAES URO CATH ISC URETHRAL
VA-VAAES URO CATH ISC OTHER
VA-VAAES URO CATH ISC STAFF
VA-VAAES URO CATH ISC
VA-VAAES URO CATH EXT FEMALE DEVICE
VA-VAAES URO CATH EXT MALE DEVICE
VA-VAAES URO CATH IND URETHRAL
VA-VAAES URO CATH IND SUPRAPUBIC
VA-VAAES URO CATH IND DISCONTINUE
VA-VAAES URO CATH IND URO SURGERY
VA-VAAES URO CATH IND URO OBSTRUCTION
VA-VAAES URO CATH IND URO IRRIGATION
VA-VAAES URO CATH IND URO IMMOBILE
VA-VAAES URO CATH IND URO PERIOP
VA-VAAES URO CATH IND URO NEURO BLADDER
VA-VAAES URO CATH IND URO INCONT
VA-VAAES URO CATH IND URO EPI/SPI/PM
VA-VAAES URO CATH IND URO CRIT ILL
VA-VAAES URO CATH IND URO COMFORT
VA-VAAES URO CATH IND URO RET
VA-VAAES URO CATH IND URETHRAL 2 WAY IRR
VA-VAAES URO CATH IND URETHRAL 3 WAY IRR
VA-VAAES URO CATH IND URETHRAL TIEMAN
VA-VAAES URO CATH IND URETHRAL COUDE
VA-VAAES URO CATH IND URETHRAL REG
VA-VAAES URO CATH IND STER FLD LUBE
VA-VAAES URO CATH IND STER FLD CLEANING
VA-VAAES URO CATH IND STER FLD DRAPE
VA-VAAES URO CATH IND STER FLD GLOVES
VA-VAAES URO CATH IND STER FLD HW
VA-VAAES URO CATH IND STER FLD MAINT
VA-VAAES URO CATH INDWELL INSERT
VA-VAAES URO CATH INDWELL
VA-VAAES URO ASSESS

VA-VAAES CARDIO
VA-VAAES VASCULAR CHECK COMMENT
VA-VAAES CARDIO-UNEQUAL TEMP LE
VA-VAAES CARDIO-UNEQUAL TEMP UE
VA-VAAES CARDIO PERIPH PULSE OTHER
VA-VAAES CARDIO PERIPH INDIVIDUAL
VA-VAAES CARDIO PERIPH ALL 4 EXT 3+
VA-VAAES CARDIO CAP REFILL COMMENT
VA-VAAES CARDIO CAP REFILL INDIVIDUAL
VA-VAAES CARDIO CAP REFILL ALL 4 EXT <3
VA-VAAES CARDIO-VASCULAR CHECK ASSESS
VA-VAAES NEURO
VA-VAAES NEURO AB COMMENTS
VA-VAAES NEURO AB UNCOOPERATIVE
VA-VAAES NEURO AB IMPULSIVE
VA-VAAES NEURO AB COMBATIVE
VA-VAAES NEURO AB CALM
VA-VAAES NEURO AVPU
VA-VAAES NEURO AB COOPERATIVE
VA-VAAES NEURO AB
VA-VAAES ENVIRON SAFETY MGMT
VA-VAAES ENVIRON SAFETY SOC OTHER
VA-VAAES ENVIRON SAFETY PT SPECIFIC
VA-VAAES ENVIRON PSA LPN
VA-VAAES ENVIRON PSA DC
VA-VAAES ENVIRON PSA NUR
VA-VAAES ENVIRON PSA UAP
VA-VAAES ENVIRON THERA COMP TYPE OTHER
VA-VAAES ENVIRON PSA
VA-VAAES ENVIRON THERA COMP TYPE LPN
VA-VAAES ENVIRON THERA COMP TYPE TELECA
VA-VAAES ENVIRON THERA COMP TYPE NUR
VA-VAAES ENVIRON THERA COMP TYPE UAP
VA-VAAES ENVIRON THERA COMP DC
VA-VAAES ENVIRON THERA COMP OTHER
VA-VAAES ENVIRON THERA COMP GEN SAFETY
VA-VAAES ENVIRON THERA COMP ELOPMENT
VA-VAAES ENVIRON THERA COMP SEVERE AGI
VA-VAAES ENVIRON THERA COMP MED THER
VA-VAAES ENVIRON THERA COMP FALL
VA-VAAES ENVIRON THERA COMP MEN STATUS
VA-VAAES ENVIRON THERA COMP
VA-VAAES ENVIRON SEIZURE
VA-VAAES ENVIRON RESTRAINT
VA-VAAES ENVIRON CLOSE TO NUR STATION
VA-VAAES ENVIRON MOBILITY SUPPORT

VA-VAAES ENVIRON MAT ON FLOOR
VA-VAAES ENVIRON ROUNDING
VA-VAAES ENVIRON CAREGIVER
VA-VAAES ENVIRON SAFETY SOC
VA-VAAES ENVIRON SAFETY ASSESS
VA-VAAES EDUCATION NEEDS
VA-VAAES EDU LRN STYLE-VIDEO
VA-VAAES EDU LRN STYLE-VERBAL
VA-VAAES EDU LRN STYLE-PRINTED MAT
VA-VAAES EDU LRN STYLE-OTHER
VA-VAAES EDU LRN STYLE-NONE
VA-VAAES EDU LRN STYLE-DEMO
VA-VAAES EDU LRN STYLE-CAREGIVER
VA-VAAES EDU BARRIER SOCIO
VA-VAAES EDU BARRIER SENSORY
VA-VAAES EDU BARRIER PHYSICAL
VA-VAAES EDU BARRIER COMM
VA-VAAES EDU BARRIER LIT
VA-VAAES EDU BARRIER EMOTIONAL
VA-VAAES EDU BARRIER DESIRE
VA-VAAES EDU BARRIER CUL/REL
VA-VAAES EDU BARRIER COG
VA-VAAES EDU
VA-VAAES ADULT ED ASSESS UTILIZED
VA-VAAES EDU BARRIER UNABLE TO ASSESS
VA-VAAES EDU ASSESS DECLINE
VA-VAAES EDU ASSESS
VA-VAAES PAIN
VA-VAAES PAIN ASSESS CPOT
VA-VAAES PAIN ASSESS PAINAD
VA-VAAES PAIN INT PRIMARY OTHER
VA-VAAES PAIN INT PRIMARY THERAPEUTIC
VA-VAAES PAIN INT PRIMARY POSITION
VA-VAAES PAIN INT PRIMARY HEAT
VA-VAAES PAIN INT PRIMARY COLD
VA-VAAES PAIN INT PRIMARY MED
VA-VAAES CARDIO RHY ADD DESCRIPTORS
VA-VAAES CARDIO RHY OTHER
VA-VAAES CARDIO RHY VENTRICULAR
VA-VAAES CARDIO RHY JUNCTIONAL
VA-VAAES CARDIO RHY SVT
VA-VAAES CARDIO RHY A FLUTTER
VA-VAAES CARDIO RHY A FIB
VA-VAAES CARDIO RHY SINUS TACH
VA-VAAES CARDIO RHY SINUS BRADY
VA-VAAES CARDIO RHY NSR

VA-VAAES ORAL INTAKE
VA-VAAES ORAL INTAKE TUBE FEEDING
VA-VAAES ORAL INTAKE LIQUID SUP
VA-VAAES ORAL INTAKE SNACK PERCENT
VA-VAAES ORAL INTAKE INADEQUATE NPO
VA-VAAES ORAL INTAKE INADEQUATE OTHER
VA-VAAES ORAL INTAKE INADEQUATE PREF
VA-VAAES ORAL INTAKE INADEQUATE APPETITE
VA-VAAES ORAL INTAKE INADEQUATE PAIN
VA-VAAES ORAL INTAKE INADEQUATE N/V
VA-VAAES ORAL INTAKE INADEQUATE LETHARGY
VA-VAAES ORAL INTAKE INADEQUATE INT
VA-VAAES ORAL INTAKE INADEQUATE CHEWING
VA-VAAES ORAL INTAKE INADEQUATE
VA-VAAES ORAL INTAKE DINNER PERCENT
VA-VAAES ORAL INTAKE LUNCH PERCENT
VA-VAAES ORAL INTAKE BREAKFAST PERCENT
VA-VAAES ORAL INTAKE ASSESS
VA-VAAES CARDIO EMB COMMENT
VA-VAAES CARDIO EMB PT DECLINE
VA-VAAES CARDIO EMB NOT APPLIED
VA-VAAES CARDIO EMB SCD FOOT
VA-VAAES CARDIO EMB SCD THIGH HIGH
VA-VAAES CARDIO EMB SCD KNEE HIGH
VA-VAAES RESP
VA-VAAES RESP SUP VB SEQ COM DEV YES
VA-VAAES CARDIO EMB SCD
VA-VAAES CARDIO EMB PREV THIGH HIGH
VA-VAAES CARDIO EMB PREV KNEE HIGH
VA-VAAES CARDIO EMB COMP STOCKINGS
VA-VAAES CARDIO EMB ASSESS
VA-VAAES ADL
VA-VAAES ADL GEN COMMENT
VA-VAAES ADL TOILETING COMMENT
VA-VAAES ADL TOILETING INDEPENDENT
VA-VAAES ADL TOILETING MIN ASSIST
VA-VAAES ADL TOILETING MOD ASSIST
VA-VAAES ADL TOILETING TOTAL ASSIST
VA-VAAES ADL TOILETING
VA-VAAES ADL DRESSING COMMENT
VA-VAAES ADL DRESSING UPPER INDEPENDENT
VA-VAAES ADL DRESSING UPPER MIN ASSIST
VA-VAAES ADL DRESSING UPPER MOD ASSIST
VA-VAAES ADL DRESSING UPPER TOTAL ASSIST
VA-VAAES ADL DRESSING LOWER INDEPENDENT
VA-VAAES ADL DRESSING LOWER MIN ASSIST

VA-VAAES ADL DRESSING LOWER MOD ASSIST
VA-VAAES ADL DRESSING LOWER TOTAL ASSIST
VA-VAAES ADL DRESSING
VA-VAAES ADL HYG PC EAT PT DECLINED
VA-VAAES ADL HYG PC EAT ASSISTIVE DEVICE
VA-VAAES ADL HYG PC EAT TOT ASST
VA-VAAES ADL HYG PC EAT ASST
VA-VAAES ADL HYG PC EAT INDEPENDENT
VA-VAAES ADL HYG PC EATING
VA-ORAL CARE
VA-ORAL CARE REFUSED
VA-ORAL CARE EDUCATION PROVIDED
VA-ORAL CARE DENTURES/PARTIAL PLATES-NO
VA-ORAL CARE ASSIST DENTURE/PARTIAL-NO
VA-ORAL CARE ASSIST DENTURE/PARTIAL-YES
VA-ORAL CARE OBS DENTURES/PARTIAL-NO
VA-ORAL CARE OBS DENTURES/PARTIAL-YES
VA-ORAL CARE DENTURES/PARTIAL-YES
VA-ORAL CARE ASSISTED BRUSHING-NO
VA-ORAL CARE ASSISTED BRUSHING 3
VA-ORAL CARE ASSISTED BRUSHING 2
VA-ORAL CARE ASSISTED BRUSHING 1
VA-ORAL CARE OBSERVED BRUSHING-NO
VA-ORAL CARE OBSERVED BRUSHING 3
VA-ORAL CARE OBSERVED BRUSHING 2
VA-ORAL CARE OBSERVED BRUSHING 1
VA-VAAES ORAL CARE NON-VENT PATIENT
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 5
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 4
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 3
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 2
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 1
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 5
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 4
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 3
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 2
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 1
VA-VAAES ORAL CARE MUCOSITIS SCALE
VA-VAAES RESP SUP VB OCM TEETH CHLOR
VA-VAAES RESP SUP VB OCM DEN CARE
VA-VAAES RESP SUP VB OCM ROUT ORAL
VA-VAAES RESP SUP VB OCM TEETH BRUSH
VA-VAAES RESP SUP VB OCM ORAL SUC
VA-VAAES RESP SUP VB OCM DEEP SUC
VA-VAAES RESP SUP VB OC CONTRA
VA-VAAES RESP SUP VB OC NO

VA-VAAES RESP SUP VB OC YES
VA-VAAES ORAL CARE VENT PATIENT
VA-VAAES ADL FOOT CARE COMMENT
VA-VAAES ADL FOOT CARE PT DECLINED
VA-VAAES ADL FOOT CARE INSPECTION
VA-VAAES ADL FOOT CARE LOTION APPLIED
VA-VAAES ADL FOOT CARE
VA-VAAES ADL HAND HYGIENE PT DECLINED
VA-VAAES ADL HAND HYGIENE PRE MEAL/SNACK
VA-VAAES ADL HAND HYGIENE POST TOILET
VA-VAAES ADL HAND HYGIENE
VA-VAAES ADL HYG PC PERI COMM
VA-VAAES ADL HYG PC PERI PT DEC
VA-VAAES ADL HYG PC PERI TOT ASST
VA-VAAES ADL HYG PC PERI ASST
VA-VAAES ADL HYG PC PERI INDEPEND
VA-VAAES ADL HYG PC PERI CLSN PRDT
VA-VAAES ADL HYG PC PERI SOAP
VA-VAAES ADL HYG PC PERI INDWELLING
VA-VAAES ADL HYG PC PERI
VA-VAAES ADL PERSONAL CARE COMMENT
VA-VAAES ADL PERSONAL CARE PT DECLINED
VA-VAAES ADL PERSONAL CARE TOTAL ASSIST
VA-VAAES ADL PERSONAL CARE ASSISTANCE
VA-VAAES ADL PERSONAL CARE INDEPENDENT
VA-VAAES ADL PERSONAL CARE W/ CHG
VA-VAAES ADL PERSONAL CARE SHOWER
VA-VAAES ADL PERSONAL CARE BATH
VA-VAAES ADL PERSONAL CARE
VA-VAAES ADL ASSESS
VA-VAAES NEURO AVPU UNRESPONSIVE
VA-VAAES NEURO AVPU PAIN
VA-VAAES NEURO AVPU VOICE
VA-VAAES NEURO AVPU ALERT
VA-VAAES FREQ
VA-VAAES FREQ ASSESS NEWS SCORE
VA-VAAES RESP SUP O2
VA-VAAES FREQ ASSESS NEWS
VA-VAAES MOB
VA-VAAES MOB GAIT OTHER
VA-VAAES MOB GAIT UNABLE TO AMBULATE
VA-VAAES MOB GAIT WIDE BASED
VA-VAAES MOB GAIT SHUFFLING
VA-VAAES MOB GAIT UNSTEADY
VA-VAAES MOB GAIT STEADY
VA-VAAES MOB PT OT REHAB

VA-VAAES MOB MS MOD ASST EQ PROG TILT
VA-VAAES MOB MS MOD ASST EQ FRICTION
VA-VAAES MOB MS MOD ASST EQ LIFT
VA-VAAES MOB MS MOD ASST EQ SLING AMB
VA-VAAES MOB MS MOD ASST EQ SLING LIMB
VA-VAAES MOB MS MOD ASST EQ SLING TURN
VA-VAAES MOB MS MOD ASST EQ SLING REPO
VA-VAAES MOB MS MOD ASST EQ SLING SEAT
VA-VAAES MOB MS MOD ASST EQ SLING
VA-VAAES MOB MS MOD ASST EQ SLING OTHER
VA-VAAES MOB MS MOD ASST EQ STAND ASST
VA-VAAES MOB MS MOD ASST EQ
VA-VAAES MOB MS MOD ASST UNABLE SIT SURF
VA-VAAES MOB MS MOD ASST UNABLE EXTEND
VA-VAAES MOB MS MOD ASST PART OR NON
VA-VAAES MOB MS MOD ASST ABLE SIT IND
VA-VAAES MOB MS MOD ASST
VA-VAAES MOB MS TOT ASST EQ PROG TILT
VA-VAAES MOB MS TOT ASST EQ FRICTION
VA-VAAES MOB MS TOT ASST EQ LIFT
VA-VAAES MOB MS TOT ASST EQ SLING OTHER
VA-VAAES MOB MS TOT ASST EQ SLING AMBU
VA-VAAES MOB MS TOT ASST EQ SLING LIMB
VA-VAAES MOB MS TOT ASST EQ SLING TURN
VA-VAAES MOB MS TOT ASST EQ SLING REPO
VA-VAAES MOB MS TOT ASST EQ SLING SEAT
VA-VAAES MOB MS TOT ASST EQ SLING
VA-VAAES MOB MS TOT ASST EQ
VA-VAAES MOB MS TOT ASST UNABLE SIT IND
VA-VAAES MOB MS TOT ASST BEDREST
VA-VAAES MOB MS TOT ASST
VA-VAAES MOB MS INDEP EQ ORTHO DEV OTHER
VA-VAAES MOB MS INDEP EQ ORTHO DEV TYPE
VA-VAAES MOB MS INDEP EQ ORTHO DEV W ACT
VA-VAAES MOB MS INDEP EQ ORTHO DEV ALL
VA-VAAES MOB MS INDEP EQ
VA-VAAES MOB MS INDEP EQ WC MAN
VA-VAAES MOB MS INDEP EQ WC PWR
VA-VAAES MOB MS INDEP EQ WC
VA-VAAES MOB MS INDEP EQ WALKER
VA-VAAES MOB MS INDEP EQ CRUTCHES
VA-VAAES MOB MS INDEP EQ CANE
VA-VAAES MOB MS INDEP EQ PROSTH LIMB
VA-VAAES MOB MS INDEP STEADY BAL
VA-VAAES MOB MS INDEP STAND STEP
VA-VAAES MOB MS INDEP

VA-VAAES MOB MS MIN ASST EQ CRUTCHES
VA-VAAES MOB MS MIN ASST EQ SUP
VA-VAAES MOB MS MIN ASST EQ OTHER
VA-VAAES MOB MS MIN ASST EQ CANE
VA-VAAES MOB MS MIN ASST EQ WALKER
VA-VAAES MOB MS MIN ASST EQ NO PWR STAND
VA-VAAES MOB MS MIN ASST EQ AMB SLING
VA-VAAES MOB MS MIN ASST EQ
VA-VAAES MOB MS MIN ASST UNABLE STEP IND
VA-VAAES MOB MS MIN ASST STANDS
VA-VAAES MOB MS MIN ASST
VA-VAAES MOB GS 8 WALK 250
VA-VAAES MOB GS 7 WALK 25 FT
VA-VAAES MOB GS 6 WALK 10 STEPS
VA-VAAES MOB GS 5 STANDING
VA-VAAES MOB GS 4 TRANSFERRED
VA-VAAES MOB GS 3 SAT AT EDGE
VA-VAAES MOB GS 2 TURNED SELF
VA-VAAES MOB GS 1 LYING IN BED
VA-VAAES MOB FREQUENCY ACHIEVED
VA-VAAES MOB TOL COMMENTS
VA-VAAES MOB TOL FATIGUE PREVENTS
VA-VAAES MOB TOL FATIGUE
VA-VAAES MOB TOL TIRED
VA-VAAES MOB TOL WELL
VA-VAAES MOB TOL
VA-VAAES NEURO BCAM NEGATIVE
VA-VAAES NEURO BCAM POSITIVE
VA-VAAES NEURO BCAM
VA-VAAES NEURO ABS TOTAL SCORE
VA-VAAES NEURO ABS
VA-VAAES NEURO RASS UNAROUSABLE
VA-VAAES NEURO RASS DEEP SEDATION
VA-VAAES NEURO RASS MOD SEDATION
VA-VAAES NEURO RASS LIGHT SEDATION
VA-VAAES NEURO RASS DROWSY
VA-VAAES NEURO RASS ALERT/CALM
VA-VAAES NEURO RASS RESTLESS
VA-VAAES NEURO RASS AGITATED
VA-VAAES NEURO RASS VERY AGITATED
VA-VAAES NEURO RASS COMBATIVE
VA-VAAES NEURO RASS
VA-VAAES CIWA UNABLE TO PERFORM
VA-VAAES SUP NEURO CIWA
VA-VAAES NEURO BEFAST
VA-VAAES NEURO/EXT

VA-VAAES NEURO/EXT SENSATION COMMENTS
VA-VAAES NEURO/EXT SENSATION UNEQUAL LE
VA-VAAES NEURO/EXT SENSATION UNEQUAL UE
VA-VAAES NEURO/EXT SENSATION
VA-VAAES NEURO/EXT STRENGTH COMMENTS
VA-VAAES NEURO/EXT STRENGTH UNEQUAL UE
VA-VAAES NEURO/EXT STRENGTH UNEQUAL LE
VA-VAAES NEURO/EXT STRENGTH UNEQUAL GRIP
VA-VAAES NEURO/EXT STRENGTH
VA-VAAES NEURO GLASGOW TOTAL
VA-VAAES NEURO GLASGOW MOTOR 1
VA-VAAES NEURO GLASGOW MOTOR 2
VA-VAAES NEURO GLASGOW MOTOR 3
VA-VAAES NEURO GLASGOW MOTOR 4
VA-VAAES NEURO GLASGOW MOTOR 5
VA-VAAES NEURO GLASGOW MOTOR 6
VA-VAAES NEURO GLASGOW VERBAL 1
VA-VAAES NEURO GLASGOW VERBAL 2
VA-VAAES NEURO GLASGOW VERBAL 3
VA-VAAES NEURO GLASGOW VERBAL 4
VA-VAAES NEURO GLASGOW VERBAL 5
VA-VAAES NEURO GLASGOW EYE 1
VA-VAAES NEURO GLASGOW EYE 2
VA-VAAES NEURO GLASGOW EYE 3
VA-VAAES NEURO GLASGOW EYE 4
VA-VAAES NEURO GLASGOW
VA-VAAES NEURO ORIENTED SITUATION
VA-VAAES NEURO ORIENTED TIME
VA-VAAES NEURO ORIENTED PLACE
VA-VAAES NEURO ORIENTED PERSON
VA-VAAES NEURO ORIENTED X4
VA-VAAES NEURO PUPILS
VA-VAAES NEURO CHECK
VA-VAAES SUP NEURO COWS
VA-VAAES RESP SUP INC SPIRO
VA-VAAES URO BLADDER SCAN CATH YES
VA-VAAES URO BLADDER SCAN DISTENTION
VA-VAAES URO BLADDER SCAN
VA-ACUTE STROKE RAPID ASSESSMENT
VA-ACUTE STROKE NIHSS INITIAL SCORE
VA-ACUTE STROKE NIHSS INATTENTION
VA-ACUTE STROKE NIHSS INATTENTION 0
VA-ACUTE STROKE NIHSS INATTENTION 1
VA-ACUTE STROKE NIHSS INATTENTION 2
VA-ACUTE STROKE NIHSS DYSARTHRIA
VA-ACUTE STROKE NIHSS DYSARTHRIA 0

VA-ACUTE STROKE NIHSS DYSARTHRIA 1
VA-ACUTE STROKE NIHSS DYSARTHRIA 2
VA-ACUTE STROKE NIHSS DYSARTHRIA N/A
VA-ACUTE STROKE NIHSS LANGUAGE
VA-ACUTE STROKE NIHSS LANGUAGE 0
VA-ACUTE STROKE NIHSS LANGUAGE 1
VA-ACUTE STROKE NIHSS LANGUAGE 2
VA-ACUTE STROKE NIHSS LANGUAGE 3
VA-ACUTE STROKE NIHSS SENSORY
VA-ACUTE STROKE NIHSS SENSORY 0
VA-ACUTE STROKE NIHSS SENSORY 1
VA-ACUTE STROKE NIHSS SENSORY 2
VA-ACUTE STROKE NIHSS ATAXIA
VA-ACUTE STROKE NIHSS ATAXIA 0
VA-ACUTE STROKE NIHSS ATAXIA 1
VA-ACUTE STROKE NIHSS ATAXIA 2
VA-ACUTE STROKE NIHSS ATAXIA N/A
VA-ACUTE STROKE NIHSS MOTOR LEG
VA-ACUTE STROKE NIHSS RIGHT LEG 0
VA-ACUTE STROKE NIHSS RIGHT LEG 1
VA-ACUTE STROKE NIHSS RIGHT LEG 2
VA-ACUTE STROKE NIHSS RIGHT LEG 3
VA-ACUTE STROKE NIHSS RIGHT LEG 4
VA-ACUTE STROKE NIHSS RIGHT LEG N/A
VA-ACUTE STROKE NIHSS LEFT LEG 0
VA-ACUTE STROKE NIHSS LEFT LEG 1
VA-ACUTE STROKE NIHSS LEFT LEG 2
VA-ACUTE STROKE NIHSS LEFT LEG 3
VA-ACUTE STROKE NIHSS LEFT LEG 4
VA-ACUTE STROKE NIHSS LEFT LEG N/A
VA-ACUTE STROKE NIHSS MOTOR ARM
VA-ACUTE STROKE NIHSS RIGHT ARM 0
VA-ACUTE STROKE NIHSS RIGHT ARM 1
VA-ACUTE STROKE NIHSS RIGHT ARM 2
VA-ACUTE STROKE NIHSS RIGHT ARM 3
VA-ACUTE STROKE NIHSS RIGHT ARM 4
VA-ACUTE STROKE NIHSS RIGHT ARM N/A
VA-ACUTE STROKE NIHSS LEFT ARM 0
VA-ACUTE STROKE NIHSS LEFT ARM 1
VA-ACUTE STROKE NIHSS LEFT ARM 2
VA-ACUTE STROKE NIHSS LEFT ARM 3
VA-ACUTE STROKE NIHSS LEFT ARM 4
VA-ACUTE STROKE NIHSS LEFT ARM N/A
VA-ACUTE STROKE NIHSS PALSY
VA-ACUTE STROKE NIHSS PALSY 0
VA-ACUTE STROKE NIHSS PALSY 1

VA-ACUTE STROKE NIHSS PALSY 2
VA-ACUTE STROKE NIHSS PALSY 3
VA-ACUTE STROKE NIHSS VISUAL
VA-ACUTE STROKE NIHSS VISUAL 0
VA-ACUTE STROKE NIHSS VISUAL 1
VA-ACUTE STROKE NIHSS VISUAL 2
VA-ACUTE STROKE NIHSS VISUAL 3
VA-ACUTE STROKE NIHSS GAZE
VA-ACUTE STROKE NIHSS GAZE 0
VA-ACUTE STROKE NIHSS GAZE 1
VA-ACUTE STROKE NIHSS GAZE 2
VA-ACUTE STROKE NIHSS LOC COMMAND
VA-ACUTE STROKE NIHSS LOC CMD 0
VA-ACUTE STROKE NIHSS LOC CMD 1
VA-ACUTE STROKE NIHSS LOC CMD 2
VA-ACUTE STROKE NIHSS LOC QUESTIONS
VA-ACUTE STROKE NIHSS LOC QUEST 0
VA-ACUTE STROKE NIHSS LOC QUEST 1
VA-ACUTE STROKE NIHSS LOC QUEST 2
VA-ACUTE STROKE NIHSS LOC
VA-ACUTE STROKE NIHSS LOC 1
VA-ACUTE STROKE NIHSS LOC 2
VA-ACUTE STROKE NIHSS LOC 0
VA-ACUTE STROKE NIHSS LOC 3
VA-VAAES NEURO NIH COMPLETE
VA-VAAES REPOSITION
VA-VAAES POSITION-WHEELCHAIR TIME
VA-VAAES POSITION-TURNING TOLERANCE
VA-VAAES POSITION-LYING RIGHT SIDE TIME
VA-VAAES POSITION-PRONE TIME
VA-VAAES POSITION-LYING LEFT SIDE TIME
VA-VAAES POSITION-SUPINE TIME
VA-VAAES GEN INFO-ACUTE REHAB
VA-VAAES FA DETAILED REPOSITION
VA-VAAES GEN INFO
VA-VAAES NSG FREQUENT DOCUMENTATION V2.4
VA-VAAES GEN INFO AMBULATE-MOD
VA-VAAES GEN INFO AMBULATE-MAX
VA-VAAES GEN INFO AMBULATE-MIN
VA-VAAES GEN INFO AMBULATE-TOTAL ASSIST
VA-VAAES GEN INFO AMBULATE-IND

REMINDER SPONSOR

Office of Patient Care Services

Office of Nursing Service
VHA ONCOLOGY
Office of Telehealth Services Store and Forward Telehealth

REMINDER TERM

VA-REMINDER UPDATE_2_0_180
VA-BL NSG ADMISSION DATE
VA-NEWS AVPU N/A
VA-NEWS TEMPERATURE N/A
VA-NEWS SUPPLEMENTAL O2
VA-NEWS PULSE N/A
VA-NEWS SYSTOLIC BLOOD PRESSURE N/A
VA-NEWS RESPIRATORY N/A
VA-NEWS AVPU U
VA-NEWS AVPU P
VA-NEWS AVPU V
VA-NEWS AVPU A
VA-NEWS BLOOD PRESSURE 3
VA-NEWS BLOOD PRESSURE 2
VA-NEWS BLOOD PRESSURE 1
VA-NEWS BLOOD PRESSURE 0
VA-NEWS TEMPERATURE SCORE 3
VA-NEWS TEMPERATURE SCORE 2
VA-NEWS TEMPERATURE SCORE 1
VA-NEWS TEMPERATURE SCORE 0
VA-NEWS O2 SATS
VA-NEWS PULSE SCORE 3
VA-NEWS PULSE SCORE 2
VA-NEWS PULSE SCORE 1
VA-NEWS PULSE SCORE 0
VA-NEWS RESPIRATORY SCORE 3
VA-NEWS RESPIRATORY SCORE 2
VA-NEWS RESPIRATORY SCORE 1
VA-NEWS RESPIRATORY SCORE 0
VA-NSG NIHSS SCORE
VA-NSG NIHSS INATTENTION
VA-NSG NIHSS DYSARTHRIA
VA-NSG NIHSS LANGUAGE
VA-NSG NIHSS SENSORY
VA-NSG NIHSS ATAXIA
VA-NSG NIHSS MOTOR LEG R
VA-NSG NIHSS MOTOR LEG L
VA-NSG NIHSS MOTOR ARM R
VA-NSG NIHSS MOTOR ARM L
VA-NSG NIHSS PALSY
VA-NSG NIHSS VISUAL

VA-NSG NIHSS GAZE
VA-NSG NIHSS COMMAND
VA-NSG NIHSS LOC QUEST
VA-NSG NIHSS LOC

REMINDER DEFINITION

VA-BL 24 HOURS FROM ADMISSION
VA-NEWS AVPU U
VA-NEWS AVPU P
VA-NEWS AVPU V
VA-NEWS AVPU A
VA-NSG NIHSS OBJ

HEALTH SUMMARY TYPE

HST LAST BM
HST RN SHIFT CATH
HST EDUCATION PRE
HST BARRIERS TO LEARNING
VA-MOBILITY GOAL
HST CIWA 24H
HST COWS 24H
VA-NSG NIHSS

HEALTH SUMMARY OBJECTS

HSO LAST BM
HSO RN CATH TYPE
HSO EDUCATION PREF
HSO BARRIERS TO LEARNING
VA-MOBILITY GOAL (TIU)
HSO CIWA 24H
HSO COWS 24H
VA-NSG NIHSS (TIU)

TIU DOCUMENT DEFINITION

VA-NSG LAST BM
VA-NSG CATH TYPE
VA-ED LEARNING STYLE
VA-NSG ED BARRIERS
VA-MOBILITY GOAL
VA-CIWA 24H SCORE
VA-COWS 24H SCORE
VA-NSG NIHSS

REMINDER DIALOG

VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR
VA-AES NSG FREQUENT DOCUMENTATION

Pre-Install

1. Complete an inquiry to the group VAL-GP NSG NEWS IN NURSING NOTE and make note of whether this group is enabled or disabled in the system. If it is enabled, you will need to enable upon post-install.

Install Details

This update is being distributed as a web host file. The address for the host file is:

https://redacted/UPDATE_2_0_180.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take less than 30 minutes.

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista

```
+          + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE Create Exchange File Entry      LHF Load Host File
CHF Create Host File                 LMM Load MailMan Message
CMM Create MailMan Message           LR  List Reminder Definitions
DFE Delete Exchange File Entry       LWH Load Web Host File
IFE Install Exchange File Entry      RI  Reminder Definition Inquiry
IH  Installation History              RP  Repack
Select Action: Next Screen// LWH  Load Web Host File
Input the URL for the .prd file: https://[redacted]/UPDATE_2_0_180.PRD
```

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

https://Redacted/UPDATE_2_0_180.PRD

You should see a message at the top of your screen that the file loaded successfully

```
https://[redacted]/UPDATE_2_0_180.PRD successfully loaded.
```

Search and locate an entry titled **UPDATE_2_0_180 VA-AES TEMPLATE UPDATE** in reminder exchange.

+Item	Entry	Source	Date Packed
129	UPDATE_2_0_180 VA-AES TEMPLATE UPDATE		01/13/2021@04:19
130	UPDATE_2_0_181 VA-COVID-19 POC ANTIGEN RESULTS		12/22/2020@08:54
131	UPDATE_2_0_19 VA-CSC INITIAL CAREGIVER ASSESSMENT		01/31/2017@12:14
132	UPDATE_2_0_2 CAREGIVER ELIG		02/18/2016@13:10
133	UPDATE_2_0_20 BREAST CANCER DIALOGS		02/06/2017@12:19
134	UPDATE_2_0_20 COLON CANCER		02/07/2017@09:19
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History	RP	Repack
Select Action: Next Screen// IFE Install Exchange File Entry			
Enter a list or range of numbers (1-316): 129			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry

Enter the number that corresponds with your entry **UPDATE_2_0_180 VA-AES TEMPLATE UPDATE** (in this example it is entry 129 it will vary by site). The date of the exchange file should be 01/13/2021.

Component	Category	Exists
Source: [REDACTED]		
Date Packed: 01/13/2021@04:19:46		
Package Version: 2.0P46		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DIALOG		
VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR		
VA-AES NSG FREQUENT DOCUMENTATION		
REMINDER TERM		
VA-REMINDER UPDATE_2_0_180		
Non-exchangeable TIU object(s):		

TIU Object: TEMPERATURE		
Object Method: S X=\$\$TEMP^TIULO(+\$\$G(DFN))		
+ Enter ?? for more actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// IA		

At the **Select Action** prompt, type **IA** for Install all Components and hit enter. Select Action: **Next Screen/Install All Components**

You will see several prompts, for all new entries you will choose **I to Install.**

If you are prompted to Overwrite any existing entries, you can choose **O to Overwrite.**

You will be prompted to install the FIRST reminder dialog component –

```
Packed reminder dialog: VA-AES NSG FREQUENT DOCUMENTATION [NATIONAL DIALOG]
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-AES NSG FREQUENT DOCUMENTATION	dialog	X
2	10	VA-GP NSG FREQUENT CHARTING HOLDER	group	X
		Finding: VA-VAAES NSG FREQUENT DOCUMENTATION V2.4 (HEALTH FACTOR)		X
3	10.5	VA-NSG FREQ DOCUMENTATION INFO	element	
		Finding: *NONE*		
4	10.8	VA-BLANK LINE DIALOG & NOTE	element	X
		Finding: *NONE*		
5	10.10	VAL-GP NSG NEWS IN NURSING NOTE	group	X
		Finding: VA-VAAES FREQ ASSESS NEWS (HEALTH FACTOR)		X
6	10.10.5	VA-NEWS REFERENCE INFO BUTTON	element	
		Finding: VIEW PROGRESS NOTE TEXT (REMINDER GENERAL FINDING)		X
7		PXRM GF VIEW BUTTON	prompt	
8	10.10.6	VA-BLANK LINE (EXCLUDE FROM PN) *ELE	element	X

```
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage    QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// IA
```

At the **Select Action** prompt, type **IA** to install the dialog – **VA-AES NSG FREQUENT DOCUMENTATION**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```
Packed reminder dialog: VA-AES NSG FREQUENT DOCUMENTATION [NATIONAL DIALOG]
```

VA-AES NSG FREQUENT DOCUMENTATION (reminder dialog) installed from exchange file

Item	Seq.	Dialog Findings	Type	Exists
1		VA-AES NSG FREQUENT DOCUMENTATION	dialog	X
2	10	VA-GP NSG FREQUENT CHARTING HOLDER	group	X
		Finding: VA-VAAES NSG FREQUENT DOCUMENTATION V2.4 (HEALTH FACTOR)		X
3	10.5	VA-NSG FREQ DOCUMENTATION INFO	element	X
		Finding: *NONE*		
4	10.8	VA-BLANK LINE DIALOG & NOTE	element	X
		Finding: *NONE*		
5	10.10	VAL-GP NSG NEWS IN NURSING NOTE	group	X
		Finding: VA-VAAES FREQ ASSESS NEWS (HEALTH FACTOR)		X
6	10.10.5	VA-NEWS REFERENCE INFO BUTTON	element	X
		Finding: VIEW PROGRESS NOTE TEXT (REMINDER GENERAL FINDING)		X
7		PXRM GF VIEW BUTTON	prompt	X
8	10.10.6	VA-BLANK LINE (EXCLUDE FROM PN) *ELE	element	X

```
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage    QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// Q
```

After completing this dialog install, you will type Q.

You will be prompted to install the **NEXT** reminder dialog component –


```
Packed reminder dialog: VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR Finding: *NONE*	group	X
2	10	VA-NSG ADM REHAB ABILITY TO AMBULATE IND Finding: VA-VAAES GEN INFO AMBULATE-IND (HEALTH FACTOR)	element	X
3	20	VA-NSG ADM REHAB ABILITY TO AMBULATE MIN Finding: VA-VAAES GEN INFO AMBULATE-MIN (HEALTH FACTOR)	element	X
4	25	VA-NSG ADM REHAB ABILITY TO AMBULATE MOD Finding: VA-VAAES GEN INFO AMBULATE-MOD (HEALTH FACTOR)	element	X
5	30	VA-NSG ADM REHAB ABILITY TO AMBULATE MAX Finding: VA-VAAES GEN INFO AMBULATE-MAX (HEALTH FACTOR)	element	X

```
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage    QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// IA
```

At the **Select Action** prompt, type **IA** to install the dialog **-VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```
Packed reminder dialog: VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR
VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR (group) installed from exchange fi
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR Finding: *NONE*	group	X
2	10	VA-NSG ADM REHAB ABILITY TO AMBULATE IND Finding: VA-VAAES GEN INFO AMBULATE-IND (HEALTH FACTOR)	element	X
3	20	VA-NSG ADM REHAB ABILITY TO AMBULATE MIN Finding: VA-VAAES GEN INFO AMBULATE-MIN (HEALTH FACTOR)	element	X
4	25	VA-NSG ADM REHAB ABILITY TO AMBULATE MOD Finding: VA-VAAES GEN INFO AMBULATE-MOD (HEALTH FACTOR)	element	X
5	30	VA-NSG ADM REHAB ABILITY TO AMBULATE MAX Finding: VA-VAAES GEN INFO AMBULATE-MAX (HEALTH FACTOR)	element	X

```
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage    QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// Q
```

After completing this dialog install, you will type Q.

Component	Category	Exists
Source: [REDACTED]		
Date Packed: 01/13/2021@04:19:46		
Package Version: 2.0P46		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DIALOG		
VA-GP NSG ADM REHAB ABILITY TO AMBULATE PRIOR		
VA-AES NSG FREQUENT DOCUMENTATION		
REMINDER TERM		
VA-REMINDER UPDATE_2_0_180		
Non-exchangeable TIU object(s):		

TIU Object: TEMPERATURE		
Object Method: S X=\$TEMP^TIULO(+\$(DFN))		
+ + Next Screen - Prev Screen ?? More Actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// Q		

You will then be returned to this screen. At the Select Action prompt, type Q.

Install complete.

Post Installation

1. **Activating National Early Warning Score (NEWS)** – If your site is utilizing the National Early Warning Score (NEWS) you must activate the dialog group **VAL-GP NSG NEWS IN NURSING NOTE**. Confirm with local nursing leadership if your site utilizes NEWS before activating.
If you are activating this portion of the dialog, please also edit the GROUP HEADER DIALOG TEXT field to add “(RN ONLY)” at the end of the existing text “NATIONAL EARLY WARNING SCORE (NEWS)”. After your edit, the GROUP HEADER DIALOG TEXT should display as “NATIONAL EARLY WARNING SCORE (NEWS) (RN ONLY)”. You will NOT edit the alternate progress note text field. This will be updated nationally in a future update.
2. **Format NIH Stroke Score health summary object display text.** The “Previous NIHSS Score” button will combine the reminder term and health factor name on the same line and wrap the text to a second line, making the display text difficult to read. (See example below)

Example:

 VAL-NSG FREQ NIHSS INFO BOX

NIHSS SCORE

Information: Reminder Term: VA-NSG NIHSS LOC Health Factor: VA-ACUTE STROKE
NIHSS LOC 0 12/04/2020@09:21

Reminder Term: VA-NSG NIHSS LOC QUEST Health Factor: VA-ACUTE STROKE NIHSS
LOC QUEST 0 12/04/2020@09:21


Reminder Term: VA-NSG NIHSS COMMAND Health Factor: VA-ACUTE STROKE NIHSS LOC
CMD 1 12/04/2020@09:21

To format the display text for easier reading, edit the Alternate Progress Note Text field of the element **VAL-NSG FREQ NIHSS INFO BOX**. Replace the current text |VA-NSG NIHSS| with the following text: 'FMT{|VA-NSG NIHSS|}FMT' .

NOTE: You will receive the following error after updating the element. Disregard the error message. The HSO will display correctly. Error message will be fixed in an upcoming patch.

Error message: The dialog element VAL-NSG FREQ NIHSS INFO BOX contains a reference to a TIU Template field 'FMT{|VA-NSG NIHSS|}' in the Alternate Progress Note Text field. This TIU Template field does not exist on the system.

Example of Display text with Alternate Progress Note Text field updated to 'FMT{|VA-NSG NIHSS|}FMT':



```
VAL-NSG FREQ NIHSS INFO BOX

NIHSS SCORE
Information:
Reminder Term: VA-NSG NIHSS LOC
Health Factor: VA-ACUTE STROKE NIHSS LOC 0
12/04/2020@09:21

Reminder Term: VA-NSG NIHSS LOC QUEST
Health Factor: VA-ACUTE STROKE NIHSS LOC QUEST 0
12/04/2020@09:21

Reminder Term: VA-NSG NIHSS COMMAND
Health Factor: VA-ACUTE STROKE NIHSS LOC CMD 1
12/04/2020@09:21
```