



Update _2_0_212

Clinical Reminders

**VA-AES SHIFT ASSESSMENT BUNDLE
Install Guide**

August 2021

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

Introduction	3
Pre-Install	47
Install Details	48
Install Example	48
Post Installation	53
Appendix A	58

Introduction

Please Note: *These templates are to be installed by sites using CPRS for documentation and not applicable to sites that have transitioned to Cerner.*

REMINDER: The VA-AES templates are mandated for use and replace the VA-COVID-19 NSG ADMISSION AND SHIFT ASSESSMENT templates.

PREREQUISITE: Update 2_0_195 VAAES SKIN INSPECTION ASSESSMENT Version 3.2 released June 21, 2021 must be installed prior to beginning this install.

The updates contained in this release are based upon feedback provided from the field. The primary focus of this release is to enhance functionality within the following reminder dialogs:

- VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT
- VA-AES NSG IV INSERTION & MAINTENANCE
- VA-AES ACUTE INPATIENT NSG ADMISSION SCREEN
 - ID SECTION
 - C-SSRS
- VA-AES NSG FREQUENT DOCUMENTATION
 - GU, INCENTIVE SPIROMETRY, ACTIVITY/MOBILITY
- VAAES SKIN INSPECTION/ASSESSMENT

Detailed changes to the above reminder dialogs can be found in [Appendix A](#).

Since the VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT shares groups and elements that are within the VA-AES NSG FREQUENT DOCUMENTATION, updates to shared data elements will update both templates.

The **VA-AES DIALOGS** contains national health factors that were developed to promote uniformity of data, and facilitation of reports to meet directives, policies, and regulatory metrics that support the characteristics of a high reliability organization. These national health factors are standardized and must be loaded without modification. A complete list of health factors and the corresponding text is in this document:

VAAES_IV_NationalHealthFactorSpreadSheet.pdf

The template and Health Factors may not be changed or revised at the local level except for local elements identified in post-install instructions. Requests to add elements to the note must go through the approval process outlined in the REDACTED.

Please Note:

For questions or feedback on the templates, please utilize the REDACTED. For training questions please refer to the REDACTED. VAAES Contingency forms are available on the REDACTED.

This Update contains the following components:

REMINDER GENERAL FINDINGS

VIEW PROGRESS NOTE TEXT

REMINDER DIALOG LINK TYPE

VA-VANOD PF MORSE SCALE - HIGH RISK

VA-VANOD PF MORSE SCALE - MODERATE RISK

VA-VANOD PF MORSE SCALE - LOW RISK

TIU TEMPLATE FIELD

VANOD PU DESCRIPTIONS

WORD PROCESS (REQUIRED)

VA-WORD

TEXT (1-20 CHAR)

TEXT (6 CHAR)

TEXT (1-20 CHAR) REQ

WORD 1 LINE

TEXT (1-30 CHAR) REQ

ED BLANK 5

VA-EDIT 12+

VA-EDIT 50

VA-NSG YES/NO

EDIT 12+

VA-NSG URINE CATH SITE

VA-NSG DATE/TIME

WORD 65

VA-GEN WORD PROCESSING

VA-CDC TRAVELERS HEALTH

VA-CDC TRAVEL HEALTH NOTICES

VA-TRAVEL SYMPTOM GUIDE

VA-VANOD NURSING FEEDBACK

VA-NSG ONS WEBLINK

VA-WORD 2 LINES

EDIT 50

VA-NSG SUB LOC

VA-NSG SUBQ STAT

VA-NSG SUBQ SIZE

VA-NSG SUBQ DRESSING

VA-NSG LINE COUNT INFO

TEXT (1-50 CHAR)

TEXT (1-4)

VA-HYPERLINK CATH ASSOCIATED INFECTIONS

TEXT (1-60 CHAR)

TEXT (1-10 CHAR)

TEXT (1-40 CHAR)

VA-TEXT (1-30 CHAR)

VA-EDIT 20
COMMENT (TEXT)
BLANK TEXT
GEN WORD PROCESSING
VA-WORD PROCESS 65
YES NO
VA-WORD 1 LINE
VA-FIM SCORING
VA-NSG REASSESSMENT
VA-NSG ACT/PASS/DECLINE
VA-NSG ADAPT UTENSILS
VA-NSG DRAIN DSG ACTIVITY
DATE & TIME
VA-NSG DRAIN SITE COND
VA-NSG DRAIN DRESSING COND
VA-NSG DRAIN DRESSING
VA-NSG DRAIN STATUS
VA-NSG DRAIN DESC
VA-NSG EMOT SUPP
VA-NSG EQ OPP
VA-NSG EQ UTILIZE
VA-WEBLINK RN LIBRARY
VA-NSG ED TOPICS
VA-NSG LOCAL EDU NOTE
VA-NSG GU COLLECT
YES/NO
EDIT 45(NOT REQUIRED)
ED BOX
VA-NSG URINE CBI OUT
VA-NSG URINE CBI CONT/INT
VA-NSG SKIN NEPH
VA-NSG DRESSING
VA-NSG R/L/BILAT
VA-NSG ABD PALP 2
VA-NSG ELIMINATION
VA-NSG BOWEL MGMT EVAL
VA-NSG BOWEL MGMT TOL
VA-NSG BOWEL MGMT LOC
VA-NSG GI MOTILITY
VA-NSG GI BRISTOL
VA-NSG TUBE DRAIN CONS
EDIT 20
VA-NSG TUBE DRAIN COLOR
VA-NSG TUBE NONSUCTION
VA-NSG TUBE SUCTION
VA-NSG TUBE STAB METH

VA-NSG TUBE STAT LOC
EDB 10
VA-NSG BS
VA-NSG SKIN
VA-NSG DRAINAGE
VA-NSG DRSG
VA-NSG TRACH 2
VA-NSG STOMA
VA-NSG SUCTION METHOD 2
VA-NSG ORAL TYPE
VA-NSG NASAL TYPE
VA-CPAP/BIPAP EQUIPMENT
VA-NSG COUGH ASST
VA-NSG CHEST PHYSIO
VA-NSG BREATH AUSC
EDIT 20+
NURRN
VA-NSG HEART SOUNDS
VA-NSG CAP REF
VA-NSG SENSATION
VA-NSG TONE AB
VA-NSG TONE
VA-NSG TEMP AB
VA-NSG TEMP
VA-NSG SENSATION AB
VA-NSG UE STRENGTH AB
VA-NSG UE STRENGTH
VA-NSG GRIP STRENGTH AB
VA-NSG GRIP STRENGTH
VA-NSG PUPILS
VA-NSG MM
VA-NSG DROOP
VA-NSG POSTURE
VA-NSG FOLLOW
VA-NSG SPEECH CHAR
VA-NSG CDC TRAVEL HEALTH NOTICES WEBSITE
BLANK TEXT FIELD FOR DIALOGS
VA-NSG TIPS
VA-NSG PAINAD 5
VA-NSG PAINAD 4
VA-NSG PAINAD 3
VA-NSG PAINAD 2
VA-NSG PAINAD 1
VA-NSG CPOT MUSC TENSE 2
VA-NSG CPOT VOCAL 2
VA-NSG CPOT BODY MVMT 2

VA-NSG CPOT FACIAL 2
VA-NSG PAIN 2
EDIT 25
VA-NSG PAIN NEURO
VA-NSG PAIN MS
VA-NSG PAIN SUPP3
VA-NSG PAIN SUPP2
VA-NSG PAIN SUPP1

HEALTH FACTORS

VA-REMINDER UPDATES [C]
VA-UPDATE_2_0_212
SKIN ASSESSMENT [C]
VA-VAAES SKIN INSPECTION PU/PI NEW
SKIN HIGH RISK FACTORS [C]
MED DEVICE PI MUCOSAL MEMBRANE FIFTH
PRESSURE ULCER STAGE [C]
MUCOSAL MEM PI #5
MED DEVICE PI MUCOSAL MEMBRANE FOURTH
MUCOSAL MEM PI #4
MED DEVICE PI MUCOSAL MEMBRANE THIRD
MUCOSAL MEM PI #3
MED DEVICE PI MUCOSAL MEMBRANE SECOND
MUCOSAL MEM PI #2
MED DEVICE PI MUCOSAL MEMBRANE
MUCOSAL MEM PI
MED DEVICE PI UNSTAGEABLE FIFTH
DRAINAGE APPEARANCE VISCOUS
DRAINAGE APPEARANCE SERO-PURULENT
DRAINAGE APPEARANCE PURULENT
DRAINAGE APPEARANCE SANGUINEOUS
DRAINAGE APPEARANCE SEROSANGUINEOUS
DRAINAGE APPEARANCE SEROUS
VA-VAAES DRAINAGE COLOR RED
VA-VAAES DRAINAGE COLOR AMBER
DRAINAGE COLOR GREEN
DRAINAGE COLOR TAN
DRAINAGE COLOR COLORLESS
DRAINAGE AMOUNT SCANT
DRAINAGE AMOUNT HEAVY
DRAINAGE AMOUNT MODERATE
DRAINAGE AMOUNT SMALL
WOUND DRAINAGE
DRAINAGE AMOUNT NONE
VAAES PI PERI WOUND ERYTHEMA NON-BLANCH
PI PERI WOUND INTACT

PI PERI WOUND USUAL FOR ETHNICITY
PI PERI WOUND SKIN TEMP
PI PERI WOUND FLUCTUANCE
PI PERI WOUND INDURATION
PI PERI WOUND CREPITUS
PI PERI WOUND MACERATION
PI PERI WOUND ERYTHEMA
VA-VAAES SKIN PI WOUND BED ESCHAR
VA-VAAES SKIN PI WOUND BED NECROTIC
VA-VAAES SKIN PI WOUND BED SLOUGH
VA-VAAES SKIN PI WOUND BED GRANULATION
UNABLE TO STAGE (PU) #5
MED DEVICE PI UNSTAGEABLE FOURTH
UNABLE TO STAGE (PU) #4
MED DEVICE PI UNSTAGEABLE THIRD
UNABLE TO STAGE (PU) #3
MED DEVICE PI UNSTAGEABLE SECOND
UNABLE TO STAGE (PU) #2
MED DEVICE PI UNSTAGEABLE
UNABLE TO STAGE (PU)
VA-VAAES SKIN PI WOUND BED EPITH
MED DEVICE PI STAGE 4 FIFTH
PRESENCE OF TENDON
PRESENCE OF CARTILAGE
PRESENCE OF BONE
VANOD UNDERMINING
VANOD TUNNELING
WOUND CLOCKFACE POSITION
STAGE IV #5
MED DEVICE PI STAGE 4 FOURTH
STAGE IV #4
MED DEVICE PI STAGE 4 THIRD
STAGE IV #3
MED DEVICE PI STAGE 4 SECOND
STAGE IV #2
MED DEVICE PI STAGE 4
STAGE IV
MED DEVICE PI STAGE 3 FIFTH
STAGE III #5
MED DEVICE PI STAGE 3 FOURTH
STAGE III #4
MED DEVICE PI STAGE 3 THIRD
STAGE III #3
MED DEVICE PI STAGE 3 SECOND
STAGE III #2
MED DEVICE PI STAGE 3

STAGE III
MED DEVICE PI STAGE 2 FIFTH
STAGE II #5
MED DEVICE PI STAGE 2 FOURTH
STAGE II #4
MED DEVICE PI STAGE 2 THIRD
STAGE II #3
MED DEVICE PI STAGE 2 SECOND
STAGE II #2
MED DEVICE PI STAGE 2
STAGE II
MED DEVICE PI STAGE 1 FIFTH
STAGE I #5
MED DEVICE PI STAGE 1 FOURTH
STAGE I #4
MED DEVICE PI STAGE 1 THIRD
STAGE I #3
MED DEVICE PI STAGE 1 SECOND
STAGE I #2
MED DEVICE PI STAGE 1
STAGE I
MED DEVICE PI DEEP TISSUE FIFTH
VA-VAAES WOUND BED EPIDERMAL SEPARATION
VA-VAAES WOUND BED MAROON
VA-VAAES WOUND BED NON-BLANCHABLE
VA-VAAES WOUND BED BLOOD FILLED
SUSPECTED DEEP TISSUE INJURY #5
MED DEVICE PI DEEP TISSUE FOURTH
SUSPECTED DEEP TISSUE INJURY #4
MED DEVICE PI DEEP TISSUE THIRD
SUSPECTED DEEP TISSUE INJURY #3
MED DEVICE PI DEEP TISSUE SECOND
SUSPECTED DEEP TISSUE INJURY #2
MED DEVICE PI DEEP TISSUE
SUSPECTED DEEP TISSUE INJURY
VA-SUICIDE RISK EVALUATION TYPE [C]
VA-SUICIDE RISK UPDATE EVALUATION
VA-SUICIDE RISK NEW EVALUATION
VA-VAAES SUICIDE [C]
VA-VAAES SUICIDE CSSRS ENV CHECK
VA-VAAES SUICIDE CSSRS 1:1
VA-VAAES SUICIDE CSSRS WARM HAND OFF
VA-VAAES SUICIDE CSSRS POSITIVE
VA-VAAES SUICIDE CSSRS NEGATIVE
VA-VAAES SUICIDE SCREEN
VA-VAAES MOB [C]

VA-VAAES MOB GAIT OTHER
VA-VAAES MOB GAIT UNABLE TO AMBULATE
VA-VAAES MOB GAIT WIDE BASED
VA-VAAES MOB GAIT SHUFFLING
VA-VAAES MOB GAIT UNSTEADY
VA-VAAES MOB GAIT STEADY
VA-VAAES MOB PT OT REHAB
VA-VAAES MOB MS MIN ASST EQ CRUTCHES
VA-VAAES MOB MS MIN ASST EQ SUP
VA-VAAES MOB MS MIN ASST EQ OTHER
VA-VAAES MOB MS MIN ASST EQ CANE
VA-VAAES MOB MS MIN ASST EQ WALKER
VA-VAAES MOB MS MIN ASST EQ NO PWR STAND
VA-VAAES MOB MS MIN ASST EQ AMB SLING
VA-VAAES MOB MS MIN ASST EQ
VA-VAAES MOB MS MIN ASST UNABLE STEP IND
VA-VAAES MOB MS MIN ASST STANDS
VA-VAAES MOB MS MIN ASST
VA-VAAES MOB MS INDEP EQ OTHER
VA-VAAES MOB MS INDEP EQ ORTHO DEV OTHER
VA-VAAES MOB MS INDEP EQ ORTHO DEV TYPE
VA-VAAES MOB MS INDEP EQ ORTHO DEV W ACT
VA-VAAES MOB MS INDEP EQ ORTHO DEV ALL
VA-VAAES MOB MS INDEP EQ
VA-VAAES MOB MS INDEP EQ WC MAN
VA-VAAES MOB MS INDEP EQ WC PWR
VA-VAAES MOB MS INDEP EQ WC
VA-VAAES MOB MS INDEP EQ WALKER
VA-VAAES MOB MS INDEP EQ CRUTCHES
VA-VAAES MOB MS INDEP EQ CANE
VA-VAAES MOB MS INDEP EQ PROSTH LIMB
VA-VAAES MOB MS INDEP STEADY BAL
VA-VAAES MOB MS INDEP STAND STEP
VA-VAAES MOB MS INDEP
VA-VAAES MOB MS TOT ASST EQ PROG TILT
VA-VAAES MOB MS TOT ASST EQ FRICTION
VA-VAAES MOB MS TOT ASST EQ LIFT
VA-VAAES MOB MS TOT ASST EQ SLING OTHER
VA-VAAES MOB MS TOT ASST EQ SLING AMBU
VA-VAAES MOB MS TOT ASST EQ SLING LIMB
VA-VAAES MOB MS TOT ASST EQ SLING TURN
VA-VAAES MOB MS TOT ASST EQ SLING REPO
VA-VAAES MOB MS TOT ASST EQ SLING SEAT
VA-VAAES MOB MS TOT ASST EQ SLING
VA-VAAES MOB MS TOT ASST EQ
VA-VAAES MOB MS TOT ASST UNABLE SIT IND

VA-VAAES MOB MS TOT ASST BEDREST
VA-VAAES MOB MS TOT ASST
VA-VAAES MOB MS MOD ASST EQ PROG TILT
VA-VAAES MOB MS MOD ASST EQ FRICTION
VA-VAAES MOB MS MOD ASST EQ LIFT
VA-VAAES MOB MS MOD ASST EQ SLING AMB
VA-VAAES MOB MS MOD ASST EQ SLING LIMB
VA-VAAES MOB MS MOD ASST EQ SLING TURN
VA-VAAES MOB MS MOD ASST EQ SLING REPO
VA-VAAES MOB MS MOD ASST EQ SLING SEAT
VA-VAAES MOB MS MOD ASST EQ SLING
VA-VAAES MOB MS MOD ASST EQ SLING OTHER
VA-VAAES MOB MS MOD ASST EQ STAND ASST
VA-VAAES MOB MS MOD ASST EQ
VA-VAAES MOB MS MOD ASST UNABLE SIT SURF
VA-VAAES MOB MS MOD ASST UNABLE EXTEND
VA-VAAES MOB MS MOD ASST PART OR NON
VA-VAAES MOB MS MOD ASST ABLE SIT IND
VA-VAAES MOB MS MOD ASST
VA-VAAES MOB GS 8 WALK 250
VA-VAAES MOB GS 7 WALK 25 FT
VA-VAAES MOB GS 6 WALK 10 STEPS
VA-VAAES MOB GS 5 STANDING
VA-VAAES MOB GS 4 TRANSFERRED
VA-VAAES MOB GS 3 SAT AT EDGE
VA-VAAES MOB GS 2 TURNED SELF
VA-VAAES MOB GS 1 LYING IN BED
VA-VAAES MOB ACHIEVED 1 LYING IN BED
VA-VAAES MOB ACHIEVED 2 TURNED SELF
VA-VAAES MOB ACHIEVED 3 SAT AT EDGE
VA-VAAES MOB ACHIEVED 4 TRANSFERRED
VA-VAAES MOB ACHIEVED 5 STANDING
VA-VAAES MOB ACHIEVED 6 WALK 10 STEPS
VA-VAAES MOB ACHIEVED 7 WALK 25 FT
VA-VAAES MOB ACHIEVED 8 WALK 250
VA-VAAES MOB FREQUENCY ACHIEVED
VA-VAAES MOB TOL COMMENTS
VA-VAAES MOB TOL FATIGUE PREVENTS
VA-VAAES MOB TOL FATIGUE
VA-VAAES MOB TOL TIRED
VA-VAAES MOB TOL WELL
VA-VAAES MOB TOL
VA-VAAES MOB AMB MINUTES 6-10
VA-VAAES MOB AMB MINUTES GREATER THAN 20
VA-VAAES MOB AMB MINUTES 16-20
VA-VAAES MOB AMB MINUTES 11-15

VA-VAAES MOB AMB MINUTES 1-5
VA-VAAES MOB AMB DIST GREATER 2000 FT
VA-VAAES MOB AMB DIST 1501-2000 FT
VA-VAAES MOB AMB DIST 1001-1500 FT
VA-VAAES MOB AMB DIST 751-1000 FT
VA-VAAES MOB AMB DIST 501-750 FT
VA-VAAES MOB AMB DIST 251-500 FT
VA-VAAES MOB AMB DIST 26-250 FT
VA-VAAES MOB AMB DIST 10 STEPS TO 25 FT
VA-VAAES RESP [C]
VA-VAAES RESP SUP INC SPIRO
VA-VAAES URO [C]
VA-VAAES URO ELIMINATION ANURIC
VA-VAAES URO ELIMINATION INTER CATH
VA-VAAES URO ELIMINATION NOT VOIDING
VA-VAAES URO ELIMINATION STENT
VA-VAAES URO ELIMINATION CONDUIT
VA-VAAES URO ELIMINATION OSTOMY
VA-VAAES URO ELIMINATION URINARY CATH
VA-VAAES URO ELIMINATION INCONTINENT
VA-VAAES URO ELIMINATION CONTINENT
VA-VAAES URO CATH EXT FEMALE DEVICE
VA-VAAES URO CATH EXT MALE DEVICE
VA-VAAES URO CATH IND SUPRAPUBIC
VA-VAAES URO CATH IND URETHRAL OTHER
VA-VAAES URO CATH IND URETHRAL DUAL
VA-VAAES URO CATH IND URETHRAL 2 WAY IRR
VA-VAAES URO CATH IND URETHRAL 3 WAY IRR
VA-VAAES URO CATH IND URETHRAL TIEMAN
VA-VAAES URO CATH IND URETHRAL COUDE
VA-VAAES URO CATH IND URETHRAL REG
VA-VAAES URO CATH IND URETHRAL
VA-VAAES URO CATH IND INDICATE CONT
VA-VAAES URO CATH IND SECURED ABD RLQ
VA-VAAES URO CATH IND SECURED ABD LLQ
VA-VAAES URO CATH IND SECURED RIGHT LEG
VA-VAAES URO CATH IND SECURED LEFT LEG
VA-VAAES URO CATH IND FOLEY CARE
VA-VAAES URO CATH IND ASSESSED
VA-VAAES URO CATH IND SUPRAPUBIC INSERT
VA-VAAES URO CATH IND DC SUPRAPUBIC
VA-VAAES URO CATH IND URETHRAL INSERT
VA-VAAES URO CATH IND DC URETHRAL
VA-VAAES URO CATH INDWELL POA
VA-VAAES URO CATH IND DISCONTINUE
VA-VAAES URO CATH IND URO SURGERY

VA-VAAES URO CATH IND URO OBSTRUCTION
VA-VAAES URO CATH IND URO IRRIGATION
VA-VAAES URO CATH IND URO IMMOBILE
VA-VAAES URO CATH IND URO PERIOP
VA-VAAES URO CATH IND URO NEURO BLADDER
VA-VAAES URO CATH IND URO INCONT
VA-VAAES URO CATH IND URO EPI/SPI/PM
VA-VAAES URO CATH IND URO CRIT ILL
VA-VAAES URO CATH IND URO COMFORT
VA-VAAES URO CATH IND URO RET
VA-VAAES URO CATH IND STER FLD LUBE
VA-VAAES URO CATH IND STER FLD CLEANING
VA-VAAES URO CATH IND STER FLD DRAPE
VA-VAAES URO CATH IND STER FLD GLOVES
VA-VAAES URO CATH IND STER FLD HW
VA-VAAES URO CATH IND STER FLD MAINT
VA-VAAES URO CATH INDWELL INSERT
VA-VAAES URO CATH INDWELL
VA-VAAES URO COLOR/CHAR PINK
VA-VAAES URO COLOR/CHAR CLOTS
VA-VAAES URO COLOR/CHAR SEDIMENT
VA-VAAES URO COLOR/CHAR DARK BROWN
VA-VAAES URO COLOR/CHAR BLOOD
VA-VAAES URO COLOR/CHAR CLEAR
VA-VAAES URO COLOR/CHAR AMBER
VA-VAAES URO COLOR/CHAR YELLOW
VA-VAAES URO ASSESS
VA-TRAVEL SCREEN [C]
VA-EXPOSURE TO TB
VA-EXPOSURE TO OTHER INFECT DISEASE NO
VA-EXPOSURE TO OTHER INFECT DISEASE
VA-EXPOSURE TO MEASLES 21D
VA-EXPOSURE TO CHICKEN POX/ZOSTER 21D
VA-SYMP TOM DRAINING WOUND
VA-SYMP TOM NUMBNESS
VA-COVID-19 [C]
VA-SYMP TOM LOSS OF TASTE OR SMELL
VA-SYMP TOM MUSCLE PAIN
VA-SYMP TOM JOINT PAIN
VA-SYMP TOM VOMITING
VA-SYMP TOM SHORTNESS OF BREATH
VA-SYMP TOM WHEEZING
VA-SYMP TOM COUGH
VA-SYMP TOM FEVER
VA-SYMP TOM WEAKNESS
VA-SYMP TOM UNINTENT WEIGHT LOSS >10LBS

VA-SYMPTOM SORE THROAT
VA-SYMPTOM STIFF NECK
VA-SYMPTOM RUNNY NOSE
VA-SYMPTOM RASH
VA-SYMPTOM PHOTOPHOBIA
VA-SYMPTOM NIGHT SWEATS
VA-SYMPTOM NAUSEA
VA-SYMPTOM HEMOPTYSIS
VA-SYMPTOM HEADACHE
VA-SYMPTOM FATIGUE
VA-SYMPTOM DIARRHEA
VA-SYMPTOM CONJUNCTIVITIS
VA-SYMPTOM CHILLS
VA-SYMPTOM STOMACH PAIN
VA-SYMPTOM ABCESS
VA-SYMPTOM NONE
VA-VAAES ID RISK [C]
VA-VAAES ID CRE SCREEN VERBAL CONSENT
VA-VAAES ID CRE SCREEN WRITTEN EDU
VA-VAAES ID CRE SCREEN CONTACT
VA-VAAES ID CRE SCREEN YES
VA-VAAES ID CRE SCREEN NO
VA-VAAES ID CRE ORGAN/BONE MARROW
VA-VAAES ID CRE RECENT HOSPITALIZATION
VA-VAAES ID CRE TRANSFERRED LTC
VA-VAAES ID CRE TRANSFERRED ONGOING
VA-VAAES ID CRE HX YES
VA-VAAES ID CRE ASSESS
ONS AA MRSA [C]
ONS AA MRSA SWAB NO
ONS AA MRSA SWAB YES
ONS AA MRSA SWAB AGREEMENT YES
ONS AA MRSA INFO YES
VA-VAAES ID MRSA SCREEN PRE-ADMIT
VA-VAAES ID ISO-OTHER
VA-VAAES ID ISO-PROTECTIVE
VA-VAAES ID ISO-ENHANCED BARRIER
VA-VAAES ID ISO-DROPLET
VA-VAAES ID ISO-CONTACT PLUS
VA-VAAES ID ISO-CONTACT
VA-VAAES ID ISO-AIRBORNE
VA-VAAES ID HX MDRO-OTHER
VA-VAAES ID HX MDRO-VRE
VA-VAAES ID HX MDRO-MRSA
VA-VAAES ID HX MDRO-ESBL
VA-VAAES ID HX MDRO-CRE

VA-VAAES ID HX MDRO-C DIFF
VA-VAAES ID HX MDRO-C AURIS
VA-EXPOSURE TO COVID NO
VA-EXPOSURE TO COVID YES
VA-EXPOSURE TO FEVER/RESP ILL 14D
VA-VAAES ID TRAVEL SCREEN OUT USA-UNABLE
VA-VAAES ID TRAVEL SCREEN OUT USA-NO
VA-VAAES ID TRAVEL SCREEN OUT USA-YES
VA-VAAES ID TRAVEL SCREEN IN USA-YES
VA-VAAES ID TRAVEL SCREEN IN USA-UNABLE
VA-VAAES ID TRAVEL SCREEN IN USA-NO
VA-VAAES ID SCREEN
VA-VAAES LINE [C]
VA-VAAES NSG INSERT & MAINTAIN V2.2
VA-VAAES LINE ASSESS SUBQ POA YES
VA-VAAES LINE ASSESS SUBQ POA NO
VA-VAAES LINE SUBQ POA NO
VA-VAAES LINE SUBQ POA YES
VA-VAAES INTRAOSSEOUS
VA-VAAES LINE SUBQ
VA-VAAES LINE ASSESS MID D/C
VA-VAAES MIDLINE D/C
VA-VAAES LINE ASSESS MIDLINE POA YES
VA-VAAES MIDLINE INSERTION
VA-VAAES MIDLINE POA YES
VA-VAAES MIDLINE TYPE
VA-VAAES MIDLINE LOCATION
VA-VAAES MIDLINE LOT NUMBER
VA-VAAES MIDLINE INFORMED CONSENT
VA-VAAES MIDLINE INSERTION PREP OTHER
VA-VAAES MIDLINE INSERTION PREP ANTIMIC
VA-VAAES MIDLINE INSERTION PREP CHLOR
VA-VAAES MIDLINE OTHER
VA-VAAES MIDLINE NO VASCULAR ACCESS
VA-VAAES MIDLINE ANTIBIOTICS
VA-VAAES MIDLINE D/C LOCATION
VA-VAAES MIDLINE D/C REASON
VA-VAAES MIDLINE D/C OTHER
VA-VAAES MIDLINE D/C OCC DRESS
VA-VAAES MIDLINE D/C NO RES
VA-VAAES MIDLINE D/C CATH INT
VA-VAAES MIDLINE NEEDLELESS CONNECTORS REP
VA-VAAES MIDLINE ANTI-MIC CAPS REP
VA-VAAES MIDLINE OCCLUDED
VA-VAAES MIDLINE PATENT
VA-VAAES MIDLINE LEAKING SITE

VA-VAAES MIDLINE SIGNS INF
VA-VAAES MIDLINE SECURE DEVICE
VA-VAAES MIDLINE ANTI-MIC DC
VA-VAAES MIDLINE DRSG CHANGE
VA-VAAES MIDLINE ASSESS
VA-VAAES LINE ASSESS MIDLINE POA NO
VA-VAAES MIDLINE POA NO
VA-VAAES LINE ASSESS CL #2 D/C
VA-VAAES CENTRAL LINE #2 D/C
VA-VAAES CENTRAL LINE #2 INSERT BEDSIDE
VA-VAAES LINE ASSESS CL #2 INSERT PROC
VA-VAAES CENTRAL LINE #2 INSERT PROC
VA-VAAES CENTRAL LINE #2 ACCESS TYPE
VA-VAAES CENTRAL LINE #2 LOCATION
VA-VAAES CENTRAL LINE #2 D/C LOC
VA-VAAES CENTRAL LINE #2 D/C REASON
VA-VAAES CENTRAL LINE #2 D/C OTHER
VA-VAAES CENTRAL LINE #2 D/C OCC DRESS
VA-VAAES CENTRAL LINE #2 D/C NO RES
VA-VAAES CENTRAL LINE #2 D/C CATH INT
VA-VAAES CL #2 TIP CONFIRM PLACEMENT
VA-VAAES CENTRAL LINE #2 EDU HANDOUT
VA-VAAES CENTRAL LINE #2 PROC EXPLAINED
VA-VAAES CENTRAL LINE #2 INFORM CONSENT
VA-VAAES CL#2 CONFIRM METHOD OTHER
VA-VAAES CL#2 TIP CONFIRM DEVICE
VA-VAAES CL#2 RADIOGRAPHIC
VA-VAAES CL#2 INSERTION PREP OTHER
VA-VAAES CL#2 INSERTION PREP ANTIMIC
VA-VAAES CL#2 INSERTION PREP CHLOR
VA-VAAES CENTRAL LINE #2 INSERTION PREP
VA-VAAES CENTRAL LINE #2 PT ID TIMEOUT
VA-VAAES CENTRAL LINE #2 TEMP DIALYSIS
VA-VAAES CENTRAL LINE #2 TUNNELED
VA-VAAES CENTRAL LINE #2 NON-TUNNELED
VA-VAAES CENTRAL LINE #2 LUMEN OTHER
VA-VAAES CENTRAL LINE #2 INTRODUCER
VA-VAAES CENTRAL LINE #2 TRIPLE LUMEN
VA-VAAES CENTRAL LINE #2 DOUBLE LUMEN
VA-VAAES CENTRAL LINE #2 SINGLE LUMEN
VA-VAAES CENTRAL LINE #2 OTHER
VA-VAAES CENTRAL LINE #2 PARENTERAL NUTR
VA-VAAES CENTRAL LINE #2 DIALYSIS
VA-VAAES CENTRAL LINE #2 NO VAS ACCESS
VA-VAAES CENTRAL LINE #2 HOME ANTIBIOTIC
VA-VAAES CENTRAL LINE #2 HEMODYNAMIC MON

VA-VAAES CENTRAL LINE #2 MEDICATION
VA-VAAES CL #2 NEEDLELESS CONNECTORS REP
VA-VAAES CL #2 OCCL OUTCOME NO BLD RET
VA-VAAES CL #2 OCCL OUTCOME LUMEN CLEAR
VA-VAAES CL #2 OCCL OUTCOME POS BLD RET
VA-VAAES CL #2 OCCL LUMENS TREATED
VA-VAAES CL #2 OCCL DECLOT REPEATED TIME
VA-VAAES CL #2 OCCL DECLOT CATH CLEAR
VA-VAAES CL #2 OCCLUDED
VA-VAAES CENTRAL LINE #2 ANTIMIC CAP REP
VA-VAAES CENTRAL LINE #2 PATENT
VA-VAAES CENTRAL LINE #2 LEAKING SITE
VA-VAAES CENTRAL LINE #2 SIGNS INF
VA-VAAES CENTRAL LINE #2 SECURE DEVICE
VA-VAAES CENTRAL LINE #2 ANTI-MIC DS
VA-VAAES CENTRAL LINE #2 DRSG CHANGE
VA-VAAES CENTRAL LINE #2 ASSESS
VA-VAAES LINE ASSESS CL POA #2 YES
VA-VAAES LINE ASSESS CL POA #2 NO
VA-VAAES CENTRAL LINE #2 POA NO
VA-VAAES CENTRAL LINE #2 POA YES
VA-VAAES LINE ASSESS CL #1 D/C
VA-VAAES CENTRAL LINE #1 D/C
VA-VAAES CENTRAL LINE #1 INSERT BEDSIDE
VA-VAAES LINE ASSESS CL #1 INSERT PROC
VA-VAAES CENTRAL LINE #1 INSERT PROC
VA-VAAES CENTRAL LINE #1 ACCESS TYPE
VA-VAAES CENTRAL LINE #1 LOCATION
VA-VAAES CENTRAL LINE #1 D/C LOC
VA-VAAES CENTRAL LINE #1 D/C REASON
VA-VAAES CENTRAL LINE #1 D/C OTHER
VA-VAAES CENTRAL LINE #1 D/C OCC DRESS
VA-VAAES CENTRAL LINE #1 D/C NO RES
VA-VAAES CENTRAL LINE #1 D/C CATH INT
VA-VAAES CL #1 NEEDLELESS CONNECTORS REP
VA-VAAES CL #1 OCCL OUTCOME NO BLD RET
VA-VAAES CL #1 OCCL OUTCOME LUMEN CLEAR
VA-VAAES CL #1 OCCL OUTCOME POS BLD RET
VA-VAAES CL #1 OCCL LUMENS TREATED
VA-VAAES CL #1 OCCL DECLOT REPEATED TIME
VA-VAAES CL #1 OCCL DECLOT CATH CLEAR
VA-VAAES CL #1 OCCLUDED
VA-VAAES CENTRAL LINE #1 ANTIMIC CAP REP
VA-VAAES CENTRAL LINE #1 PATENT
VA-VAAES CENTRAL LINE #1 LEAKING SITE
VA-VAAES CENTRAL LINE #1 SIGNS INF

VA-VAAES CENTRAL LINE #1 SECURE DEVICE
VA-VAAES CENTRAL LINE #1 ANTI-MIC DS
VA-VAAES CENTRAL LINE #1 DRSG CHANGE
VA-VAAES CENTRAL LINE #1 ASSESS
VA-VAAES CL #1 TIP CONFIRM PLACEMENT
VA-VAAES CENTRAL LINE #1 EDU HANDOUT
VA-VAAES CENTRAL LINE #1 PROC EXPLAINED
VA-VAAES CENTRAL LINE #1 INFORM CONSENT
VA-VAAES CL#1 CONFIRM METHOD OTHER
VA-VAAES CL#1 TIP CONFIRM DEVICE
VA-VAAES CL #1 RADIOGRAPHIC
VA-VAAES CL#1 INSERTION PREP OTHER
VA-VAAES CL#1 INSERTION PREP ANTIMIC
VA-VAAES CL#1 INSERTION PREP CHLOR
VA-VAAES CENTRAL LINE #1 INSERTION PREP
VA-VAAES CENTRAL LINE #1 PT ID TIMEOUT
VA-VAAES CENTRAL LINE #1 TUNNELED
VA-VAAES CENTRAL LINE #1 TEMP DIALYSIS
VA-VAAES CENTRAL LINE #1 NON-TUNNELED
VA-VAAES CENTRAL LINE #1 LUMEN OTHER
VA-VAAES CENTRAL LINE #1 INTRODUCER
VA-VAAES CENTRAL LINE #1 TRIPLE LUMEN
VA-VAAES CENTRAL LINE #1 DOUBLE LUMEN
VA-VAAES CENTRAL LINE #1 SINGLE LUMEN
VA-VAAES CENTRAL LINE #1 OTHER
VA-VAAES CENTRAL LINE #1 PARENTERAL NUTR
VA-VAAES CENTRAL LINE #1 DIALYSIS
VA-VAAES CENTRAL LINE #1 NO VAS ACCESS
VA-VAAES CENTRAL LINE #1 HOME ANTIBIOTIC
VA-VAAES CENTRAL LINE #1 HEMODYNAMIC MON
VA-VAAES CENTRAL LINE #1 MEDICATION
VA-VAAES LINE ASSESS CL POA #1 YES
VA-VAAES LINE ASSESS CL POA #1 NO
VA-VAAES CENTRAL LINE #1 POA NO
VA-VAAES CENTRAL LINE #1 POA YES
VA-VAAES PORT PRESENT NOT ACCESSED
VA-VAAES LINE ASSESS PORT INSERT PROC
VA-VAAES LINE ASSESS PORT POA YES
VA-VAAES PORT INSERT PROC
VA-VAAES PORT POA YES
VA-VAAES PORT DEACCESSED
VA-VAAES PORT ACCESSED
VA-VAAES PORT LOCATION
VA-VAAES PORT LEAKING SITE
VA-VAAES PORT SIGNS INF
VA-VAAES PORT SECURE DEVICE

VA-VAAES PORT ANTI-MIC DS
VA-VAAES PORT DRSG CHANGED
VA-VAAES PORT LINE NEEDLELESS CONNECTORS REP
VA-VAAES PORT LINE ANTI-MIC CAPS REP
VA-VAAES PORT OCCL OUTCOME NO BLD RET
VA-VAAES PORT OCCL OUTCOME LUMEN CLEAR
VA-VAAES PORT OCCL OUTCOME POS BLD RET
VA-VAAES PORT OCCL LUMEN TREATED
VA-VAAES PORT OCCL DECLOT REPEATED TIMES
VA-VAAES PORT OCCL DECLOT CATH CLEARANCE
VA-VAAES PORT OCCLUDED
VA-VAAES PORT PATENT
VA-VAAES PORT DOUBLE LUMEN
VA-VAAES PORT SINGLE LUMEN
VA-VAAES PORT OTHER
VA-VAAES PORT PARENTERAL NUTRITION
VA-VAAES PORT NO VASCULAR ACCESS
VA-VAAES PORT HOME ANTIBIOTICS
VA-VAAES PORT VESICANT/IRRITANT
VA-VAAES PORT CHEMOTHERAPY
VA-VAAES PORT ANTIBIOTICS
VA-VAAES LINE ASSESS PORT POA NO
VA-VAAES PORT POA NO
VA-VAAES PICC INSERTION
VA-VAAES LINE ASSESS PICC D/C
VA-VAAES PICC D/C
VA-VAAES LINE ASSESS PICC POA YES
VA-VAAES PICC POA YES
VA-VAAES PICC TYPE POA
VA-VAAES PICC LOCATION POA
VA-VAAES PICC TYPE
VA-VAAES PICC LOCATION
VA-VAAES PICC LOT NUMBER
VA-VAAES PICC TIP CONFIRM PLACEMENT
VA-VAAES PICC CONFIRM METHOD OTHER
VA-VAAES PICC TIP CONFIRM DEVICE
VA-VAAES PICC RADIOGRAPHIC
VA-VAAES PICC EDUCATIONAL HANDOUT
VA-VAAES PICC INSERTION PREP OTHER
VA-VAAES PICC INSERTION PREP ANTIMIC
VA-VAAES PICC INSERTION PREP CHLOR
VA-VAAES PICC INSERTION PREP
VA-VAAES PICC PROCEDURE EXPLAINED
VA-VAAES PICC PATIENT ID TIMEOUT
VA-VAAES PICC INFORMED CONSENT
VA-VAAES PICC SIZE

VA-VAAES PICC VESICANT/IRRITANT
VA-VAAES PICC CHEMOTHERAPY
VA-VAAES PICC ANTIBIOTICS
VA-VAAES PICC OTHER
VA-VAAES PICC PARENTERAL NUTRITION
VA-VAAES PICC NO VASCULAR ACCESS
VA-VAAES PICC HOME ANTIBIOTICS
VA-VAAES PICC D/C WITH PICC
VA-VAAES PICC D/C LOCATION
VA-VAAES PICC D/C REASON
VA-VAAES PICC D/C OTHER
VA-VAAES PICC D/C OCC DRESS
VA-VAAES PICC D/C NO RES
VA-VAAES PICC D/C CATH INT
VA-VAAES PICC LINE NEEDLELESS CONNECTORS REP
VA-VAAES PICC LINE ANTI-MIC CAPS REP
VA-VAAES PICC OCCL OUTCOME NO BLD RET
VA-VAAES PICC OCCL OUTCOME LUMEN CLEAR
VA-VAAES PICC OCCL OUTCOME POS BLD RET
VA-VAAES PICC OCCL LUMENS TREATED
VA-VAAES PICC OCCL DELOT REPEATED TIMES
VA-VAAES PICC OCCL DELOT CATH CLEARANCE
VA-VAAES PICC OCCLUDED
VA-VAAES PICC PATENT
VA-VAAES PICC LEAKING SITE
VA-VAAES PICC SIGNS INF
VA-VAAES PICC SECURE DEVICE
VA-VAAES PICC ANTI-MIC DS
VA-VAAES PICC DRSG CHANGED
VA-VAAES PICC ASSESSMENT
VA-VAAES LINE ASSESS PICC POA NO
VA-VAAES PICC POA NO
VA-VAAES LINE ASSESS PERI #3 INSERT
VA-VAAES PERIPHERAL IV 3 INSERT
VA-VAAES LINE ASSESS PERI #3 D/C
VA-VAAES PERIPHERAL IV 3 D/C
VA-VAAES PERIPHERAL IV 3 LOCATION POA- Y
VA-VAAES LINE ASSESS PERI POA #3 YES
VA-VAAES PERIPHERAL IV 3 GAUGE POA
VA-VAAES PERIPHERAL IV 3 LOCATION POA
VA-VAAES PERIPHERAL IV 3 GAUGE
VA-VAAES PERIPHERAL IV 3 LOCATION
VA-VAAES PERIPHERAL IV 3 D/C REASON
VA-VAAES PERIPHERAL IV 3 D/C LOCATION
VA-VAAES PERIPHERAL IV 3 LEAK SITE
VA-VAAES PERIPHERAL IV 3 SIGNS INF

VA-VAAES PIV LINE 3 NEEDLELESS CONNECTORS REP
VA-VAAES PERIPHERAL IV 3 PATENT
VA-VAAES PERIPHERAL IV 3 SECURE DEV
VA-VAAES PERIPHERAL IV 3 ANTI-MIC DS
VA-VAAES PERIPHERAL IV 3 DRSG CHANGE
VA-VAAES PERIPHERAL IV 3 ASSESS
VA-VAAES PERIPHERAL IV 3 WARM PACK APPLY
VA-VAAES PERIPHERAL IV 3 VEIN FINDER
VA-VAAES PERIPHERAL IV 3 ULTRASOUND
VA-VAAES LINE ASSESS PERI #2 INSERT
VA-VAAES PERIPHERAL IV 2 INSERT
VA-VAAES LINE ASSESS PERI #2 D/C
VA-VAAES PERIPHERAL IV 2 D/C
VA-VAAES PERIPHERAL IV 2 LOCATION POA- Y
VA-VAAES LINE ASSESS PERI POA #2 YES
VA-VAAES PERIPHERAL IV 2 GAUGE POA
VA-VAAES PERIPHERAL IV 2 LOCATION POA
VA-VAAES PERIPHERAL IV 2 GAUGE
VA-VAAES PERIPHERAL IV 2 LOCATION
VA-VAAES PERIPHERAL IV 2 D/C REASON
VA-VAAES PERIPHERAL IV 2 D/C LOCATION
VA-VAAES PIV LINE 2 NEEDLELESS CONNECTORS REP
VA-VAAES PERIPHERAL IV 2 PATENT
VA-VAAES PERIPHERAL IV 2 LEAK SITE
VA-VAAES PERIPHERAL IV 2 SIGNS INF
VA-VAAES PERIPHERAL IV 2 SECURE DEV
VA-VAAES PERIPHERAL IV 2 ANTI-MIC DS
VA-VAAES PERIPHERAL IV 2 DRSG CHANGE
VA-VAAES PERIPHERAL IV 2 ASSESS
VA-VAAES PERIPHERAL IV 2 WARM PACK APPLY
VA-VAAES PERIPHERAL IV 2 VEIN FINDER
VA-VAAES PERIPHERAL IV 2 ULTRASOUND
VA-VAAES LINE ASSESS PERI #1 INSERT
VA-VAAES PERIPHERAL IV 1 INSERT
VA-VAAES LINE ASSESS PERI #1 D/C
VA-VAAES PERIPHERAL IV 1 D/C
VA-VAAES PERIPHERAL IV 1 LOCATION POA- Y
VA-VAAES LINE ASSESS PERI POA #1 YES
VA-VAAES PERIPHERAL IV 1 GAUGE POA
VA-VAAES PERIPHERAL IV 1 LOCATION POA
VA-VAAES PERIPHERAL IV 1 GAUGE
VA-VAAES PERIPHERAL IV 1 LOCATION
VA-VAAES PERIPHERAL IV 1 D/C REASON
VA-VAAES PERIPHERAL IV 1 D/C LOCATION
VA-VAAES PIV LINE 1 NEEDLELESS CONNECTORS REP
VA-VAAES PERIPHERAL IV 1 PATENT

VA-VAAES PERIPHERAL IV 1 LEAK SITE
VA-VAAES PERIPHERAL IV 1 SIGNS INF
VA-VAAES PERIPHERAL IV 1 SECURE DEV
VA-VAAES PERIPHERAL IV 1 ANTI-MIC DS
VA-VAAES PERIPHERAL IV 1 DRSG CHANGE
VA-VAAES PERIPHERAL IV 1 ASSESS
VA-VAAES PERIPHERAL IV 1 WARM PACK APPLY
VA-VAAES PERIPHERAL IV 1 VEIN FINDER
VA-VAAES PERIPHERAL IV 1 ULTRASOUND
VA-VAAES LINE ASSESS PERI POA #1 NO
VA-VAAES PERIPHERAL IV 1 LOCATION POA- N
VA-VAAES GEN INFO [C]
VA-VAAES SKIN & WOUND EMBEDDED
VA-VAAES FREQ [C]
VA-VAAES NEWS UNABLE TO SCORE VITALS UNA
VA-VAAES NEWS UNABLE TO SCORE NO VITALS
VA-VAAES NEWS UNABLE TO SCORE PT DECLINE
VA-VAAES NEWS PULSE SCORE 3
VA-VAAES NEWS PULSE SCORE 2
VA-VAAES NEWS PULSE SCORE 1
VA-VAAES NEWS PULSE SCORE 0
VA-VAAES NEWS BP SCORE 3
VA-VAAES NEWS BP SCORE 2
VA-VAAES NEWS BP SCORE 1
VA-VAAES NEWS BP SCORE 0
VA-VAAES NEWS TEMP SCORE 3
VA-VAAES NEWS TEMP SCORE 2
VA-VAAES NEWS TEMP SCORE 1
VA-VAAES NEWS TEMP SCORE 0
VA-VAAES NEWS RESP SCORE 3
VA-VAAES NEWS RESP SCORE 2
VA-VAAES NEWS RESP SCORE 1
VA-VAAES NEWS RESP SCORE 0
VA-VAAES NEWS EVENT SYNOPSIS
VA-VAAES NEWS STATUS PT TRAN OTHER
VA-VAAES NEWS STATUS PT TRAN CRIT CARE
VA-VAAES NEWS STATUS PT TRAN IND CARE
VA-VAAES NEWS STATUS PT TRAN MED/SURG
VA-VAAES NEWS STATUS PT TRANSFERRED
VA-VAAES NEWS STATUS PT EXPIRED
VA-VAAES NEWS STATUS PT ON UNIT
VA-VAAES NEWS ACTION OTHER
VA-VAAES NEWS ACTION ACUTE STROKE ACT
VA-VAAES NEWS ACTION CODE ACTIVATED
VA-VAAES NEWS ACTION RRT ACTIVATED
VA-VAAES NEWS ACTION EWS STAFF NOTIFY

VA-VAAES NEWS ACTION CHARGE NURSE NOTIFY
VA-VAAES NEWS ACTION CONSULT RT
VA-VAAES NEWS ACTION CONSULT TEAM
VA-VAAES NEWS ACTION INCREASE VS
VA-VAAES NEWS ACTION REPEAT NEWS
VA-VAAES FREQ ASSESS NEWS SCORE
VA-VAAES NEURO AVPU [C]
VA-VAAES NEURO AVPU UNRESPONSIVE
VA-VAAES NEURO AVPU PAIN
VA-VAAES NEURO AVPU VOICE
VA-VAAES NEURO AVPU ALERT
VA-VAAES NEWS AVPU SCORE 3
VA-VAAES NEWS AVPU SCORE 0
VA-VAAES NEWS SUP OXY SAT SCORE 0
VA-VAAES NEWS SUP OXY SAT SCORE 2
VA-VAAES RESP SUP O2
VA-VAAES NEWS OXY SCORE 3
VA-VAAES NEWS OXY SCORE 2
VA-VAAES NEWS OXY SCORE 1
VA-VAAES NEWS OXY SCORE 0
VA-VAAES FREQ ASSESS NEWS
VA-VAAES GEN INFO-ACUTE REHAB [C]
VA-VAAES AR SELF-MED VIS ABILITY DEF YES
VA-VAAES AR SELF-MED VIS ABILITY DEF NO
VA-VAAES AR SELF-MED PHYSICAL DEF YES
VA-VAAES AR SELF-MED PHYSICAL DEF NO
VA-VAAES AR SELF-MED COG DEF YES
VA-VAAES AR SELF-MED COG DEF NO
VA-VAAES AR SELF-MED DEP
VA-VAAES AR SELF-MED SEMI-INDEP
VA-VAAES AR SELF-MED INDEP
VA-VAAES FIM ASSESS
VA-VAAES HANDOFF COMMENT
VA-VAAES HANDOFF SAFETY CHECK
VA-VAAES HANDOFF BEDSIDE REPORT
VA-VAAES HANDOFF ASSESS
VA-VAAES ADD ASSESSMENT DOCUMENT
VA-VAAES ACUTE INPT NSG REASSESS COMMENT
VA-VAAES ACUTE INPT NSG REASSESSMENT
VA-VAAES ACUTE INPT NSG ASSESSMENT
VA-VAAES ADL [C]
VA-VAAES ADL ADD
VA-VAAES ADL GEN COMMENT
VA-VAAES ADL TOILETING DEPENDENT
VA-VAAES ADL TOILETING COMMENT
VA-VAAES ADL TOILETING MAX ASSIST

VA-VAAES ADL TOILETING MOD ASSIST
VA-VAAES ADL TOILETING MIN ASSIST
VA-VAAES ADL TOILETING INDEPENDENT
VA-VAAES ADL TOILETING
VA-VAAES ADL DRESSING COMMENT
VA-VAAES ADL DRESSING UPPER DEPENDENT
VA-VAAES ADL DRESSING UPPER MAX ASSIST
VA-VAAES ADL DRESSING UPPER MOD ASSIST
VA-VAAES ADL DRESSING UPPER MIN ASSIST
VA-VAAES ADL DRESSING UPPER INDEPENDENT
VA-VAAES ADL DRESSING LOWER DEPENDENT
VA-VAAES ADL DRESSING LOWER MAX ASSIST
VA-VAAES ADL DRESSING LOWER MOD ASSIST
VA-VAAES ADL DRESSING LOWER MIN ASSIST
VA-VAAES ADL DRESSING LOWER INDEPENDENT
VA-VAAES ADL DRESSING
VA-VAAES ADL HYG PC EAT MIN ASSIST
VA-VAAES ADL HYG PC EAT DEPENDENT
VA-VAAES ADL HYG PC EAT PT DECLINED
VA-VAAES ADL HYG PC EAT COMMENT
VA-VAAES ADL HYG PC EAT ASSISTIVE DEVICE
VA-VAAES ADL HYG PC EAT MAX ASSIST
VA-VAAES ADL HYG PC EAT MOD ASSIST
VA-VAAES ADL HYG PC EAT INDEPENDENT
VA-VAAES ADL HYG PC EATING
VA-VAAES ORAL CARE [C]
VA-VAAES OC BRUSH TEETH SWABBING PERFORM
VA-VAAES ORAL CARE COMMENT
VA-VAAES ORAL CARE EDUCATION PROVIDED
VA-VAAES OC DENT/PART CLEAN DECLINED
VA-VAAES OC DENT/PART CLEAN WITH ASST
VA-VAAES OC DENT/PART CLEAN INDEP
VA-VAAES OC BRUSH TEETH DECLINED
VA-VAAES OC BRUSH TEETH WITH ASSIST
VA-VAAES OC BRUSH TEETH INDEP
VA-VAAES ORAL CARE NON-VENT PATIENT
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 5
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 4
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 3
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 2
VA-VAAES ORAL CARE MUCOSITIS FUN/SYMP 1
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 5
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 4
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 3
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 2
VA-VAAES ORAL CARE MUCOSITIS CLIN GRAD 1

VA-VAAES ORAL CARE MUCOSITIS SCALE
VA-VAAES RESP SUP VB OCM TEETH CHLOR
VA-VAAES RESP SUP VB OCM ROUT ORAL
VA-VAAES RESP SUP VB OCM DEN CARE
VA-VAAES RESP SUP VB OCM TEETH BRUSH
VA-VAAES RESP SUP VB OCM ORAL SUC
VA-VAAES RESP SUP VB OCM DEEP SUC
VA-VAAES RESP SUP VB OC CONTRA
VA-VAAES RESP SUP VB OC NO
VA-VAAES RESP SUP VB OC YES
VA-VAAES ORAL CARE VENT PATIENT
VA-VAAES ADL FOOT CARE COMMENT
VA-VAAES ADL FOOT CARE PT DECLINED
VA-VAAES ADL FOOT CARE INSPECTION
VA-VAAES ADL FOOT CARE LOTION APPLIED
VA-VAAES ADL FOOT CARE
VA-VAAES ADL HAND HYGIENE PT DECLINED
VA-VAAES ADL HAND HYGIENE PRE MEAL/SNACK
VA-VAAES ADL HAND HYGIENE POST TOILET
VA-VAAES ADL HAND HYGIENE
VA-VAAES ADL HYG PC PERI MIN ASSIST
VA-VAAES ADL HYG PC PERI DEPENDENT
VA-VAAES ADL HYG PC PERI COMM
VA-VAAES ADL HYG PC PERI PT DEC
VA-VAAES ADL HYG PC PERI MAX ASSIST
VA-VAAES ADL HYG PC PERI MOD ASSIST
VA-VAAES ADL HYG PC PERI INDEPEND
VA-VAAES ADL HYG PC PERI CLSN PRDT
VA-VAAES ADL HYG PC PERI SOAP
VA-VAAES ADL HYG PC PERI INDWELLING
VA-VAAES ADL HYG PC PERI
VA-VAAES ADL PERSONAL CARE DEPENDENT
VA-VAAES ADL PERSONAL CARE MIN ASSIST
VA-VAAES ADL PERSONAL CARE COMMENT
VA-VAAES ADL PERSONAL CARE PT DECLINED
VA-VAAES ADL PERSONAL CARE MAX ASSIST
VA-VAAES ADL PERSONAL CARE MOD ASSIST
VA-VAAES ADL PERSONAL CARE INDEPENDENT
VA-VAAES ADL PERSONAL CARE W/ CHG
VA-VAAES ADL PERSONAL CARE SHOWER
VA-VAAES ADL PERSONAL CARE BATH
VA-VAAES ADL PERSONAL CARE
VA-VAAES ADL ASSESS
VA-VAAES DRAIN [C]
VA-VAAES LINES DRAIN #4 TYPE OTHER
VA-VAAES LINES DRAIN #4 TYPE T TUBE

VA-VAAES LINES DRAIN #4 TYPE RED RUBBER
VA-VAAES LINES DRAIN #4 TYPE PENROSE
VA-VAAES LINES DRAIN #4 TYPE BULB
VA-VAAES LINES DRAIN #4 TYPE ACCORDIAN
VA-VAAES LINES DRAIN #4 LOC
VA-VAAES LINES DRAIN #4 DC
VA-VAAES LINES DRAIN #4 DRAIN SUCTION
VA-VAAES LINES DRAIN #4 DRAIN GRAVITY
VA-VAAES LINES DRAIN #4
VA-VAAES LINES DRAIN #3 TYPE OTHER
VA-VAAES LINES DRAIN #3 TYPE T TUBE
VA-VAAES LINES DRAIN #3 TYPE RED RUBBER
VA-VAAES LINES DRAIN #3 TYPE PENROSE
VA-VAAES LINES DRAIN #3 TYPE BULB
VA-VAAES LINES DRAIN #3 TYPE ACCORDIAN
VA-VAAES LINES DRAIN #3 LOC
VA-VAAES LINES DRAIN #3 DC
VA-VAAES LINES DRAIN #3 DRAIN GRAVITY
VA-VAAES LINES DRAIN #3 DRAIN SUCTION
VA-VAAES LINES DRAIN #3
VA-VAAES LINES DRAIN #2 TYPE OTHER
VA-VAAES LINES DRAIN #2 TYPE T TUBE
VA-VAAES LINES DRAIN #2 TYPE RED RUBBER
VA-VAAES LINES DRAIN #2 TYPE PENROSE
VA-VAAES LINES DRAIN #2 TYPE BULB
VA-VAAES LINES DRAIN #2 TYPE ACCORDIAN
VA-VAAES LINES DRAIN #2 LOC
VA-VAAES LINES DRAIN #2 DC
VA-VAAES LINES DRAIN #2 DRAIN GRAVITY
VA-VAAES LINES DRAIN #2 DRAIN SUCTION
VA-VAAES LINES DRAIN #2
VA-VAAES LINES DRAIN #1 TYPE OTHER
VA-VAAES LINES DRAIN #1 TYPE T TUBE
VA-VAAES LINES DRAIN #1 TYPE RED RUBBER
VA-VAAES LINES DRAIN #1 TYPE PENROSE
VA-VAAES LINES DRAIN #1 TYPE BULB
VA-VAAES LINES DRAIN #1 TYPE ACCORDIAN
VA-VAAES LINES DRAIN #1 LOC
VA-VAAES LINES DRAIN #1 DC
VA-VAAES LINES DRAIN #1 DRAIN GRAVITY
VA-VAAES LINES DRAIN #1 DRAIN SUCTION
VA-VAAES LINES DRAIN #1
VA-VAAES LINES DRAIN ASSESS
VA-VAAES MOB FREQ OTHER
VA-VAAES MOB FREQ MORE THAN FOUR DAILY
VA-VAAES MOB FREQ THREE DAILY

VA-VAAES MOB FREQ TWICE DAILY
VA-VAAES MOB FREQ ONCE DAILY
VA-VAAES MOB GOAL DISCUSSED
VA-VAAES MOB GS
VA-VAAES MOB ASSESS
VA-VAAES LINE ASSESS
VA-VAAES PSYCH [C]
VA-VAAES PSYCH ASSESS
VA-VAAES EQUIP [C]
VA-VAAES EQUIP ASSESS
VA-VAAES EDUCATION NEEDS [C]
VA-VAAES EDU LRN STYLE-VIDEO
VA-VAAES EDU LRN STYLE-VERBAL
VA-VAAES EDU LRN STYLE-PRINTED MAT
VA-VAAES EDU LRN STYLE-OTHER
VA-VAAES EDU LRN STYLE-NONE
VA-VAAES EDU LRN STYLE-DEMO
VA-VAAES EDU LRN STYLE-CAREGIVER
VA-VAAES EDU [C]
VA-VAAES EDU NONE EVIDENT
VA-VAAES EDU BARRIER SOCIO
VA-VAAES EDU BARRIER SENSORY
VA-VAAES EDU BARRIER PHYSICAL
VA-VAAES EDU BARRIER COMM
VA-VAAES EDU BARRIER LIT
VA-VAAES EDU BARRIER EMOTIONAL
VA-VAAES EDU BARRIER DESIRE
VA-VAAES EDU BARRIER CUL/REL
VA-VAAES EDU BARRIER COG
VA-VAAES ADULT ED PT UNDERSTANDING OTHER
VA-VAAES ADULT ED PT NEEDS PRACTICE
VA-VAAES ADULT ED PT NEEDS MORE TEACHING
VA-VAAES ADULT ED PT DEMONSTRATES
VA-VAAES ADULT ED PT VERBALIZE
VA-VAAES ADULT ED PROV TO OTHER
VA-VAAES ADULT ED PROV TO CAREGIVER
VA-VAAES ADULT ED PROV TO FAMILY
VA-VAAES ADULT ED PROV TO PATIENT
VA-VAAES ADULT ED METHOD GROUP
VA-VAAES ADULT ED METHOD VERBAL
VA-VAAES ADULT ED METHOD TEACHBACK
VA-VAAES ADULT ED METHOD DEMO
VA-VAAES ADULT ED METHOD PRINTED
VA-VAAES ADULT ED METHOD VIDEO
VA-VAAES ADULT ED METHOD GWN
VA-VAAES ADULT ED METHOD VHL

VA-VAAES ADULT ED TOPIC 5
VA-VAAES ADULT ED TOPIC 4
VA-VAAES ADULT ED TOPIC 3
VA-VAAES ADULT ED TOPIC 2
VA-VAAES ADULT ED TOPIC 1
VA-VAAES EDU BARRIER UNABLE TO ASSESS
VA-VAAES EDU ASSESS DECLINE
VA-VAAES EDU ASSESS
VA-VAAES INT [C]
VA-VAAES INT ASSESS
VA-VAAES URO VOID DIFF NOCTURIA
VA-VAAES URO VOID DIFF OTHER
VA-VAAES URO VOID DIFF RETENTION
VA-VAAES URO VOID DIFF NEUROGENIC BLAD
VA-VAAES URO VOID DIFF URGE INCON
VA-VAAES URO VOID DIFF STRESS INCON
VA-VAAES URO VOID DIFF FUNCTIONAL INCON
VA-VAAES URO VOID DIFF FREQUENCY
VA-VAAES URO ADD DIA AV GRAFT
VA-VAAES URO ADD DIA COMMENT
VA-VAAES URO ADD DIA TEMP DIALYSIS CATH
VA-VAAES URO ADD DIA PERITONEAL CATH
VA-VAAES URO ADD DIA AV FISTULA
VA-VAAES URO ADD DIA TUNNELED CATH
VA-VAAES URO ADD
VA-VAAES URO BLADDER IRRIGATION
VA-VAAES URO CATH NEPH
VA-VAAES URO CATH STENT ASSESS
VA-VAAES GASTRO [C]
VA-VAAES GASTRO PASSING FLATUS
VA-VAAES GASTRO STOOL DESC OTHER
VA-VAAES GASTRO STOOL DESC SEMI-FORMED
VA-VAAES GASTRO STOOL DESC LIQUID
VA-VAAES GASTRO STOOL DESC HARD
VA-VAAES GASTRO STOOL DESC SOFT
VA-VAAES GASTRO STOOL COLOR BLOOD FRANK
VA-VAAES GASTRO STOOL COLOR OTHER
VA-VAAES GASTRO STOOL COLOR BLOOD TINGED
VA-VAAES GASTRO STOOL COLOR GREEN
VA-VAAES GASTRO STOOL COLOR BROWN
VA-VAAES GASTRO STOOL COLOR BLACK
VA-VAAES GASTRO AB DESC OTHER
VA-VAAES GASTRO AB DESC TAUT
VA-VAAES GASTRO AB DESC PROTUBERANT
VA-VAAES GASTRO AB DESC DISTENDED
VA-VAAES GASTRO AB DESC ROUNDED

VA-VAAES GASTRO AB DESC FLAT
VA-VAAES GASTRO BOWEL PROGRAM EVAL
VA-VAAES GASTRO BOWEL MGMT TOLERANCE
VA-VAAES GASTRO BOWEL MGMT LOC
VA-VAAES GASTRO GI MOT INT
VA-VAAES GASTRO RECT EMPTY INT
VA-VAAES GASTRO BOWEL MGMT DEPENDENT
VA-VAAES GASTRO BOWEL MGMT MIN ASSIST
VA-VAAES GASTRO BOWEL MGMT COMMENT
VA-VAAES GASTRO BOWEL MGMT MAX ASSIST
VA-VAAES GASTRO BOWEL MGMT MOD ASSIST
VA-VAAES GASTRO BOWEL MGMT IND
VA-VAAES GASTRO BOWEL MGMT
VA-VAAES GASTRO SUP FMS TUBE
VA-VAAES GASTRO SUP EXT ANAL PCH
VA-VAAES GASTRO SUP FMS
VA-VAAES GASTRO SUP TUBE ACT POA
VA-VAAES GASTRO SUP TUBE ACT INS PROCED
VA-VAAES GASTRO SUP TUBE ACT INSERT NEW
VA-VAAES GASTRO SUP TUBE PEG TUBE
VA-VAAES GASTRO SUP TUBE J TUBE
VA-VAAES GASTRO SUP TUBE SB POST PYLORIC
VA-VAAES GASTRO SUP TUBE SB PRE PYLORIC
VA-VAAES GASTRO SUP TUBE ORAL GASTRIC
VA-VAAES GASTRO SUP TUBE NASOGASTRIC
VA-VAAES GASTRO SUP TUBE ACT DISCONTINUE
VA-VAAES GASTRO SUP TUBE ACT ASSESSMENT
VA-VAAES GASTRO SUP TUBE FEEDING TYPE
VA-VAAES GASTRO SUP TUBE OTHER
VA-VAAES GASTRO SUP TUBE GI TUBE
VA-VAAES GASTRO SYMPTOM VOMITING
VA-VAAES GASTRO SYMPTOM NAUSEA
VA-VAAES GASTRO SYMPTOM HEARTBURN
VA-VAAES GASTRO SYMPTOM DIARRHEA
VA-VAAES GASTRO SYMPTOM CRAMPS
VA-VAAES GASTRO SYMPTOM CONSTIPATION
VA-VAAES GASTRO SYMPTOM COMMENT
VA-VAAES GASTRO LAST BM
VA-VAAES GASTRO ASSESS
VA-VAAES RESP COMMENT
VA-VAAES RESP PAT OTHER
VA-VAAES RESP PAT TACHYPNEA
VA-VAAES RESP PAT SHALLOW
VA-VAAES RESP PAT IRREGULAR
VA-VAAES RESP PAT APNEA
VA-VAAES RESP PAT REGULAR

VA-VAAES RESP RESPIRATIONS OTHER
VA-VAAES RESP RESPIRATIONS RETRACTING
VA-VAAES RESP RESPIRATIONS PURSED LIPS
VA-VAAES RESP RESPIRATIONS NASAL FLARE
VA-VAAES RESP RESPIRATIONS LABORED
VA-VAAES RESP RESPIRATIONS ACC MUSC
VA-VAAES RESP RESPIRATIONS ABDOMINAL
VA-VAAES RESP RESPIRATIONS UNLABORED
VA-VAAES RESP SUP O2 CONT PULSE OX
VA-VAAES RESP SUP NASAL/UPPER AIRWAY
VA-VAAES RESP SUP CT#3 DRN OTHER
VA-VAAES RESP SUP CT#3 DRN CLOTS
VA-VAAES RESP SUP CT#3 DRN CLEAR
VA-VAAES RESP SUP CT#3 DRN SEROUS
VA-VAAES RESP SUP CT#3 DRN SANGUINEOUS
VA-VAAES RESP SUP CT#3 DRN SEROSANG
VA-VAAES RESP SUP CT#3 DRSG TRANSPARENT
VA-VAAES RESP SUP CT#3 DRSG OCCLUSIVE
VA-VAAES RESP SUP CT#3 DRSG SPLIT GAUZE
VA-VAAES RESP SUP CT#3 STATUS OTHER
VA-VAAES RESP SUP CT#3 STATUS CLAMPED
VA-VAAES RESP SUP CT#3 STATUS NO FLUC
VA-VAAES RESP SUP CT#3 STATUS AIR LEAK
VA-VAAES RESP SUP CT#3 STATUS FLUC RESP
VA-VAAES RESP SUP CT#3 STATUS PATENT
VA-VAAES RESP SUP CT#3 TYPE BULB
VA-VAAES RESP SUP CT#3 TYPE VALVE
VA-VAAES RESP SUP CT#3 TYPE GRAVITY
VA-VAAES RESP SUP CT#3 TYPE SUCTION
VA-VAAES RESP SUP CT#3 TYPE DRY SEAL
VA-VAAES RESP SUP CT#3 TYPE WATER SEAL
VA-VAAES RESP SUP CT#3 LOCATION
VA-VAAES RESP SUP CT#3
VA-VAAES RESP SUP CT#2 DRN OTHER
VA-VAAES RESP SUP CT#2 DRN CLOTS
VA-VAAES RESP SUP CT#2 DRN CLEAR
VA-VAAES RESP SUP CT#2 DRN SEROUS
VA-VAAES RESP SUP CT#2 DRN SANGUINEOUS
VA-VAAES RESP SUP CT#2 DRN SEROSANG
VA-VAAES RESP SUP CT#2 DRSG TRANSPARENT
VA-VAAES RESP SUP CT#2 DRSG OCCLUSIVE
VA-VAAES RESP SUP CT#2 DRSG SPLIT GAUZE
VA-VAAES RESP SUP CT#2 STATUS OTHER
VA-VAAES RESP SUP CT#2 STATUS CLAMPED
VA-VAAES RESP SUP CT#2 STATUS NO FLUC
VA-VAAES RESP SUP CT#2 STATUS AIR LEAK

VA-VAAES RESP SUP CT#2 STATUS FLUC RESP
VA-VAAES RESP SUP CT#2 STATUS PATENT
VA-VAAES RESP SUP CT#2 LOCATION
VA-VAAES RESP SUP CT#2 TYPE BULB
VA-VAAES RESP SUP CT#2 TYPE VALVE
VA-VAAES RESP SUP CT#2 TYPE GRAVITY
VA-VAAES RESP SUP CT#2 TYPE SUCTION
VA-VAAES RESP SUP CT#2 TYPE DRY SEAL
VA-VAAES RESP SUP CT#2 TYPE WATER SEAL
VA-VAAES RESP SUP CT #2
VA-VAAES RESP SUP CT#1 DRN OTHER
VA-VAAES RESP SUP CT#1 DRN CLOTS
VA-VAAES RESP SUP CT#1 DRN CLEAR
VA-VAAES RESP SUP CT#1 DRN SEROUS
VA-VAAES RESP SUP CT#1 DRN SANGUINEOUS
VA-VAAES RESP SUP CT#1 DRN SEROSANG
VA-VAAES RESP SUP CT#1 DRSG TRANSPARENT
VA-VAAES RESP SUP CT#1 DRSG OCCLUSIVE
VA-VAAES RESP SUP CT#1 DRSG SPLIT GAUZE
VA-VAAES RESP SUP CT#1 STATUS OTHER
VA-VAAES RESP SUP CT#1 STATUS CLAMPED
VA-VAAES RESP SUP CT#1 STATUS NO FLUC
VA-VAAES RESP SUP CT#1 STATUS AIR LEAK
VA-VAAES RESP SUP CT#1 STATUS FLUC RESP
VA-VAAES RESP SUP CT#1 STATUS PATENT
VA-VAAES RESP SUP CT#1 TYPE BULB
VA-VAAES RESP SUP CT#1 TYPE VALVE
VA-VAAES RESP SUP CT#1 TYPE GRAVITY
VA-VAAES RESP SUP CT#1 TYPE SUCTION
VA-VAAES RESP SUP CT#1 TYPE DRY SEAL
VA-VAAES RESP SUP CT#1 TYPE WATER SEAL
VA-VAAES RESP SUP CT#1 LOCATION
VA-VAAES RESP SUP CT #1
VA-VAAES RESP SUP UNPLAN DISC YES
VA-VAAES RESP SUP VENT PRESS SUP
VA-VAAES RESP SUP VB BREATHING CONTRAINDICATIO
VA-VAAES RESP SUP VB BREATHING LONG TERM
VA-VAAES RESP SUP VB BREATHING INCREASE
VA-VAAES RESP SUP VB BREATHING NEW ADMIT
VA-VAAES RESP SUP VB BREATHING NO
VA-VAAES RESP SUP VB BREATHING YES
VA-VAAES RESP SUP VB SEDATION NOT APPLICABLE
VA-VAAES RESP SUP VB SEDATION NEW ADMIT
VA-VAAES RESP SUP VB SEDATION CONTRAINDICATION
VA-VAAES RESP SUP VB SEDATION LONG TERM
VA-VAAES RESP SUP VB SEDATION INCREASE

VA-VAAES RESP SUP VB SEDATION NO
VA-VAAES RESP SUP VB SEDATION YES
VA-VAAES RESP SUP VB WEAN OTHER
VA-VAAES RESP SUP VB WEAN R LONG TERM
VA-VAAES RESP SUP VB WEAN R UNABLE
VA-VAAES RESP SUP VB WEAN R NEW ADMIT
VA-VAAES RESP SUP VB WEAN PLAN NO
VA-VAAES RESP SUP VB WEAN PLAN YES
VA-VAAES RESP SUP VB DVT CONT
VA-VAAES RESP SUP VB DVT NO
VA-VAAES RESP SUP VB DVT YES
VA-VAAES RESP SUP VB PEP ULCER CONT
VA-VAAES RESP SUP VB PEP ULCER NO
VA-VAAES RESP SUP VB PEP ULCER YES
VA-VAAES RESP SUP VB HOB FLAT PER PT
VA-VAAES RESP SUP VB HOB CONT
VA-VAAES RESP SUP VB HOB 80-90 DEG
VA-VAAES RESP SUP VB HOB 45-80 DEG
VA-VAAES RESP SUP VB HOB 30-45 DEG
VA-VAAES RESP SUP VB HOB <30 DEG
VA-VAAES RESP SUP VENT BUNDLE
VA-VAAES RESP SUP VENT PEEP
VA-VAAES RESP SUP VENT RATE
VA-VAAES RESP SUP VENT FIO2
VA-VAAES RESP SUP VENT TIDAL VOL
VA-VAAES RESP SUP VENT MODE
VA-VAAES RESP SUP VENT
VA-VAAES RESP SUP TRACH TUBE CAPPED
VA-VAAES RESP SUP TRACH TIES CHANGED
VA-VAAES RESP SUP TRACH SUTURE REMOVED
VA-VAAES RESP SUP TRACH STOMA SITE CLEAN
VA-VAAES RESP SUP TRACH INNER CAN CLEAN
VA-VAAES RESP SUP TRACH INNER CAN CHANGE
VA-VAAES RESP SUP TRACH DRSG CHANGE
VA-VAAES RESP SUP TRACH
VA-VAAES RESP SUP LARYN
VA-VAAES RESP SUP SUCTION COMMENT
VA-VAAES RESP SUP SUC TOL MOD
VA-VAAES RESP SUP SUC TOL OTHER
VA-VAAES RESP SUP SUC TOL REQ ASSIST
VA-VAAES RESP SUP SUC TOL SPON RECOVER
VA-VAAES RESP SUP SUC TOL SEVERE
VA-VAAES RESP SUP SUC TOL MILD
VA-VAAES RESP SUP SUC TOL NO DISTRESS
VA-VAAES RESP SUP SUC METHOD OTHER
VA-VAAES RESP SUP SUC METHOD PT PERFORM

VA-VAAES RESP SUP SUC METHOD TRACH
VA-VAAES RESP SUP SUC METHOD ORAL
VA-VAAES RESP SUP SUC METHOD NASAL
VA-VAAES RESP SUP SUC
VA-VAAES RESP SUP SUC/LARYN/TRACH
VA-VAAES RESP SUP CPAP/BIPAP COMMENT
VA-VAAES RESP SUP BIPAP
VA-VAAES RESP SUP CPAP
VA-VAAES RESP SUP CPAP/BIPAP FIO2
VA-VAAES RESP SUP COUGH ASSIST
VA-VAAES RESP SUP CHEST PT
VA-VAAES RESP SUPPLEMENTAL
VA-ONS POSITIONING (C) [C]
VA-ONS POSITION-LYING RIGHT SIDE
VA-ONS POSITION-LYING LEFT SIDE
VA-ONS POSITION-SUPINE
VA-ONS POSITION-SITTING
VA-ONS POSITION-PRONE
VA-VAAES RESP SUP O2 MEASURED
VA-VAAES RESP SUP O2 METHOD OTHER
VA-VAAES RESP SUP O2 TRACH COLLAR
VA-VAAES RESP SUP O2 NC
VA-VAAES RESP SUP O2 HIGH FLOW TC
VA-VAAES RESP SUP O2 HIGH FLOW NC
VA-VAAES RESP SUP O2 HIGH FLOW
VA-VAAES RESP SUP O2 VENTI MASK
VA-VAAES RESP SUP O2 SIMPLE MASK
VA-VAAES RESP SUP O2 PART REBREATH MASK
VA-VAAES RESP SUP O2 NRB
VA-VAAES RESP SUP O2 AEROSOL MASK
VA-VAAES RESP SUP O2 MASK
VA-VAAES RESP SUP O2 FLOW RATE
VA-VAAES RESP SPUTUM CONSISTENCY
VA-VAAES RESP SPUTUM COLOR
VA-VAAES RESP SPUTUM AMOUNT
VA-VAAES RESP SPUTUM COMMENT
VA-VAAES RESP SYMP COUGH PRODUCTIVE
VA-VAAES RESP SYMP COUGH PERSISTANT
VA-VAAES RESP SYMP COUGH NON-PRODUCTIVE
VA-VAAES RESP SYMP COUGH NOCTURNAL
VA-VAAES RESP SYMP COUGH LOOSE
VA-VAAES RESP SYMP COUGH UNABLE TO CLEAR
VA-VAAES RESP SYMP COUGH ABLE TO CLEAR
VA-VAAES RESP SYMP COUGH
VA-VAAES RESP SYMP SOB AT REST
VA-VAAES RESP SYMP SOB LYING FLAT

VA-VAAES RESP SYMP SOB EXERTIO
VA-VAAES RESP SYMP
VA-VAAES RESP BS RIGHT LOWER LOBE
VA-VAAES RESP BS LEFT LOWER LOBE
VA-VAAES RESP BS RIGHT MIDDLE LOBE
VA-VAAES RESP BS LEFT UPPER LOBE
VA-VAAES RESP BS RIGHT UPPER LOBE
VA-VAAES RESP BS CLEAR BILATERALLY
VA-VAAES RESP ASSESS
VA-VAAES CARDIO [C]
VA-VAAES CARDIO VENTRIC ASSIST DEVICE
VA-VAAES CARDIO EPICARDIAL PACING WIRES
VA-VAAES CARDIO TEMP PACER
VA-VAAES CARDIO LIFE VEST
VA-VAAES CARDIO EMB COMMENT
VA-VAAES CARDIO EMB PT DECLINE
VA-VAAES CARDIO EMB NOT APPLIED
VA-VAAES CARDIO EMB SCD THIGH HIGH
VA-VAAES CARDIO EMB SCD FOOT
VA-VAAES CARDIO EMB SCD KNEE HIGH
VA-VAAES RESP SUP VB SEQ COM DEV YES
VA-VAAES CARDIO EMB SCD
VA-VAAES CARDIO EMB PREV THIGH HIGH
VA-VAAES CARDIO EMB PREV KNEE HIGH
VA-VAAES CARDIO EMB COMP STOCKINGS
VA-VAAES CARDIO EMB ASSESS
VA-VAAES CARDIO RHY TELE TRANS
VA-VAAES CARDIO RHY ADD DESCRIPTORS
VA-VAAES CARDIO RHY OTHER
VA-VAAES CARDIO RHY HEART BLOCK
VA-VAAES CARDIO RHY VENTRICULAR
VA-VAAES CARDIO RHY JUNCTIONAL
VA-VAAES CARDIO RHY SVT
VA-VAAES CARDIO RHY PACED NOT SENS APPRO
VA-VAAES CARDIO RHY PACED NOT CAPT APPRO
VA-VAAES CARDIO RHY PACED ICD OVERRIDE V
VA-VAAES CARDIO RHY PACED ICD OVERRIDE A
VA-VAAES CARDIO RHY PACED ICD OVERRIDE
VA-VAAES CARDIO RHY PACED ATRIOVENTRIC
VA-VAAES CARDIO RHY PACED VENTRICULAR
VA-VAAES CARDIO RHY PACED ATRIAL
VA-VAAES CARDIO RHY PACED CAPT APPRO
VA-VAAES CARDIO RHY PACED SENS APPRO
VA-VAAES CARDIO RHY PACED FIXED
VA-VAAES CARDIO RHY PACED DEMAND
VA-VAAES CARDIO RHY PACED

VA-VAAES CARDIO RHY A FLUTTER
VA-VAAES CARDIO RHY A FIB
VA-VAAES CARDIO RHY SINUS TACH
VA-VAAES CARDIO RHY SINUS BRADY
VA-VAAES CARDIO RHY NSR
VA-VAAES CARDIO RHY ASSESS
VA-VAAES CARDIO HR TACHY
VA-VAAES CARDIO HR BRADY
VA-VAAES CARDIO HR IRREGULAR
VA-VAAES CARDIO HR REGULAR
VA-VAAES CARDIO EDEMA NO
VA-VAAES CARDIO EDEMA DEP LOCATION ADD
VA-VAAES CARDIO EDEMA DEP LOCATION
VA-VAAES CARDIO EDEMA DEP
VA-VAAES CARDIO EDEMA ADDITIONAL
VA-VAAES CARDIO EDEMA PITTING LOCATION
VA-VAAES CARDIO EDEMA PITTING
VA-VAAES CARDIO EDEMA GEN LOCATION ADD
VA-VAAES CARDIO EDEMA GEN LOCATION
VA-VAAES CARDIO EDEMA GEN
VA-VAAES CARDIO EDEMA YES
VA-VAAES CARDIO PERIPH PULSE OTHER
VA-VAAES CARDIO PERIPH INDIVIDUAL
VA-VAAES CARDIO PERIPH ALL 4 EXT 3+
VA-VAAES CARDIO CAP REFILL COMMENT
VA-VAAES CARDIO CAP REFILL INDIVIDUAL
VA-VAAES CARDIO CAP REFILL ALL 4 EXT <3
VA-VAAES CARDIO ASSESS
VA-VAAES NEURO/EXT [C]
VA-VAAES NEURO/EXT ADD COMMENT
VA-VAAES NEURO/EXT ADD UNEVEN TRUNK
VA-VAAES NEURO/EXT ADD UNEQUAL TONE UE
VA-VAAES NEURO/EXT ADD UNEQUAL TONE LE
VA-VAAES NEURO/EXT ADDITIONAL ASSESS
VA-VAAES CARDIO TEMP COMMENTS
VA-VAAES CARDIO-UNEQUAL TEMP LE
VA-VAAES CARDIO-UNEQUAL TEMP UE
VA-VAAES NEURO/EXT TEMPERATURE
VA-VAAES NEURO/EXT SENSATION COMMENTS
VA-VAAES NEURO/EXT SENSATION UNEQUAL LE
VA-VAAES NEURO/EXT SENSATION UNEQUAL UE
VA-VAAES NEURO [C]
VA-VAAES NEURO/EXT SENSATION
VA-VAAES NEURO/EXT STRENGTH COMMENTS
VA-VAAES NEURO/EXT STRENGTH UNEQUAL UE
VA-VAAES NEURO/EXT STRENGTH UNEQUAL LE

VA-VAAES NEURO/EXT STRENGTH UNEQUAL GRIP
VA-VAAES NEURO/EXT STRENGTH
VA-VAAES NEURO/EXT ASSESS
VA-VAAES NEURO RASS UNAROUSABLE
VA-VAAES NEURO RASS DEEP SEDATION
VA-VAAES NEURO RASS MOD SEDATION
VA-VAAES NEURO RASS LIGHT SEDATION
VA-VAAES NEURO RASS DROWSY
VA-VAAES NEURO RASS ALERT/CALM
VA-VAAES NEURO RASS RESTLESS
VA-VAAES NEURO RASS AGITATED
VA-VAAES NEURO RASS VERY AGITATED
VA-VAAES NEURO RASS COMBATIVE
VA-VAAES NEURO RASS
VA-VAAES NEURO ASP
VA-VAAES NEURO-EXCL UNABLE TO ELEV HOB
VA-VAAES NEURO-EXCL NPO
VA-VAAES NEURO-EXCL TRACH
VA-VAAES NEURO-EXCL HEAD/NECK CA
VA-VAAES NEURO EXCL ENTERAL FEEDING
VA-VAAES NEURO EXCL ABNORMAL ORAL
VA-VAAES NEURO EXCL SLURRED SPEECH
VA-VAAES NEURO EXCL POOR VOICE
VA-VAAES NEURO EXCL NO WAKEFULNESS
VA-VAAES NEURO EXCL
VA-VAAES NEURO-ASP ADD NONE
VA-VAAES NEURO-ASP ADD ASP RISK TBI
VA-VAAES NEURO-ASP ADD ASP RISK STROKE
VA-VAAES NEURO-ASP ADD ASP RISK
VA-VAAES NEURO-ASP OTHER
VA-VAAES NEURO-ASP WEAKABSENT GAG REFLEX
VA-VAAES NEURO-ASP WET SOUNDING VOICE
VA-VAAES NEURO-ASP WEAK COUGH
VA-VAAES NEURO-ASP DIFFICULT SWALLOWING
VA-VAAES NEURO-ASP DECREASED ABILITY
VA-VAAES NEURO-ASP COUGH
VA-VAAES NEURO-ASP NONE
VA-VAAES NEURO AB COMMENTS
VA-VAAES NEURO AB UNCOOPERATIVE
VA-VAAES NEURO AB IMPULSIVE
VA-VAAES NEURO AB COMBATIVE
VA-VAAES NEURO AB CALM
VA-VAAES NEURO AB COOPERATIVE
VA-VAAES NEURO AB
VA-VAAES NEURO ORIENTED SITUATION
VA-VAAES NEURO ORIENTED TIME

VA-VAAES NEURO ORIENTED PLACE
VA-VAAES NEURO ORIENTED PERSON
VA-VAAES NEURO ORIENTED X4
VA-VAAES NEURO BEDSIDE SWALLOW FAIL
VA-VAAES NEURO BEDSIDE SWALLOW PASS
VA-VAAES NEURO SPEECH LANG CONSULT
VA-VAAES NEURO SWALLOW SCREEN Q3
VA-VAAES NEURO SWALLOW SCREEN Q2
VA-VAAES NEURO BEDSIDE SWALLOW SCREEN
VA-VAAES NEURO PUPILS
VA-VAAES NEURO GLASGOW TOTAL
VA-VAAES NEURO GLASGOW MOTOR 1
VA-VAAES NEURO GLASGOW MOTOR 2
VA-VAAES NEURO GLASGOW MOTOR 3
VA-VAAES NEURO GLASGOW MOTOR 4
VA-VAAES NEURO GLASGOW MOTOR 5
VA-VAAES NEURO GLASGOW MOTOR 6
VA-VAAES NEURO GLASGOW VERBAL 1
VA-VAAES NEURO GLASGOW VERBAL 2
VA-VAAES NEURO GLASGOW VERBAL 3
VA-VAAES NEURO GLASGOW VERBAL 4
VA-VAAES NEURO GLASGOW VERBAL 5
VA-VAAES NEURO GLASGOW EYE 1
VA-VAAES NEURO GLASGOW EYE 2
VA-VAAES NEURO GLASGOW EYE 3
VA-VAAES NEURO GLASGOW EYE 4
VA-VAAES NEURO GLASGOW
VA-VAAES NEURO FACIAL SYM ASSESS
VA-VAAES NEURO SZE COMMENT
VA-VAAES NEURO SZE DURATION SECONDS
VA-VAAES NEURO SZE DURATION MINUTES
VA-VAAES NEURO SZE POSTIC PHA OTHER
VA-VAAES NEURO SZE POSTIC PHA LETHARGY
VA-VAAES NEURO SZE POSTIC PHA FOCAL DEF
VA-VAAES NEURO SZE POSTIC PHA CONF DISOR
VA-VAAES NEURO SZE POSTIC SPEECH OTHER
VA-VAAES NEURO SZE POSTIC SPEECH SLURRED
VA-VAAES NEURO SZE POSTIC SPEECH REC APH
VA-VAAES NEURO SZE POSTIC SPEECH EXP APH
VA-VAAES NEURO SZE POSTIC SPEECH DYSARTH
VA-VAAES NEURO SZE POSTIC SPEECH CLEAR
VA-VAAES NEURO SZE DESC OTHER
VA-VAAES NEURO SZE DESC STARING
VA-VAAES NEURO SZE DESC MUS TWITCHES
VA-VAAES NEURO SZE DESC MUS STIFF RIGID
VA-VAAES NEURO SZE DESC MUS CON AND REL

VA-VAAES NEURO SZE DESC LOSS OF MUS TONE
VA-VAAES NEURO SZE DESC GEN CONVULSION
VA-VAAES NEURO SZE ASSOC FIND OTHER
VA-VAAES NEURO SZE ASSOC FIND TEETH CLEN
VA-VAAES NEURO SZE ASSOC FIND LOC
VA-VAAES NEURO SZE ASSOC FIND LOSS SPEAK
VA-VAAES NEURO SZE ASSOC FIND INC BLADD
VA-VAAES NEURO SZE ASSOC FIND INC BOWEL
VA-VAAES NEURO SZE ASSOC FIND DROOLING
VA-VAAES NEURO SZE ASSOC FIND DISORIENT
VA-VAAES NEURO SZE EXTRAOC NYSTAGMUS
VA-VAAES NEURO SZE EXTRAOC GAZE RIGHT
VA-VAAES NEURO SZE EXTRAOC GAZE LEFT
VA-VAAES NEURO SZE EXTRAOC EYE ROLL BACK
VA-VAAES NEURO SZE EXTRAOC DYSCON GAZE
VA-VAAES NEURO SZE ONSET OTHER
VA-VAAES NEURO SZE ONSET KNOWN
VA-VAAES NEURO SZE ONSET UNKNOWN
VA-VAAES NEURO SZE AURA PRESENT
VA-VAAES NEURO SZE ASSESS
VA-VAAES NEURO POSTURE
VA-VAAES NEURO SUP FOLLOW COMMANDS
VA-VAAES NEURO CHAR SPEECH/COMMUNICATION
VA-VAAES NEURO SUPPLEMENTAL ASSESS
VA-VAAES NEURO ASSESS
VA-VAAES ID ISO-EDUCATION
VA-VAAES ENVIRON SAFETY MGMT [C]
VA-VAAES ENVIRON SAFETY OTHER ALARM
VA-VAAES ENVIRON SAFETY WANDER ALARM
VA-VAAES ENVIRON SAFETY TOILET ALARM
VA-VAAES ENVIRON SAFETY CHAIR ALARM
VA-VAAES ENVIRON SAFETY BED ALARM
VA-VAAES ENVIRON SAFETY SOC OTHER
VA-VAAES ENVIRON SAFETY PT SPECIFIC
VA-VAAES ENVIRON PSA OTHER
VA-VAAES ENVIRON PSA LPN
VA-VAAES ENVIRON PSA DC
VA-VAAES ENVIRON PSA NUR
VA-VAAES ENVIRON PSA UAP
VA-VAAES ENVIRON PSA
VA-VAAES ENVIRON THERA COMP TYPE LPN
VA-VAAES ENVIRON THERA COMP TYPE OTHER
VA-VAAES ENVIRON THERA COMP TYPE TELECA
VA-VAAES ENVIRON THERA COMP TYPE NUR
VA-VAAES ENVIRON THERA COMP TYPE UAP
VA-VAAES ENVIRON THERA COMP DC

VA-VAAES ENVIRON THERA COMP OTHER
VA-VAAES ENVIRON THERA COMP GEN SAFETY
VA-VAAES ENVIRON THERA COMP ELOPEMENT
VA-VAAES ENVIRON THERA COMP SEVERE AGI
VA-VAAES ENVIRON THERA COMP MED THER
VA-VAAES ENVIRON THERA COMP FALL
VA-VAAES ENVIRON THERA COMP MEN STATUS
VA-VAAES ENVIRON THERA COMP
VA-VAAES ENVIRON SEIZURE
VA-VAAES ENVIRON RESTRAINT
VA-VAAES ENVIRON CLOSE TO NUR STATION
VA-VAAES ENVIRON MOBILITY SUPPORT
VA-VAAES ENVIRON MAT ON FLOOR
VA-VAAES ENVIRON ROUNDING
VA-VAAES ENVIRON CAREGIVER
VA-VAAES ENVIRON SAFETY SOC
VA-VAAES ENVIRON SAFETY ASSESS
ONS PF MORSE FALL SCALE SCORE [C]
ONS PF MORSE FALL SCALE HIGH RISK
ONS PF MORSE FALL SCALE MODERATE RISK
ONS PF MORSE FALL SCALE LOW RISK
VA-VAAES MORSE FALL TIPS [C]
VA-VAAES FALLS TIPS COMMENT
VA-VAAES FALLS TIPS REVIEWED NO
VA-VAAES FALLS TIPS REVIEWED YES
VA-VAAES FALLS TIPS INITIATED NO
VA-VAAES FALLS TIPS INITIATED YES
VA-VAAES MORSE FALL TIPS ASSESS
VA-VAAES PAIN [C]
VA-VAAES PAIN ASSESS PAINAD
VA-VAAES PAIN ASSESS CPOT
VA-VAAES PAIN ASSESS UNABLE TO VERBAL
VA-VAAES PAIN PATTERN ADD INTERMIT
VA-VAAES PAIN PATTERN ADD CONSTANT
VA-VAAES PAIN ADD ALEV OTHER
VA-VAAES PAIN ADD ALEV THERAPEUTIC
VA-VAAES PAIN ADD ALEV POSITION
VA-VAAES PAIN ADD ALEV HEAT
VA-VAAES PAIN ADD ALEV COLD
VA-VAAES PAIN ADD ALEV MED
VA-VAAES PAIN AGG FAC ADD OTHER
VA-VAAES PAIN AGG FAC ADD STRESS
VA-VAAES PAIN AGG FAC ADD TOUCH
VA-VAAES PAIN AGG FAC ADD TEMP
VA-VAAES PAIN AGG FAC ADD POSITIONING
VA-VAAES PAIN AGG FAC ADD IMMOBILITY

VA-VAAES PAIN AGG FAC ADD ACTIVITY
VA-VAAES PAIN SECOND DET SUDDEN
VA-VAAES PAIN ADD DET GRADUAL
VA-VAAES PAIN ADD DETAILED
VA-VAAES PAIN INT ADD OTHER
VA-VAAES PAIN INT ADD THERAPEUTIC
VA-VAAES PAIN INT ADD POSITION
VA-VAAES PAIN INT ADD HEAT
VA-VAAES PAIN INT ADD COLD
VA-VAAES PAIN INT ADD MED
VA-VAAES PAIN ASSESS ADD OTHER
VA-VAAES PAIN ASSESS ADD UNABLE DESC
VA-VAAES PAIN ASSESS ADD NEURO
VA-VAAES PAIN ASSESS ADD MUS/SKE
VA-VAAES PAIN ASSESS ADD CHRONIC
VA-VAAES PAIN ASSESS ADD ACUTE
VA-VAAES PAIN ASSESS ADD
VA-VAAES PAIN PATTERN PRIMARY INTERMIT
VA-VAAES PAIN PATTERN PRIMARY CONSTANT
VA-VAAES PAIN PRIMARY ALEV OTHER
VA-VAAES PAIN PRIMARY ALEV THERAPEUTIC
VA-VAAES PAIN PRIMARY ALEV POSITION
VA-VAAES PAIN PRIMARY ALEV HEAT
VA-VAAES PAIN PRIMARY ALEV COLD
VA-VAAES PAIN PRIMARY ALEV MED
VA-VAAES PAIN AGG FAC PRIMARY OTHER
VA-VAAES PAIN AGG FAC PRIMARY TOUCH
VA-VAAES PAIN AGG FAC PRIMARY TEMP
VA-VAAES PAIN AGG FAC PRIMARY STRESS
VA-VAAES PAIN AGG FAC PRIMARY POSITION
VA-VAAES PAIN AGG FAC PRIMARY IMMOBILITY
VA-VAAES PAIN AGG FAC PRIMARY ACTIVITY
VA-VAAES PAIN PRIMARY DET SUDDEN
VA-VAAES PAIN PRIMARY DET GRADUAL
VA-VAAES PAIN PRIMARY DETAILED
VA-VAAES PAIN INT PRIMARY OTHER
VA-VAAES PAIN INT PRIMARY THERAPEUTIC
VA-VAAES PAIN INT PRIMARY POSITION
VA-VAAES PAIN INT PRIMARY HEAT
VA-VAAES PAIN INT PRIMARY COLD
VA-VAAES PAIN INT PRIMARY MED
VA-VAAES PAIN ASSESS PRIMARY OTHER
VA-VAAES PAIN ASSESS PRIMARY UNABLE DESC
VA-VAAES PAIN ASSESS PRIMARY NEURO
VA-VAAES PAIN ASSESS PRIMARY MUS/SKE
VA-VAAES PAIN ASSESS PRIMARY CHRONIC

VA-VAAES PAIN ASSESS PRIMARY ACUTE
VA-VAAES PAIN ASSESS PRIMARY
VA-VAAES PAIN ASSESS DVPRS SUB STRESS
VA-VAAES PAIN ASSESS DVPRS SUB MOOD
VA-VAAES PAIN ASSESS DVPRS SUB SLEEP
VA-VAAES PAIN ASSESS DVPRS SUP ACT
VA-VAAES PAIN ASSESS DVPRS SUP
VA-VAAES PAIN ASSESS DVPRS
VA-VAAES PAIN ASSESS
VA-VAAES ACUTE INPT NSG SHIFT ASSESSMENT 2.2

REMINDER SPONSOR

OFFICE OF NURSING SERVICE
OFFICE OF MENTAL HEALTH SERVICES
OFFICE OF NURSING INFORMATICS

REMINDER TERM

VA-REMINDER UPDATE_2_0_212
VA-C-SSRS DONE TODAY POSITIVE QUESTION 8
VA-C-SSRS DONE TODAY POSITIVE QUESTION 5
VA-C-SSRS DONE TODAY POSITIVE QUESTION 4
VA-C-SSRS DONE TODAY POSITIVE QUESTION 3
VA-BL C-SSRS DONE TODAY POSITIVE
VA-BL NSG C-SSRS DONE WITHIN 24HRS
VA-BL NSG ADMISSION DATE
VA-VAAES SUBQ ON ADMIT
VA-BL NSG SUBQ ON ADMIT
VA-VAAES MIDLINE DC
VA-VAAES MIDLINE INSERT
VA-BL NSG MIDLINE INSERT
VA-VAAES MIDLINE ON ADMIT
VA-BL NSG MIDLINE ON ADMIT
VA-VAAES CENTRAL LINE#2 DC
VA-VAAES CENTRAL LINE#2 INSERT
VA-BL NSG CENTRAL LINE#2 INSERT
VA-VAAES CENTRAL LINE#2 ON ADMIT
VA-BL NSG CENTRAL LINE#2 ON ADMIT
VA-VAAES CENTRAL LINE#1 DC
VA-VAAES CENTRAL LINE#1 INSERT
VA-BL NSG CENTRAL LINE#1 INSERT
VA-VAAES CENTRAL LINE#1 ON ADMIT
VA-BL NSG CENTRAL LINE#1 ON ADMIT
VA-VAAES PORT INSERT
VA-BL NSG PORT INSERT
VA-VAAES PORT ON ADMIT
VA-BL NSG PORT ON ADMIT
VA-VAAES PICC INSERT
VA-VAAES PICC DC

VA-VAAES PICC POA
VA-BL NSG PICC POA
VA-BL NSG PICC INSERT
VA-VAAES PICC ON ADMIT
VA-BL NSG PICC ON ADMIT
VA-VAAES IV LINE#3
VA-VAAES IV LINE#3 DC
VA-VAAES IV LINE#3 POA
VA-BL NSG PIV #3 INSERT POA
VA-BL NSG PIV #3 INSERT
VA-VAAES IV LINE#2
VA-VAAES IV LINE#2 DC
VA-VAAES IV LINE#2 POA
VA-BL NSG PIV #2 INSERT POA
VA-BL NSG PIV #2 INSERT
VA-VAAES IV LINE#1
VA-VAAES IV LINE#1 DC
VA-VAAES IV LINE#1 POA
VA-BL NSG PIV #1 INSERT POA
VA-BL NSG PIV #1 INSERT
VA-VAAES PIV POA LINES
VA-BL NSG PIV LINES ON ADMIT
VA-NEWS PULSE UNAVAILABLE
VA-NEWS PULSE N/A
VA-NEWS BLOOD PRESSURE UNAVAILABLE
VA-NEWS BLOOD PRESSURE N/A
VA-NEWS TEMPERATURE UNAVAILABLE
VA-NEWS TEMPERATURE N/A
VA-NEWS RESPIRATORY UNAVAILABLE
VA-NEWS RESPIRATORY N/A
VA-NEWS PULSE REFUSED
VA-NEWS BLOOD PRESSURE REFUSED
VA-NEWS TEMPERATURE REFUSED
VA-NEWS RESPIRATORY REFUSED
VA-NEWS PULSE SCORE 3
VA-NEWS PULSE SCORE 2
VA-NEWS PULSE SCORE 1
VA-NEWS PULSE SCORE 0
VA-NEWS BLOOD PRESSURE 3
VA-NEWS BLOOD PRESSURE 2
VA-NEWS BLOOD PRESSURE 1
VA-NEWS BLOOD PRESSURE 0
VA-NEWS TEMPERATURE SCORE 3
VA-NEWS TEMPERATURE SCORE 2
VA-NEWS TEMPERATURE SCORE 1
VA-NEWS TEMPERATURE SCORE 0

VA-NEWS RESPIRATORY SCORE 3
VA-NEWS RESPIRATORY SCORE 2
VA-NEWS RESPIRATORY SCORE 1
VA-NEWS RESPIRATORY SCORE 0
VA-NEWS AVPU U
VA-NEWS AVPU N/A
VA-NEWS AVPU P
VA-NEWS AVPU V
VA-NEWS AVPU A
VA-NEWS SUPPLEMENTAL O2
VA-NEWS O2 SATS
VA-VAAES NSG DRAIN 4
VA-VAAES NSG DRAIN 3
VA-VAAES NSG DRAIN 2
VA-VAAES NSG DRAIN 1
VA-VAAES NSG GI TUBE
VA-BL NSG MORSE FALL

REMINDER DEFINITION

VA-BL C-SSRS DONE TODAY POSITIVE
VA-BL NSG C-SSRS DONE WITHIN 24H
VA-BL NSG URINARY CATH SUPRAPUBIC DC
VA-BL NSG URINARY CATH URETHRAL DC
VA-BL 24 HOURS FROM ADMISSION
VA-BL NSG ID SYMPTOM LOSS TASTE/SMELL
VA-BL NSG ID SYMPTOM MUSCLE PAIN
VA-BL NSG ID SYMPTOM VOMITING
VA-BL NSG ID SYMPTOM SOB
VA-BL NSG ID SYMPTOM COUGH
VA-BL NSG ID SYMPTOM FEVER
VA-BL NSG ID SYMPTOM SORE THROAT
VA-BL NSG ID SYMPTOM RUNNY NOSE
VA-BL NSG ID SYMPTOM NAUSEA
VA-BL NSG ID SYMPTOM HEADACHE
VA-BL NSG ID SYMPTOM FATIGUE
VA-BL NSG ID SYMPTOM DIARRHEA
VA-BL NSG ID SYMPTOMS CHILLS
VA-BL NSG ID EXPOSURE COVID NO
VA-BL NSG ID EXPOSURE TO COVID-19
VA-BL NSG ID EXPOSURE RESP ILLNESS
VA-BL NSG SUBQ ON ADMISSION
VA-BL NSG MIDLINE INSERT
VA-NSG MIDLINE INSERT OBJ
VA-BL NSG MIDLINE ON ADMISSION
VA-BL NSG CENTRAL LINE#2 INSERT
VA-NSG CENTRAL LINE#2 INSERT OBJ

VA-BL NSG CENTRAL LINE#2 ON ADMISSION
VA-BL NSG CENTRAL LINE#1 INSERT
VA-NSG CENTRAL LINE#1 INSERT OBJ
VA-BL NSG CENTRAL LINE#1 ON ADMISSION
VA-BL NSG PORT INSERT
VA-NSG PORT INSERT OBJ
VA-BL NSG PORT ON ADMISSION
VA-BL NSG PICC INSERT POA
VA-NSG PICC POA OBJ
VA-BL NSG PICC INSERT
VA-NSG PICC INSERT OBJ
VA-BL NSG PICC ON ADMISSION
VA-BL NSG PIV #3 INSERT POA
VA-NSG PIV#3 POA OBJ
VA-BL NSG PIV #3 INSERT
VA-NSG PIV#3 OBJ
VA-BL NSG PIV #2 INSERT POA
VA-NSG PIV#2 POA OBJ
VA-BL NSG PIV #2 INSERT
VA-NSG PIV#2 OBJ
VA-BL NSG PIV #1 INSERT POA
VA-NSG PIV#1 POA OBJ
VA-BL NSG PIV #1 INSERT
VA-NSG PIV#1 OBJ
VA-BL NSG PIV LINES ON ADMISSION
VA-BL NEWS VITALS REFUSED/UNAVAILABLE
VA-BL NEWS NO CURRENT VITALS
VA-NEWS AVPU U
VA-NEWS AVPU P
VA-NEWS AVPU V
VA-NEWS AVPU A
VA-BL NSG DRAIN 4 DC
VA-BL NSG DRAIN 3 DC
VA-BL NSG DRAIN 2 DC
VA-BL NSG DRAIN 1 DC
VA-BL NSG GI TUBE DC
VA-NSG MORSE FALL OBJ

HEALTH SUMMARY TYPE

VA-MOBILITY GOAL
HST RN SHIFT CATH
HST PRF MDRO
HST NSG MIDLINE
VA-VAAES ML IV DRESSING CHG
HST CENTRAL LINE 1
VA-VAAES CL#2 IV DRSG CHG
VA-VAAES CL#1 IV DRSG CHG

HST PORT LOCATION
VA-VAAES PORT IV DRSG CHG
HST PICC LOC POA
HST PICC LOC
HST PICC INDICATIONS
VA-VAAES PICC DRSG CHG
HST PERIPHERAL 3 POA
HST PERI 3 LOCATION/GAUGE
HST PERIPHERAL 2 POA
HST PERI 2 LOCATION/GAUGE
HST PERIPHERAL 1 POA
HST PERI 1 LOCATION/GAUGE
HST NSG DRAIN 4 TYPE
HST NSG DRAIN 4
HST DRAIN 3 TYPE
HST DRAIN 3
HST DRAIN 2 TYPE
HST DRAIN 2
HST DRAIN 1 TYPE
HST DRAIN 1
HST NSG MOBILITY ACHIEVED
HST EDUCATION PRE
HST BARRIERS TO LEARNING
HST NSG URINE CATH SUPRAPUBIC
HST NSG URINE CATH URETHRAL
HST NSG GI TUBE TYPE
HST NSG GI TUBE ACTIVITY
HST LAST BM
HST MORSE FALL

HEALTH SUMMARY OBJECTS

VA-CSRE DONE TODAY (TIU)
VA-MOBILITY GOAL (TIU)
HSO NSG URINE CATH SUPRAPUBIC
HSO NSG URINE CATH URETHRAL
HSO PRF MDRO
VA-NSG MIDLINE (TIU)
VAAES ML DRESSING CHG (TIU)
HSO CENTRAL LINE 2
VAAES CL #2 DRSG CHG (TIU)
HSO CENTRAL LINE 1
VAAES CL #1 DRSG CHG (TIU)
VA-NSG PORT (TIU)
VAAES PORT DRSG CHG (TIU)
VA-NSG PICC LOC POA (TIU)
VA-NSG PICC LOC (TIU)

VA-NSG PICC IND (TIU)
VAAES PICC DRESSING CHG (TIU)
HSO PERI 3 POA
HSO PERI 3 LOC
HSO PERI 2 POA
HSO PERI 2 LOC
HSO PERI 1 POA
HSO PERI 1 LOC
HSO NSG DRAIN 4 TYPE
HSO NSG DRAIN 4
HSO DRAIN 3 TYPE
HSO DRAIN 3
HSO DRAIN 2 TYPE
HSO DRAIN 2
HSO DRAIN 1 TYPE
HSO DRAIN 1
HSO NSG MOBILITY ACHIEVED
HSO EDUCATION PREF
HSO BARRIERS TO LEARNING
HSO NSG GI TUBE TYPE
HSO NSG GI TUBE ACTIVITY
HSO LAST BM
HSO MORSE FALL

TIU DOCUMENT DEFINITION

VA-CSRE DONE TODAY
VA-MOBILITY GOAL
VA-NSG URINE CATH SUPRAPUBIC
VA-NSG URINE CATH URETHRAL
VA-NSG PRF MDRO
VA-NSG MIDLINE
VAAES ML DRESSING CHG
VA-NSG CENT LINE 2
VAAES CL #2 DRSG CHG
VA-NSG CENT LINE 1
VAAES CL #1 DRSG CHG
VA-NSG PORT
VAAES PORT DRSG CHG
VA-NSG PICC LOC POA
VA-NSG PICC LOC
VA-NSG PICC IND
VAAES PICC DRESSING CHG
VA-NSG PERI LINE 3 POA
VA-NSG PERI LINE 3
VA-NSG PERI LINE 2 POA
VA-NSG PERI LINE 2

VA-NSG PERI LINE 1 POA
VA-NSG PERI LINE 1
PULSE
BLOOD PRESSURE
TEMPERATURE
RESPIRATION
VA-NSG DRAIN 4 TYPE
VA-NSG DRAIN 4
VA-NSG DRAIN 3 TYPE
VA-NSG DRAIN 3 LOC
VA-NSG DRAIN 2 TYPE
VA-NSG DRAIN 2 LOC
VA-NSG DRAIN 1 TYPE
VA-NSG DRAIN 1 LOC
VA-NSG MOBILITY ACHIEVED
VA-ED LEARNING STYLE
VA-NSG ED BARRIERS
VA-NSG GI TUBE TYPE
VA-NSG GI TUBE ACTIVITY
VA-NSG LAST BM
VA-MORSE FALL MOST RECENT

REMINDER DIALOG

VA-GP AES UPDATE MAY 2021
VA-AES NSG IV INSERT AND MAINTAIN
VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT

Pre-Install

1. **PREREQUISITE:** Update 2_0_195 VAAES SKIN INSPECTION ASSESSMENT Version 3.2 released June 21, 2021 must be installed prior to beginning this install.
2. Print out an inquiry to the following local groups and element utilized within the VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT. Please refer to the inquiries for any local changes. The local groups that may have been locally modified are:
 - VAL-GP NSG NEWS IN NURSING NOTE
 - VAL-GP NSG SA ED STAND ALONE
 - VAL-GP NSG SHIFT INTEGUMENTARY STAND ALONE
 - VAL-GP NSG SHIFT INTEGUMENTARY EMBEDDED
 - VAL-GP NSG HOLDER FOR CRE

The local element that may have been modified is:

- OI-NSG CONSULT SPEECH
- VAL-NSG SA LOCAL EDUCATION NOTE
- VAL-NSG ADM MRDO FLAG INFO
- VAL-NSG ADM CRE PLACEHOLDER FOR ORDER

Install Details

This update is being distributed as a web host file. The address for the host file is:
https://REDACTED/UPDATE_2_0_212.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take an hour at least.

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista

```
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                 LMM  Load MailMan Message
CMM  Create MailMan Message           LR   List Reminder Definitions
DFE  Delete Exchange File Entry       LWH  Load Web Host File
IFE  Install Exchange File Entry      RI   Reminder Definition Inquiry
IH   Installation History              RP   Repack
Select Action: Next Screen// LWH  Load Web Host File
Input the URL for the .prd file: https://[REDACTED]/UPDATE_2_0_212.PRD
```

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

https://REDACTED/UPDATE_2_0_212.PRD

You should see a message at the top of your screen that the file loaded successfully

```
https://[REDACTED] UPDATE_2_0_212.PRD successfully loaded.
```

Search and locate an entry titled **UPDATE_2_0_212 VAAES SHIFT ASSESSMENT BUNDLE** in reminder exchange.

+Item	Entry	Source	Date Packed
169	UPDATE_2_0_212 VAAES SHIFT ASSESSMENT BUNDLE		07/23/2021@05:27
170	UPDATE_2_0_22 VA-GATEWAY TO HEALTHY LIVING		03/08/2017@10:13
171	UPDATE_2_0_22 VA-GATEWAY TO HEALTHY LIVING		04/12/2017@08:24
172	UPDATE_2_0_22 VA-GATEWAY TO HEALTHY LIVING		05/11/2017@14:25
173	UPDATE_2_0_23 VA-NALOXONE USE		10/13/2017@12:09
174	UPDATE_2_0_24 AAA PRIOR		04/19/2017@09:55
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History	RP	Repack
Select Action: Next Screen// IFE Install Exchange File Entry			
Enter a list or range of numbers (1-345): 169			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry

Enter the number that corresponds with your entry **UPDATE_2_0_212 VAAES SHIFT ASSESSMENT BUNDLE** (in this example it is entry 169 it will vary by site). The date of the exchange file should be 07/23/2021.

THIS NEXT STEP IS NEW – PLEASE PAY CLOSE ATTENTION BEFORE YOU INSTALL ALL COMPONENTS, YOU NEED TO **INSTALL SELECT** THE NEW REMINDER SPONSOR ENTRY ONLY (ITEM 1707):

+ Component	Category	Exists
REMINDER SPONSOR		
1705 OFFICE OF NURSING SERVICE		X
1706 OFFICE OF MENTAL HEALTH SERVICES		X
1707 OFFICE OF NURSING INFORMATICS		
REMINDER COMPUTED FINDINGS		
VA-REMINDER DEFINITION		X
VA-FILEMAN DATE		X
VA-IS INPATIENT		X
REMINDER TERM		
1708 VA-REMINDER UPDATE_2_0_212		
1709 VA-C-SSRS DONE TODAY POSITIVE QUESTION 8		X
1710 VA-C-SSRS DONE TODAY POSITIVE QUESTION 5		X
1711 VA-C-SSRS DONE TODAY POSITIVE QUESTION 4		X
1712 VA-C-SSRS DONE TODAY POSITIVE QUESTION 3		X
+ + Next Screen - Prev Screen ?? More Actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// IS Install Selected Component		
Select Component(s): (1-1979): 1707		

Select Action: Next Screen// IS Install Selected Component

Select Component(s): (1-1941): 1707

REMINDER SPONSOR entry OFFICE OF NURSING INFORMATICS is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: /// nstall

You will be returned to this screen, now you can IA to INSTALL ALL.

+	Component	Category	Exists
1704	VA-VAAES ACUTE INPT NSG SHIFT ASSESSMENT 2.2		
REMINDER SPONSOR			
1705	OFFICE OF NURSING SERVICE		X
1706	OFFICE OF MENTAL HEALTH SERVICES		X
1707	OFFICE OF NURSING INFORMATICS		X
REMINDER COMPUTED FINDINGS			
	VA-REMINDER DEFINITION		X
	VA-FILEMAN DATE		X
	VA-IS INPATIENT		X
REMINDER TERM			
1708	VA-REMINDER UPDATE 2_0_212		
1709	VA-C-SSRS DONE TODAY POSITIVE QUESTION 8		X
1710	VA-C-SSRS DONE TODAY POSITIVE QUESTION 5		X
+ + Next Screen - Prev Screen ?? More Actions >>>			
IA	Install all Components	IS	Install Selected Component
Select Action: Next Screen// IA			

At the **Select Action** prompt, type **IA** for Install all Components and hit enter. Select Action: Next Screen// IA Install all Components

You will see several prompts, for all new entries you will choose **I to Install.**

If you are prompted to Overwrite any existing entries, you can choose **O to Overwrite.**

You will be prompted to install the **FIRST** reminder dialog component –

Packed reminder dialog: VA-GP AES UPDATE MAY 2021

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-GP AES UPDATE MAY 2021 Finding: *NONE*	group			
2	5	VA-GP NSG ADM ID Finding: VA-VAAES ID SCREEN (HEALTH FACTOR)	group	X		
3	5.10	VA-GP NSG ADM TRAVEL SCREEN Finding: *NONE*	group	X		
4	5.10.10	VA-GP NSG ADM TRAVEL STATES Finding: *NONE*	group	X		
5	5.10.10.10	VA-GP NSG ADM TRAVEL STATES YES Finding: VA-VAAES ID TRAVEL SCREEN IN USA-YES (HEALTH FACTOR)	group	X		
6	5.10.10.10.10	VA-NSG ADM TRAVEL STATES YES DETAILS Finding: *NONE*	element	X		
7		PXRM COMMENT	prompt	X		
+ + Next Screen - Prev Screen ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Id
DF	Dialog Findings		DU	Dialog Usage	QU	Qt
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// IA						

At the **Select Action** prompt, type **IA** to install the dialog – **VA-GP AES UPDATE MAY 2021**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```

Packed reminder dialog: VA-GP AES UPDATE MAY 2021
VA-GP AES UPDATE MAY 2021 (group) installed from exchange file.
Item Seq. Dialog Findings Type Exists
1 VA-GP AES UPDATE MAY 2021 group X
Finding: *NONE*
2 5 VA-GP NSG ADM ID group X
Finding: VA-VAAES ID SCREEN (HEALTH FACTOR) X
3 5.10 VA-GP NSG ADM TRAVEL SCREEN group X
Finding: *NONE*
4 5.10.10 VA-GP NSG ADM TRAVEL STATES group X
Finding: *NONE*
5 5.10.10.10 VA-GP NSG ADM TRAVEL STATES YES group X
Finding: VA-VAAES ID TRAVEL SCREEN IN USA-YES (HEALTH X
FACTOR)
6 5.10.10.10.10 VA-NSG ADM TRAVEL STATES YES DETAILS element X
Finding: *NONE*
7 PXR COMMENT prompt X
+ + Next Screen - Prev Screen ?? More Actions
DD Dialog Details DT Dialog Text IS Id
DF Dialog Findings DU Dialog Usage QU Qt
DS Dialog Summary IA Install All
Select Action: Next Screen// Q

```

After completing this dialog install, you will type Q.
You will be prompted to install the NEXT reminder dialog component –

```

Packed reminder dialog: VA-AES NSG IV INSERT AND MAINTAIN [NATIONAL DIALOG]
Item Seq. Dialog Findings Type Exists
1 VA-AES NSG IV INSERT AND MAINTAIN dialog X
2 5 VA-NSG IV VERSION element X
Finding: VA-VAAES NSG INSERT & MAINTAIN V2.1 (HEALTH FACTOR) X
3 10 VA-GP NSG IV LINES/TUBES group X
Finding: *NONE*
4 10.10 VA-GP NSG SA L/T PIV group X
Finding: *NONE*
5 10.10.10 VA-GP NSG SA L/T PIV POA group X
Finding: *NONE*
6 10.10.10.10 VA-GP NSG SA L/T PIV POA YES group X
Finding: VA-VAAES PERIPHERAL IV 1 LOCATION POA- Y (HEALTH X
FACTOR)
7 10.10.10.10.10 VA-NSG SA L/T PIV POA YES 1 LOCATION element X
+ + Next Screen - Prev Screen ?? More Actions
DD Dialog Details DT Dialog Text IS Id
DF Dialog Findings DU Dialog Usage QU Qt
DS Dialog Summary IA Install All
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** to install the dialog –**VA-AES NSG IV INSERT AND MAINTAIN**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```

Packed reminder dialog: VA-AES NSG IV INSERT AND MAINTAIN [NATIONAL DIALOG]
VA-AES NSG IV INSERT AND MAINTAIN (reminder dialog) installed from exchange file.
Item Seq. Dialog Findings Type Exists
1 VA-AES NSG IV INSERT AND MAINTAIN dialog X
2 5 VA-NSG IV VERSION element X
  Finding: VA-VAAES NSG INSERT & MAINTAIN V2.1 (HEALTH FACTOR) X
3 10 VA-GP NSG IV LINES/TUBES group X
  Finding: *NONE*
4 10.10 VA-GP NSG SA L/T PIV group X
  Finding: *NONE*
5 10.10.10 VA-GP NSG SA L/T PIV POA group X
  Finding: *NONE*
6 10.10.10.10 VA-GP NSG SA L/T PIV POA YES group X
  Finding: VA-VAAES PERIPHERAL IV 1 LOCATION POA- Y (HEALTH FACTOR) X
7 10.10.10.10.10 VA-NSG SA L/T PIV POA YES 1 LOCATION element X
+ + Next Screen - Prev Screen ?? More Actions
DD Dialog Details DT Dialog Text IS Id
DF Dialog Findings DU Dialog Usage QU Qt
DS Dialog Summary IA Install All
Select Action: Next Screen// Q

```

After completing this dialog install, you will type Q.

You will be prompted to install the NEXT reminder dialog component –

```

Packed reminder dialog: VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT [NATIONAL DIALOG]
Item Seq. Dialog Findings Type Exists
1 VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT dialog X
2 10 VA-GP NSG SHIFT ASSESSMENT MAIN group X
  Finding: VA-VAAES ACUTE INPT NSG SHIFT ASSESS 2.1 (HEALTH FACTOR) X
3 10.10 VA-NSG SHIFT ASSESSMENT VERSION element X
  Finding: *NONE*
4 10.12 VA-NSG SHIFT ASSESSMENT RN ONLY element X
  Finding: *NONE*
5 10.14 VA-GP NSG SHIFT HANDOFF group
  Finding: *NONE*
6 10.14.5 VA-NSG SA HANDOFF element
  Finding: *NONE*
7 10.14.10 VA-NSG SA HANDOFF SAFETY CHECK element
  Finding: *NONE*
+ + Next Screen - Prev Screen ?? More Actions
DD Dialog Details DT Dialog Text IS Id
DF Dialog Findings DU Dialog Usage QU Qt
DS Dialog Summary IA Install All
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** to install the dialog –**VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: Y// **Yes**

```

Packed reminder dialog: VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT [NATIONAL DIALOG]
VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT (reminder dialog) installed from exchange file.
Item  Seq.  Dialog Findings                                     Type  Exists
  1    VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT         dialog  X
  2    10 VA-GP NSG SHIFT ASSESSMENT MAIN                   group   X
      Finding: VA-VAAES ACUTE INPT NSG SHIFT ASSESS 2.1 (HEALTH
      FACTOR)                                             X
  3    10.10 VA-NSG SHIFT ASSESSMENT VERSION               element  X
      Finding: *NONE*
  4    10.12 VA-NSG SHIFT ASSESSMENT RN ONLY              element  X
      Finding: *NONE*
  5    10.14 VA-GP NSG SHIFT HANDOFF                       group   X
      Finding: *NONE*
  6    10.14.5 VA-NSG SA HANDOFF                           element  X
      Finding: *NONE*
  7    10.14.10 VA-NSG SA HANDOFF SAFETY CHECK            element  X
      Finding: *NONE*
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details                                     DT  Dialog Text          IS
DF  Dialog Findings                                    DU  Dialog Usage         QU
DS  Dialog Summary                                     IA  Install All
Select Action: Next Screen// Q

```

After completing this dialog install, you will type Q.

```

+      Component                                     Category  Exists
1704  VA-VAAES ACUTE INPT NSG SHIFT ASSESSMENT 2.2      X

REMINDER SPONSOR
1705  OFFICE OF NURSING SERVICE                        X
1706  OFFICE OF MENTAL HEALTH SERVICES                X
1707  OFFICE OF NURSING INFORMATICS                   X

REMINDER COMPUTED FINDINGS
      VA-REMINDER DEFINITION                          X
      VA-FILEMAN DATE                                  X
      VA-IS INPATIENT                                  X

REMINDER TERM
1708  VA-REMINDER UPDATE_2_0_212                      X
1709  VA-C-SSRS DONE TODAY POSITIVE QUESTION 8        X
1710  VA-C-SSRS DONE TODAY POSITIVE QUESTION 5        X
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
IA  Install all Components                            IS  Install Selected Component
Select Action: Next Screen// Q

```

You will then be returned to this screen. At the Select Action prompt, type Q.

Install complete.

Post Installation

1. **National Early Warning Score (NEWS)** – The National Early Warning Score (NEWS) dialog group **VAL-GP NSG NEWS IN NURSING NOTE** is enabled in the current version 2.2. Education and training has been provided and training material can be found on the REDACTED/ A waiver approval is required prior to disabling the **VAL-GP NSG NEWS IN NURSING NOTE**. **Waiver submission process information can be found in the Standard Operating Procedure (SOP) on REDACTED.**

2. **Refer to the pre-install inquiry for local set up of Patient Education.** If your site is using a stand-alone education note complete the following steps:
 - a. Disable dialog group **VAL-GP NSG SA ED STAND ALONE**. This group contains standardized Education content. If your site is using a local stand-alone education note DISABLE this group.
 - b. Activate element **VAL-NSG SA LOCAL EDUCATION NOTE**. VAL-NSG SA LOCAL EDUCATION NOTE is a placeholder for sites to place instructions reflecting that a separate education note will be used. **Please Note: Do not disable both VAL-NSG SA LOCAL EDUCATION NOTE and VAL-GP NSG SHIFT EDUCATION. At least one needs to remain available to reflect your current process.**

3. **Refer to the pre-install inquiry for local set up of Skin Assessment.** A local dialog group **VAL-GP NSG SHIFT INTEGUMENTARY EMBEDDED**, which is disabled within the **VA-AES INPATIENT ACUTE NSG SHIFT ASSESSMENT** dialog, is available for sites who wish to embed the VAAES Skin Inspection/Assessment content within the VAAES Inpatient Acute Nsg Shift Assessment. Nursing leadership needs to approve. If your site opts to embed the skin assessment content into the shift assessment, you must thoroughly test dialog load times. If load time is greater than 30 seconds, do not embed the Skin Inspection/Assessment dialog. In addition, performance on all acute inpatient units' computers on wheels (COWS) and network connectivity must be verified during testing to ensure that embedding the content has no adverse effect on template performance prior to installing in production.

To embed the Skin Inspection/Assessment into the Shift Assessment:

- c. Disable **VAL-GP NSG SHIFT INTEGUMENTARY STAND ALONE**
 - d. Enable the local dialog group **VAL-GP NSG SHIFT INTEGUMENTARY EMBEDDED** and add the following three items in this order below:
 - i. Element: **VA-VANOD VERSION NUMBER**
 - ii. Group: **VA-VANOD MONITORING AND RISK ASSESSMENT**
 - iii. Group: **VA-VANOD GP INITIAL OR REASSESSMENT**
-
4. **Refer to the pre-install inquiry to OI-NSG CONSULT SPEECH.** Map your local Speech Language Pathology consult quick order (or update text to reflect your local process to **OI-NSG CONSULT SPEECH** element).

5. Refer to the pre-install inquiry for VAL-NSG ADM MDRO FLAG. If your site ***does not*** utilize CWAD postings or PRF for MDRO, disable the element **VAL-NSG ADM MDRO FLAG INFO**.

For sites who utilize a CWAD posting or local Category II Patient Record Flags (PRF) for MRDO, add your local progress note title to the health summary type HST PRF MDRO.

- a) To update the HST PRF MDRO health summary object, navigate to the Health Summary Coordinators Menu and follow the instructions below:

Health Summary Coordinator's Menu

- 1 Print Health Summary Menu ...
- 2 Build Health Summary Type Menu ...
- 3 Set-up Batch Print Locations
- 4 List Batch Health Summary Locations
- 5 CPRS Reports Tab 'Health Summary Types List' Menu ...

Select Health Summary Coordinator's Menu <TEST ACCOUNT> Option: **2**

Build Health Summary Type Menu

- 1 Create/Modify Health Summary Type
- 2 Delete Health Summary Type
- 3 Health Summary Objects Menu ...
- 4 Information Menu ...
- 5 Print Health Summary Menu ...

Select Build Health Summary Type Menu <TEST ACCOUNT> Option: **1**

Create/Modify Health Summary Type

Select Health Summary Type: **HST PRF MDRO**

Hst Prf Mdro (Mdro)

OK? YES// **<ENTER>**

WARNING: You are about to edit a Health Summary Type that is being used

by a Health Summary Object. Changing the structure of this Health Summary

Type will alter how the Object will display.

Do want to continue? NO// **YES**

NAME: HST PRF MDRO// **<ENTER>**

TITLE: MDRO// **<ENTER>**

SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: **<ENTER>**

SUPPRESS SENSITIVE PRINT DATA: NO SSN//**<ENTER>**

LOCK: **<ENTER>**

OWNER: <ENTER>

Do you wish to copy COMPONENTS from an existing Health Summary Type? YES// NO

Select COMPONENT: SPN PROGRESS NOTES SELECTED SPN

SUMMARY ORDER: 5// <ENTER>

OCCURRENCE LIMIT: 2

TIME LIMIT:

HEADER NAME: Selected Prog Notes// <Enter>

No selection items chosen.

Select new items one at a time in the sequence you want them displayed. You may select any number of items.

Select SELECTION ITEM: ****Enter local progress note title here****
For example: INFECTIOUS DISEASE – CLINICAL WARNING

Searching for a TIU DOCUMENT DEFINITION, (pointed-to by SELECTION ITEM)

Searching for a TIU DOCUMENT DEFINITION
INFECTIOUS DISEASE - CLINICAL WARNING TITLE
Std Title: INFECTIOUS DISEASE CLINICAL WARNING
...OK? Yes// (Yes)

- b) Update button to fix spelling error of MRDO to MDRO by editing element VAL-NSG ADM MRDO FLAG INFO

Select Dialog Element Action: E// dit

Dialog Element Type: E// lement

Current dialog element/group name: VAL-NSG ADM MRDO FLAG INFO

Used by: VA-GP NSG ADM ID (Dialog Group)

VAL-GP NSG ADM MRDO FLAG INFO (Dialog Group)

NAME: VAL-NSG ADM MRDO FLAG INFO Replace <Enter>

DISABLE: <Enter>

CLASS: LOCAL// <Enter>

SPONSOR: <Enter>

REVIEW DATE: <Enter>

RESOLUTION TYPE: <Enter>

ORDERABLE ITEM: <Enter>

Finding item: GF VIEW PROGRESS NOTE TEXT

FINDING ITEM: VIEW PROGRESS NOTE TEXT// <Enter>

Additional findings: none <Enter>

Select ADDITIONAL FINDING: <Enter>
DIALOG/PROGRESS NOTE TEXT:
\\

Edit? NO// <Enter>
ALTERNATE PROGRESS NOTE TEXT:
|VA-NSG PRF MDRO|

Edit? NO// <Enter>
EXCLUDE FROM PROGRESS NOTE: YES// <Enter>
SUPPRESS CHECKBOX: SUPPRESS// <Enter>
Select SEQUENCE: 5// <Enter>
SEQUENCE: 5// <Enter>
ADDITIONAL PROMPT/FORCED VALUE: PXRМ GF VIEW BUTTON
//

ОVERRIDE PROMPT CAPTION: View MRDO Progress Note(s) <<Need
to update the MRDO to MDRO

Replace MRDO With MDRO Replace
View MDRO Progress Note(s)
START NEW LINE: <Enter>
EXCLUDE FROM PN TEXT: <Enter>
REQUIRED: ^
Select SEQUENCE: <Enter>
Select BRANCHING LOGIC SEQUENCE: ^
Checking reminder dialog for errors..
NO ERRORS FOUND
Input your edit comments.
Edit? NO//

6. **Refer to Pre-install inquiry for VAL-GP NSG HOLDER FOR CRE.** VAL-GP NSG HOLDER FOR CRE contains standardized content for Carbapenem-resistant Enterobacteriaceae (CRE). This group is DISABLED on install. Please coordinate discussion with your local Infection Control and Prevention Committee regarding the availability of this standard content. Local Infection Control and Prevention Committee determines the need to ENABLE. (optional)
 - a. **VAL-NSG ADM CRE PLACEHOLDER FOR ORDER** - update this local element to reflect your local process for notifying provider of a positive CRE screen. Confirm the local process has been approved by the local Medical Executive Committee before making changes.
7. **VAL-VANOD EL NURSING FEEDBACK TRACKER element to remain disabled until further notice.** VAL-VANOD EL NURSING FEEDBACK

TRACKER is disabled on installation. Do NOT activate upon installation. VAAES templates will be reviewed annually for optimization and an email message will be sent out nationally through HI CoP requesting sites enable the VAL-VANODEL NURSING FEEDBACK TRACKER for field feedback before template revisions begin. However, if there are any question or technical issues, please log a national help desk ticket as discussed in the NOTE below.

[Appendix A](#)

The VA-AES ACUTE INPATIENT NSG SHIFT ASSESSMENT Version 2.2 changes include:

All sections:

- Changed the order of all Left and Right selections to have Right before Left.

Landing Page:

- Added Type of Assessment Section at top with the following three options for selection: Assessment, Reassessment, Additional assessment documentation.
- Removed "Reassessment performed from Reassessment option.
- Eliminated note title header from printing in progress note text.
- New Handoff section added to the landing page.
- National Early Warning Score (NEWS) added to the landing page under Respiratory.
- Additional Assessment Documentation added to the landing page.
- Incisions and Flaps removed from the landing page and moved to Integumentary/Skin/Wound/Ostomy.
- Integumentary/Skin/Wound/Ostomy added to the landing page.
- Functional Independence Measure – Acute Rehab was renamed to Acute Rehab Supplemental and moved to the bottom of the note template.
- Comment box added to the Reassessment documentation.

Handoff:

- Added health factors to the options.
- Added Comment option.

Pain Assessment:

- Conduct Detailed Pain Assessment, Primary Pain Aggravating Factors.
 - Changed Positioning to Position.
 - Conduct Detailed Pain Assessment, Additional Location Aggravating Factors.
 - Changed Positioning to Position.
- Added health factors to the Primary Pain Alleviating Factors under Primary Pain Assessment, Conduct Detailed Pain Assessment.
- Removed extra Pain Assessment header.
- Spelled out Defense & Veterans Pain Rating Scale (DVPRS).

Morse Fall Assessment:

- Changed the Health Summary to only pull in the last three days.
- Moved TIPS Tool link under Fall Tailoring Interventions for Patient Safety instead of at the bottom of this section.
- Removed the duplicate header above the Perform Morse Fall Scale button.
- Added a check box in front of Fall Tailoring Interventions for Patient Safety (TIPS).

Environmental Safety Management:

- Added a Supplemental Environmental Safety Management Section with the Suicide Screen (C-SSRS).
- Additional safety measures:
 - Added Alarms for Bed, Chair, Toilet, Wander and Other.
 - Added a comment box for Restraint alternatives.
- Isolation Type:
 - Added a reference button for Reference for Isolation Type box.
 - Added links to CDC Travel Health Notices and CDC Travelers' Health.
- Removed reference text before Isolation Type button.
- Additional Safety Measures options placed in alphabetical order.
- Changed button title verbiage from "Reference for Isolation Type" to "View Symptoms and Precautions".
- Spelled out C-SSRS - Suicide Screen - Columbia Suicide Severity Rating Scale (C-SSRS).
- Removed "If Positive" section and replaced with C-SSRS results section with Positive and Negative options.

Neurological

- Neurological-Aspiration Risk Assessment, Exclusion Criteria
 - Removed "new" from Tracheostomy tube and added Unable to elevate head of bed.
- Bedside Swallow Screen:
 - Swallow Screen Q2 and Q3, Yes, answered in question 1 or 2 above. Place consult to Speech Language Pathology and make NPO – Removed option below to Click here to order Speech Language Pathology Consult. Option is now at the end of the swallowing to place this order.
 - Under Proceed to Question 3, Yes answered in question 3 above. Place consult to Speech Language Pathology and make NPO – Removed option below to Click here to order Speech Language Pathology Consult. Option is now at the end of the swallowing to place this order.
 - Added Bedside Swallow Screen Results with Pass/Fail options.
 - Enter consult to Speech Language Pathology to conduct Swallow Test was removed which opened to Click here to order Speech Language Pathology Consult. Option is now to Click here to order Speech Language Pathology Consult at the end of the swallowing screen instead of with every option.

- Supplemental Neurological Assessment:
 - Added Glasgow Coma Scale.
 - Added Pupils.
- Added separate Seizure duration – Minutes/Seconds options.
- Under Supplemental Neurological Assessment, Pupils – Right placed first then left.
- Under Supplemental Neurological Assessment, Facial symmetry – Right placed first, then left.
- Under Richmond Agitation Sedation Scale (RASS) – spelled out greater than and less than.
- Bed Swallowing Screen Exclusion Criteria updated health factor name attached to Tracheostomy tube to VA-VAAES NEURO-EXCL TRACH.

Neuromuscular/Neurovascular Extremities Assessment:

- Supplemental Extremity Assessment: added a Comment with a free text field at the bottom.
- Right is listed to come first then left in all unequal options.

Cardiovascular:

- Under Edema, Yes, Pitting edema
 - Measurement, 4+, spelled Greater out rather than > symbol.
 - Additional location, Measurement, 4+, spelled Greater out rather than > symbol.
- Heart Rate/Rhythm (without cardiac monitor) Listed Regular, Irregular, Bradycardia, Tachycardia in vertical list instead of horizontal list.
- Cardiac Rhythm Analysis, Paced, changed options to the following:
 - Atrial paced
 - Ventricular paced
 - Atrioventricular paced
 - ICD override pacing:
 - Atrial
 - Ventricular
 - Demand
 - Fixed
 - Sensing appropriately
 - Capturing appropriately
 - Not capturing appropriately
 - Not sensing appropriately
- Ventricular rhythm, added options for the following:
 - Polymorphic
 - Monomorphic
 - ICD Defibrillation:
 - Appropriately not firing
 - Firing appropriately
 - Firing inappropriately
 - Not firing when indicated: Comment with free text box.
- Cardiovascular – Embolism Prevention:
 - Graduated compression stockings:

- Listed Knee high and Thigh high separately.
- Listed options vertical instead of horizontal with the addition of a comment with free text box with each section.
- Removed the option for Compression stocking height: Knee high and Thigh high.
- Sequential Compression Device (SCD):
 - Listed Foot, Knee high and Thigh high separately.
 - Listed options vertical instead of horizontal with the addition of a comment with free text box with each section.
 - Removed Sequential Compression Device: Foot, Knee high and Thigh high.
- Supplemental Cardiovascular:
 - Added Pacemaker (new or temporary):
 - Permanent (new) content added.
 - Temporary Pacemaker: Epicardial pacing wires: (this had its own subheading in previous template – moved under temporary pacemaker).
 - Added Ventricular Assist Device.
 - Added a Comment with free text box to section.
- Cardiac Rhythm Analysis order changed to match Cerner.
- Added Rhythm Strip measurements to the Cardiac Rhythm Analysis section.

Respiratory:

- Pulled Unplanned vent circuit disconnection from under Vent bundle
 - Added check box in front of selection
 - Added text box and updated health factor
- Added Spontaneous Awakening and Breathing Trials to Vent bundle
- Breath sounds, Document individual lobes: drop down boxes added for each lobe with Primary and Secondary options.
- Cough: Removed the Comment section at the bottom.
- Sputum:
 - Color – added Other with free text box option.
 - Consistency – removed Other and free text box.
- Supplemental Oxygen Therapy: Removed Patient on supplemental oxygen: Yes/No options.
- Supplemental Respiratory: Added Continuous pulse oximetry.
- Incentive Spirometry: Added 3 Ball Model Guidance reference text button.
- CPAP/BIPAP: Added Settings with free text box
- Ventilator Bundle: Weaning Reasoning removed.
- Tracheostomy: Updated Safety Measures implemented with the following options:
 - Resuscitation device at bedside
 - Spare airway at bedside
 - Suction set up at bedside
 - Other: free text box
- Chest Tube: Listed Type, Dressing and Drainage in vertical lists instead of horizontal lists.

- Added specific measurements (ml, %, BPM, cmH20) to ventilator settings.
- Added "No drainage" as the first selection under Tracheostomy Site Drainage Description.
- Laryngectomy options changed to alphabetical order.
- Supplemental Respiratory choices changed to alphabetical order.
- Changed Document Individual lobes to be Right and then left options.

National Early Warning Score (NEWS):

- Removed "Click here for" from News Scoring Information button
- Added actual pulse oximetry reading

Gastrointestinal:

- Content indented under Gastrointestinal header.
- Stool, Liquid: Reference text added for guidance on C-diff screen if more than 3 liquid bowel movements in the last 24 hours.
- Amount listed options vertical instead of horizontal.
- Elimination: Added Ostomy as option.
- Supplemental Gastrointestinal:
 - Bowel management status: changed options to the following:
 - Independent
 - Minimal assist
 - Moderate assist
 - Maximal assist
 - Dependent
- Bowel Management Tolerance selections placed in alphabetical order with Well tolerated as first selection.
- GI Tubes: Added Activity section.
 - Health Summaries are now available for GI tubes.
 - Type: added Right and Left Nare to the following:
 - Nasogastric
 - Small bore pre pyloric
 - Small bore post pyloric
- Tube Feeding Type: Free text box was added.
- Ostomy removed (contained within the Skin Inspection note title).
- Suction and Non-suction selections listed vertically instead of horizontally.
- Change the time and date element in Last Bowel Movement.
- Bowel sounds, document individual quadrants, change order to have Right then Left.
- GI Motility Intervention list changed to vertical list from horizontal.
- Bowel Management Location list changed to vertical list from horizontal.
- Bowel Management Tolerance list changed to vertical list from horizontal.
- Bowel Management Tolerance list changed to vertical list from horizontal.

Genitourinary:

- Health Summaries are now available for urinary catheters.
- Updated Health Summary to indicate "Insertion" in the naming convention.

- Urinary Catheter Assessment section update to include: Type: Urethral and Suprapubic choices.
- Under Urinary Catheter Indwelling > Insertion > Urethral – Dual balloon and 2nd balloon inflation options added.
- Under Nephrostomy order changed to right then left
- Urinary Catheter Care Site Condition section listed vertically instead of horizontally
- Genitalia Assessment / Menses selection added under GU Supplemental
- Dialysis selections placed in alphabetical order with comments as last selection
- Under Indwelling > Insertion > Urethral – Dual balloon and 2nd balloon inflation options added
- Urinary Catheter Care Site Condition section listed vertically instead of horizontally
- Discontinue in Urinary catheter was updated to include Urethral and Suprapubic
- Urinary Catheter, Indwelling Assessment Catheter secured, changed order Right first then Left

Activities of Daily Living:

- Oral Care, Oral Mucositis Scale options changed from multi-select to single select

Mobility

- Under Equipment Utilized, Wheelchair, order changed to Manual then Power
- Added new HF to Johns Hopkins Highest Level of Mobility Achieved and a Health Summary to pull information into the Shift Assessment to display for Nursing to see what the patient level of achievement documented in Frequent Documentation.
- Added new Mobilization in minutes and distance.
- Under Mobilization Tolerance, put a check box to line up with that item to say time up in chair (minutes): Free text box.
- Alphabetized equipment utilized under independent.
- Added “other” with free text box under Wheelchair.

Drains and Tubes:

- Added a fourth drain/tube option.
- Added dressing activity section to each drain/tube option.
- Remove “dressing” from dressing intact.
- Change to Drainage present (removed site from site drainage present).

Psychosocial:

- Selections order changed to alphabetical with 1:1 discussion and Family conference as first two selections
- Updated selections verbiage moving “discussed” to after each option and updated order (most frequent selection first then alphabetized selections below) under “Type of Emotional Support Provided”

Equipment and Devices:

- Special Orthopedic Devices section added.

- Under Special Orthopedic Devices – Current status: Patient declining changed to Patient declined.
- Updated Voice and Hearing Devices to better match response of “Patient able to utilize appropriately” – Independent, Assistance, Total Assistance, Other (free text box).

Adult Education:

- Health factor added to choose None evident under Barriers to Learning and added to Health Summary.
- Removed check box in front of “if standalone NOT being utilized click here:
- Added ++ Do not complete this section if using local facility education note ++ reference text.
- Remove "click here to" from “update to barriers to learning” and “update patient’s learning style”.
- Correct spelling of “receive”.

Acute Rehab Supplemental:

- Added check box in front of FIM section.
- Safe Self-Medication Abilities section added.
- Removed individual check boxes in front of Cognitive Ability: Cognitive deficit for safe self-med: Yes section
- Correct spelling of “notified”
- Removed the word complete from “Pill count correct”

The VA-AES NSG IV INSERTION & MAINTENANCE Version 2.2 changes include:

- Added Needleless Connectors Replaced under (PIV, PICC, PORT, Central Line, Midline)
- Added reason for discontinuation for Peripheral Lines.
- Displayed text in progress note now shows in note template for Prep Instructions in PICC, Central Line, and Midline
- Added selections in Insertion Prep for PICC, Central Line, and Midline
 - Scrubbed with chlorhexidine
 - Scrubbed with other antimicrobial
 - Other
- Added Vessel Diameter to Insertion for PICC, Central Line, and Midline
- Added Malposition as a new selection in Reason for Discontinuation for PICC, Central Line, and Midline
- Health Summaries are now available on the insertions of Peripheral IV, PICC, Port, Central, Midlines.
- Health Summaries are now available for the last dressing change on PICC, Port, Central, Midline.
- Addition of who Informed Consent was obtained from in line PICC, Central Line, Midline insertions.
- Addition of staff present and witnessing the Time out Procedure in PICC, Central Line and Midline insertions.
- Lidocaine documentation now available for Insertion Preparation on PICC, Central Line and Midlines

- Sterile gloves added to the Insertion Preparation documentation for PICC, Central Lines and Midline.
- Displayed text in progress note now shows in note template for Procedure explained to patient in PICC, Central Line and Midlines.
- Added Comment box under PICC Insertion Procedure explained to patient for additional information.
- A text box for Brand was added on PICC and Midline line insertion.
- Post insertion documentation along with Unexpected Outcomes are now available on PICC, Central and Midline insertions.
- Antimicrobial caps replaced is now an option in line assessments for PICC, Port, Central Lines, Midline with Health Factors included.
- Declotting clearance and outcome documentation included for PICC, Port, Central Lines, Midlines as well as Health Factors to each of these items.
- Added length removed (cm) to the Discontinuation – catheter tip intact under PICC, Central Lines and Midlines.
- Changed wording on external catheter length measuring from hub to external catheter length (cm) measuring/markings to skin exit on Insertion and Assessment for PICC.
- Added Catheter tip location under PICC, Central line Insertion – Confirmation Method as well as an option for No immediate complications or unexpected events.
- Added inches to Huber needles size and length under Port.
- Catheter tip location was added under Port and Midline documentation.
- Added French to the Size in Central Lines Insertion documentation.
- Removed the Central Line access types. This is available in Lumens/Types.
- Confirmation of placement released for use was added to the Central Line insertion documentation.
- Moved the check box on Insertion Aids for Midlines to the front.
- Changed wording on external catheter length measuring from hub to external catheter length (cm) measuring/markings to skin exit on Assessment for Midline.
- Added Educational Handout Provided on Catheter-Associated Bloodstream Infections Frequently Asked Questions to Midline Insertion section.
- Added reason for discontinuation for Peripheral Lines.
- Displayed text in progress note now shows in note template for Prep Instructions in PICC, Central Line, and Midline.
- Added selections in Insertion Prep for PICC, Central Line, and Midline:
 - Scrubbed with chlorhexidine
 - Scrubbed with other antimicrobial
 - Other
- Added Vessel Diameter to Insertion for PICC, Central Line, and Midline.
- Added Malposition as a new selection in Reason for Discontinuation for PICC, Central Line, and Midline.

The enhancements to the VA-AES NSG FREQUENT DOCUMENTATION:
Genitourinary:

- Updated Health Summary to indicate “Insertion” in the naming convention
- Added Assessment section to Indwelling Catheter
- Under Indwelling > Insertion > Urethral – Dual balloon and 2nd balloon inflation options added.
- Discontinue in Urinary catheter was updated to include Urethral and Suprapubic
- Update Elimination and Color/Characteristics.
- Under Initial bladder Volume and Urine voided moved (ml) before text box.

Incentive Spirometry Section

- 3 Ball Model Guidance information button added.

Activity Mobility Section

- Under Mobilization Tolerance, put a check box to line up with that item to say time up in chair (minutes): Free text box.
- Added new Mobilization in minutes and distance.
- Added new HF to Johns Hopkins Highest Level of Mobility Achieved and a Health Summary to pull information into the Shift Assessment to display for Nursing to see what the patient level of achievement documented in Frequent Documentation.

The VA-AES ACUTE INPATIENT NSG ADMISSION dialog changes include:

Infectious Disease:

- COVID-19 symptoms, close contact triage questions, and branching logic were added to automatically check any symptoms that were documented in a previous COVID-19 Screen completed within the last 24 hours.
- View MDRO Flags button changed to read View MDRO Progress Note(s). This change allows mapping of CWAD notes for sites using CWAD instead of Category II MDRO PRFs.

Suicide Screen:

- Updated Header to display Suicide Screen instead of Suicide.
- Removed “If Positive” section and replaced with C-SSRS Results section.

The VAAES SKIN INSPECTION/ASSESSMENT dialog changes include:

- Added individual HF to Medical Device selections for each instance of multiple PI and Wounds.

MED DEVICE PI DEEP TISSUE FIFTH
 MED DEVICE PI DEEP TISSUE FOURTH
 MED DEVICE PI DEEP TISSUE SECOND
 MED DEVICE PI DEEP TISSUE THIRD
 MED DEVICE PI MUCOSAL MEMBRANE FIFTH
 MED DEVICE PI MUCOSAL MEMBRANE
 FOURTH
 MED DEVICE PI MUCOSAL MEMBRANE
 SECOND
 MED DEVICE PI MUCOSAL MEMBRANE THIRD
 MED DEVICE PI STAGE 1 FIFTH
 MED DEVICE PI STAGE 1 FOURTH
 MED DEVICE PI STAGE 1 SECOND

MED DEVICE PI STAGE 1 THIRD
MED DEVICE PI STAGE 2 FIFTH
MED DEVICE PI STAGE 2 FOURTH
MED DEVICE PI STAGE 2 SECOND
MED DEVICE PI STAGE 2 THIRD
MED DEVICE PI STAGE 3 FIFTH
MED DEVICE PI STAGE 3 FOURTH
MED DEVICE PI STAGE 3 SECOND
MED DEVICE PI STAGE 3 THIRD
MED DEVICE PI STAGE 4 FIFTH
MED DEVICE PI STAGE 4 FOURTH
MED DEVICE PI STAGE 4 SECOND
MED DEVICE PI STAGE 4 THIRD
MED DEVICE PI UNSTAGEABLE FIFTH
MED DEVICE PI UNSTAGEABLE FOURTH
MED DEVICE PI UNSTAGEABLE SECOND
MED DEVICE PI UNSTAGEABLE THIRD