



Update _2_0_222

Clinical Reminders

VA-OEND REMINDER

Install Guide

November 2021

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION 1
PRE-INSTALL 10
INSTALL DETAILS 11
INSTALL EXAMPLE 11
POST INSTALLATION 18

Introduction

This update contains several components to support standardized Opioid Overdose Education and Naloxone Distribution (OEND), including OEND to a highly vulnerable patient population, patients with Opioid Use Disorder (OUD). The new VA-NALOXONE PRESCRIBING reminder dialog was developed in response to field requests for a streamlined note that included health factors to identify patients who declined naloxone or obtained it outside of VA. The VA-NALOXONE OFFER PRESCRIPTION cover sheet reminder and two Clinical Reminder Order Checks (see below) were developed to support implementation of a February 24, 2021 VA memorandum to increase naloxone distribution to Veterans with OUD, including documentation and tracking of whether a patient declines naloxone or obtains it outside of VA.

1. A new cover sheet reminder VA-NALOXONE OFFER PRESCRIPTION to provide education and offer naloxone to patients with Opioid Use Disorder (OUD) and no naloxone in the past 335 days.

This reminder will come due to indicate that a naloxone prescription is needed

This reminder will come due for any patient that has had:

One or more outpatient OUD encounter diagnosis in the past two years

-OR-

one or more inpatient diagnosis in the past year.

-AND-

No naloxone ordered in the past 335 days

It will be resolved by:

a released outpatient prescription for naloxone

or

documentation of a NON-VA prescription started within the past year for naloxone.

A VA outpatient naloxone order will resolve for 14 days.

Two separate documentation of “patient declined naloxone prescription” will resolve for 3 months.

Documentation that the patient “Has current naloxone prescription” will resolve for 6 months.

Documentation of “Other” will resolve for 6 months.

Documentation of “Provider notified of request for naloxone prescription” will resolve for 14 days.

2. **A new reminder dialog template VA-NALOXONE PRESCRIBING** - that can be linked to a note title or a shared template and used to document education and offer of a naloxone prescription to a patient.

This national note is meant to support standardized Opioid Overdose Education and Naloxone Distribution (OEND). Naloxone prescribing should include critical education on opioid overdose prevention, recognition, and response.

3. **Two new order checks.**

- a. PATIENT HAS DIAGNOSIS within the past year of OUD, no active naloxone prescription within the last year and an order is placed for a medication that is used to treat OUD (like Buprenorphine)

Order Checking

|(1 of 1) MEDICATION FOR OPIOID USE DISORDER

ACTION: Strongly consider prescribing naloxone

Use the NALOXONE PRESCRIBING progress note -OR- the OFFER NALOXONE PRESCRIPTION reminder (Check Due/Applicable Sections) to document overdose education and to order naloxone

RATIONALE: Patient being prescribed a med for OUD -AND- no naloxone ordered in the previous 335 days.

- b. Patient has a diagnosis within the past year of OUD and no active naloxone prescription within the last year and an order is placed for an opioid:

Order Checking

|(1 of 1) NALOXONE RECOMMENDED FOR OPIOID USE DISORDER

ACTION: Strongly consider prescribing naloxone

Use the NALOXONE PRESCRIBING progress note -OR- the OFFER NALOXONE PRESCRIPTION reminder (Check Due/Applicable Sections) to document overdose education and to order naloxone

RATIONALE: Patient being prescribed an opioid, has a history of OUD -AND- no naloxone ordered in the previous 335 days.

4. An update to the education and naloxone ordering options in the existing reminder dialogs, VA-NALOXONE USE, VA-NALOXONE TREATMENT PROVIDER, VA-OSP SUICIDE SAFETY PLAN and VA-OSP SBOR NOTE.
 - a. The specific changes that have been made to the existing templates are:
 - The education section has been updated to be consistent with the new options.
 - Additional Risk Factors were added
 - Additional resources and hyperlinks were added to the existing risk factors

UPDATE_2_0_222 contains 1 Reminder Exchange entry:
UPDATE_2_0_222 VA-OEND REMINDER

The exchange file contains the following components:

TIU TEMPLATE FIELD

VA-OPIOID TAPER
VA-OSP SAFETY PLANNING RESOURCES
VA-OSP STOP BENZO
VA-OSP BENZO RISK
VA-OSP FIN ASSIST
VA-OSP FAMILY SUPPORT
VA-OSP PTSD COACH
VA-OSP ANGER MANAGE
VA-OSP MH MOBILE
VA-OSP CG SUPPORT
VA-OSP HOMELESS VA PROG
VA-OSP HOMELESS CALL
VA-OSP HOMELESS RESOURCE
VA-OSP HIV RESOURCE
VA-OSP HIV KIT
VA-OSP HIV INFO
VA-OSP PAIN INFO
VA-OSP OPIOID RISK TOOL
VA-OSP SAFE OPIOID USE
VA-OSP STOP OPIOIDS
VA-OSP FENT INFO
VA-OSP INSOMNIA
VA-OSP DEPRESSION
VA-OSP BENZO
VA-OSP ADR
VA-OSP EBP
VA-OSP PTSD GUIDE
VA-OSP MDD GUIDE
VA-OSP SUICIDE GUIDE
VA-OSP VA MH GUIDE

VA-OSP INJ RESOURCE
VA-OSP CLIN GUIDE
VA-OSP OUD QRG
VA-OSP TOPIRAMATE
VA-OSP NALTREXONE
VA-OSP GABAPENTIN
VA-OSP DISULFIRAM
VA-OSP ACAMPROSATE
VA-OSP AUD MED
VA-OSP BRIEF HANDOUT
VA-OSP AUD PROV GUIDE
VA-OSP AUD REF GUIDE
VA-OSP MARIJUANA USE
VA-OSP VA SUD GUIDE
VA-OSP STAB POCKET CARD
VA-OSP TOBACCO RESOURCES
VA-OSP SUD POCKET CARD
VA-NALOXONE OTRR LINK
VA-NALOXONE STORM LINK
VA-OPIOID NALOXONE AUTO
VA-OPIOID NALOXONE NASAL
VA-OPIOID INTRO TO NALOXONE DISORDER
VA-OPIOID INTRO TO NALOXONE PRESCRIBE
VA-NALOXONE PATIENT GUIDE
VA-OSP OEND SHAREPOINT
VA-WORDR
VA-OSP LEGAL INFO
VA-OSP PAIN GUIDE

HEALTH FACTORS

VA-REMINDER UPDATES [C]
VA-UPDATE_2_0_222
VA-NALOXONE [C]
VA-OVERDOSE ABSTINENCE RF-DISCUSS RISK
VA-OVERDOSE RISK FACTOR PRIOR ABSTINENCE
VA-OVERDOSE OPIOID TAPER RF-DISCUSS RISK
VA-OVERDOSE RISK FACTOR OPIOID TAPERING
VA-OVERDOSE PREV OD RF-COMPLETE SAFETY PLANNING
VA-OVERDOSE PREV OD RF-DISCUSS PT SAFETY
VA-OVERDOSE RISK FACTOR PRIOR OVERDOSE
VA-OVERDOSE SEDATIVE RF-DISCUSS TAPER
VA-OVERDOSE SEDATIVE RF-DISCUSS ALT TX
VA-OVERDOSE SEDATIVE RF-DISCUSS RISKS
VA-OVERDOSE RISK FACTOR SEDATIVES
VA-OVERDOSE RISK FACTOR OTHER
VA-OVERDOSE FINANCE RF - PROVIDE FIN ASSIST INFO

VA-OVERDOSE RISK FACTOR FINANCE
VA-OVERDOSE FAMILY RF - PROVIDE CG INFO
VA-OVERDOSE FAMILY RF - ASSESS FOR STRESSORS
VA-OVERDOSE RISK FACTOR FAMILY
VA-OVERDOSE HOMELESS RF - PROVIDED INFO
VA-OVERDOSE RISK FACTOR HOMELESS
VA-OVERDOSE HIV RF - PATIENT DECLINES REFERRAL
VA-OVERDOSE HIV RF-REFERRAL
VA-OVERDOSE HIV RF-PROVIDED INFO
VA-OVERDOSE HIV RF-ADDRESSED IN TREATMENT PLAN
VA-OVERDOSE RISK FACTOR HIV
VA-OVERDOSE MEDICAL RF-REFERRAL PLACED
VA-OVERDOSE RISK FACTOR ED
VA-OVERDOSE RISK FACTOR FALLS
VA-OVERDOSE MEDICAL RF-ADDRESSED IN TREATMENT PLAN
VA-OVERDOSE RISK FACTOR MEDICAL
VA-OVERDOSE DUAL OPI RX RF-OTHER
VA-OVERDOSE DUAL OPI RX RF-SLOW TAPER
VA-OVERDOSE DUAL OPI RX RF-CHANGE RX TX
VA-OVERDOSE DUAL OPI RX RF-REVIEWCONSENT
VA-OVERDOSE DUAL OPI RX RF-NO TX CHANGE
VA-OVERDOSE DUAL OPI RX RF-NONOPIOID TX
VA-OVERDOSE DUAL OPI RX RF-CARE COORD
VA-OVERDOSE DUAL OPI RX RF-ALT STRATEGY
VA-OVERDOSE DUAL OPI RX RF-DISCUSS RISK
VA-OPIOID SOURCE VA AND NON VA
VA-OVERDOSE NONVA OPI RX RF-NONOPIOID TX
VA-OVERDOSE NONVA OPI RX RF-CARE COORD
VA-OVERDOSE NONVA OPI RX RF-ALT STRATEGY
VA-OVERDOSE NONVA OPI RX RF-DISCUSS RISK
VA-OPIOID SOURCE NON VA
VA-OVERDOSE VA OPIOID RX RF-ALT STRATEGY
VA-OVERDOSE VA OPIOID RX RF-REVIEW CONSENT
VA-OVERDOSE VA OPIOID RX RF-OTHER
VA-OVERDOSE VA OPIOID RX RF-SLOW TAPER
VA-OVERDOSE VA OPIOID RX RF-CHANGE RX TX
VA-OVERDOSE VA OPIOID RX RF-NO TX CHANGE
VA-OVERDOSE VA OPIOID RX RF-NONOPIOID TX
VA-OVERDOSE VA OPIOID RX RF-DISCUSS RISK
VA-OPIOID SOURCE VA
VA-OVERDOSE RISK FACTOR PRE OPIOIDS
VA-OVERDOSE SUD RF-PROVIDE MED INFO
VA-OVERDOSE NONRX OPIOID RF-DISCUSS RISK
VA-OVERDOSE RISK FACTOR NON PRE OPIOIDS
VA-OVERDOSE MH RF-PT DECLINES MH TX
VA-OVERDOSE MH RF-MH TX REFERRAL

VA-OVERDOSE MH RF-MH ADDRESSED
VA-OVERDOSE RISK FACTOR MENTAL HEALTH
VA-OVERDOSE SUD RF-OFFER SUD TREATMENT
VA-OVERDOSE SUD RF-INJECTION DRUG USE
VA-OVERDOSE SUD RF-ASSESS FOR SUD
VA-OVERDOSE SUD RF-ILLICIT SUBSTANCE USE
VA-OVERDOSE SUD RF-OFFER AUD TREATMENT
VA-OVERDOSE SUD RF-ALCOHOL USE
VA-OVERDOSE PATIENT DECLINES SUD TREAT
VA-OVERDOSE SUD RF-SUD TX REFERRAL
VA-OVERDOSE SUD RF-SUD ADDRESSED
VA-OVERDOSE RISK FACTOR SUD
VA-NALOXONE RISK FACTORS
VA-NALOXONE ED-TEACH BACK
VA-NALOXONE RESOURCES-OTHER
VA-NALOXONE VIDEO-AUTO-INJECTOR
VA-NALOXONE VIDEO-SPRAY
VA-NALOXONE VIDEO-OD
VA-NALOXONE VIDEO-RX OPIOIDS
VA-NALOXONE ED TO CAREGIVER OR OTHER
VA-NALOXONE ED TO PATIENT
VA-SUICIDE SAFETY PLAN [C]
VA-SP OPIOID DISCUSSION YES
VA-SP OPIOID DISCUSSION NO
VA-NALOXONE RX OTHER
VA-HAS NALOXONE RX
VA-PATIENT DECLINED NALOXONE
VA-NALOXONE RX REQUEST PROVIDER NOTIFIED
VA-NALOXONE RX ORDERED
VA-SP OPIOID ACCESS YES
VA-SUICIDE BEHAVIOR AND OVERDOSE REPORT [C]
VA-NALOXONE NEED UNKNOWN
VA-NALOXONE NOT INDICATED
VA-OVERDOSE REFERRAL INFECTIOUS DISEASE
VA-OVERDOSE REFERRAL SOCIAL WORK
VA-SBOR OD REFERRAL DECLINED
VA-SBOR OD REFERRAL NONE
VA-SBOR OD REFERRAL OTHER
VA-SBOR OD REFERRAL PAIN
VA-SBOR OD REFERRAL SUD
VA-SBOR OD REFERRAL PCMH/MH
VA-SBOR OD REFERRAL PCP
VA-SBOR OD IMMEDIATE CARE NEED NO
VA-SBOR OD IMMEDIATE CARE NEED OTHER
VA-SBOR OD IMMEDIATE CARE NEED ED
VA-SBOR OD IMMEDIATE CARE NEED PCMH

VA-SBOR OD IMMEDIATE CARE NEED YES
VA-SBOR OVERDOSE TREATMENT PLAN
VA-OVERDOSE JUSTICE RF - CONSULT WITH VJO SPECIALIST
VA-OVERDOSE JUSTICE RF - PROVIDE LEGAL INFO
VA-OVERDOSE JUSTICE RF - DISCUSS STRESSORS
VA-OVERDOSE UNMET PAIN RF-PROVIDE PAIN INFO GUIDE
VA-SBOR OD RF-PAIN DECLINED FOLLOW UP
VA-SBOR OD RF-PAIN FOLLOW UP
VA-SBOR OD RISK FACTOR PAIN
VA-SBOR OD ABSTINENCE RF-DISCUSS RISK
VA-SBOR OD RISK FACTOR PRIOR ABSTINENCE
VA-SBOR OD OPIOID TAPER RF-DISCUSS RISK
VA-SBOR OD RISK FACTOR OPIOID TAPERING
VA-SBOR OD PREV OD RF-DISCUSS PT SAFETY
VA-SBOR OD RISK FACTOR PRIOR OVERDOSE
VA-SBOR OD SEDATIVE RF-DISCUSS TAPER
VA-SBOR OD SEDATIVE RF-DISCUSS ALT TX
VA-SBOR OD SEDATIVE RF-DISCUSS RISKS
VA-SBOR OD RISK FACTOR SEDATIVES
VA-SBOR OD RISK FACTOR OTHER
VA-SBOR OD RISK FACTOR FINANCE
VA-SBOR OD RISK FACTOR FAMILY
VA-SBOR OD RISK FACTOR HOMELESS
VA-SBOR OD RISK FACTOR HIV
VA-SBOR OD RISK FACTOR ED
VA-SBOR OD RISK FACTOR FALLS
VA-SBOR OD RISK FACTOR MEDICAL
VA-SBOR OD DUAL OPI RX RF-OTHER
VA-SBOR OD DUAL OPI RX RF-SLOW TAPER
VA-SBOR OD DUAL OPI RX RF-CHANGE RX TX
VA-SBOR OD DUAL OPI RX RF-REVIEWCONSENT
VA-SBOR OD DUAL OPI RX RF-NO TX CHANGE
VA-SBOR OD DUAL OPI RX RF-NONOPIOID TX
VA-SBOR OD DUAL OPI RX RF-CARE COORD
VA-SBOR OD DUAL OPI RX RF-ALT STRATEGY
VA-SBOR OD DUAL OPI RX RF-DISCUSS RISK
VA-SBOR OPIOID SOURCE VA AND NON VA
VA-SBOR OD NONVA OPI RX RF-NONOPIOID TX
VA-SBOR OD NONVA OPI RX RF-CARE COORD
VA-SBOR OD NONVA OPI RX RF-ALT STRATEGY
VA-SBOR OD NONVA OPI RX RF-DISCUSS RISK
VA-SBOR OPIOID SOURCE NON VA
VA-SBOR OD VA OPIOID RX RF-ALT STRATEGY
VA-SBOR OD VA OPIOID RX RF-OTHER
VA-SBOR OD VA OPIOID RX RF-SLOW TAPER
VA-SBOR OD VA OPIOID RX RF-CHANGE RX TX

VA-SBOR OD VA OPIOID RX RF-NO TX CHANGE
VA-SBOR OD VA OPIOID RX RF-NONOPIOID TX
VA-SBOR OD VA OPIOID RX RF-DISCUSS RISK
VA-SBOR OPIOID SOURCE VA
VA-SBOR OD RISK FACTOR PRE OPIOIDS
VA-SBOR OD NONRX OPIOID RF-DISCUSS RISK
VA-SBOR OD RISK FACTOR NON PRE OPIOIDS
VA-SBOR OD MH RF-PT DECLINES MH TX
VA-SBOR OD MH RF-MH TX REFERRAL
VA-SBOR OD MH RF-MH ADDRESSED
VA-SBOR OD RISK FACTOR MENTAL HEALTH
VA-SBOR OD SUD INITIATED MAT
VA-SBOR OD PT DECLINES SUD TREAT
VA-SBOR OD SUD RF-SUD TX REFERRAL
VA-SBOR OD SUD RF-SUD ADDRESSED
VA-SBOR OD RISK FACTOR SUD
VA-SBOR OVERDOSE RISK FACTORS
VA-SBOR OD ED TEACH BACK
VA-SBOR OD RESOURCES OTHER
VA-SBOR OD EDUCATION TO CAREGIVER/OTHER
VA-SBOR OD EDUCATION TO PATIENT
VA-SBOR OD EDUCATION NOT PROVIDED
VA-NALOXONE RX FOR STIMULANT USE DISORDER
VA-NALOXONE RX FOR OTHER REASON
VA-NALOXONE RX FOR OTHER SUD
VA-NALOXONE RX FOR OUD
VA-NALOXONE RX FOR OPIOID DISCONT
VA-NALOXONE RX FOR OPIOID RX
VA-OVERDOSE REFERRAL DECLINED
VA-OVERDOSE REFERRAL NONE
VA-OVERDOSE REFERRAL OTHER
VA-OVERDOSE REFERRAL PAIN
VA-OVERDOSE REFERRAL SUD
VA-OVERDOSE REFERRAL PCMH/MH
VA-OVERDOSE REFERRAL PCP
VA-NALOXONE IMMEDIATE CARE NEEDED-NO
VA-OVERDOSE IMMEDIATE CARE NEEDED OTHER
VA-OVERDOSE IMMEDIATE CARE NEEDED ED
VA-OVERDOSE IMMEDIATE CARE NEEDED PCMH
VA-NALOXONE IMMEDIATE CARE NEEDED-YES
VA-NALOXONE REFERRALS
VA-NALOXONE TREATMENT PLAN
VA-OVERDOSE RISK FACTOR JUSTICE INVOLVEMENT
VA-OVERDOSE UNMET PAIN RF- PT DECLINES PAIN REFER
VA-OVERDOSE UNMET PAIN RF-FOLLOW UP SCHEDULED
VA-OVERDOSE RISK FACTOR UNMET PAIN NEEDS

VA-SBOR METHOD TYPE OVERDOSE
VA-NALOXONE IMPACT OR TX CHANGE
VA-NALOXONE USED

REMINDER SPONSOR

MENTAL HEALTH SERVICES
OFFICE OF MENTAL HEALTH SERVICES

REMINDER TAXONOMY

VA-ODU ALL SOURCES
VA-ODU DIAGNOSIS IP
VA-ODU DIAGNOSIS OP

REMINDER TERM

VA-NALOXONE PRESCRIPTION ON FILE
VA-ODU REMINDER TERM
VA-NALOXONE PRESCRIPTION
VA-REMINDER UPDATE_2_0_222
VA-NALOXONE USE
VA-NALOXONE DECLINED
VA-NALOXONE PROVIDER NOTIFIED
VA-NALOXONE OUD DIAGNOSIS INPATIENT
VA-NALOXONE NOT NEEDED
VA-NALOXONE ORDER
VA-NALOXONE OUD DIAGNOSIS OUTPATIENT

REMINDER DEFINITION

VA-NALOXONE ORDER CHECK
VA-NALOXONE OBJECT
VA-NALOXONE TREATING PROVIDER
VA-NALOXONE OFFER PRESCRIPTION

HEALTH SUMMARY TYPE

VA-NALOXONE

HEALTH SUMMARY OBJECTS

VA-NALOXONE (TIU)

TIU DOCUMENT DEFINITION

VA-NALOXONE

REMINDER ORDER CHECK RULES

VA-MEDICATION FOR OPIOID USE DISORDER
VA-NALOXONE FOR OPIOID USE DISORDER

REMINDER ORDER CHECK ITEMS GROUP

VA-MEDICATION FOR OPIOID USE DISORDER
VA-OPIOID MEDICATION NON MOUD

REMINDER DIALOG

VA-GP SBOR UPDATE 2021
VA-NALOXONE PRESCRIBING
VA-NALOXONE TREATMENT PROVIDER
VA-NALOXONE OFFER PRESCRIPTION

Pre-Install

- 1. Check your Reminder Exchange Install History (IH) and ensure you have installed the previously released **UPDATE_2_0_182 VA-OSP SUICIDE SAFETY PLAN UPDATE****
- 2. Find Naloxone order currently in use.**
 - Using the Vista Menu, Reminder Dialog Manager, DI- Reminder Dialog, change view to element view and Inq/Print the reminder dialog element VAL-NALOXONE REQUEST. You will need to identify the local order or menu used as a finding item and add this order back post install.
- 3. Identify existing referral orders currently in use.**
 - Using the Vista Menu, Reminder Dialog Manager, DI- Reminder Dialog, change view to Element view and Inq/Print the reminder dialog elements listed below. You will need to identify the local order or menu used as a finding or additional finding item and add this order back post install. You may also have updated the dialog text for these elements. It is possible that your site made no local changes to these items but you should verify post install that these items match the pre-install state:
VAL-OVERDOSE REFERRAL SUD SBOR
VAL-OVERDOSE REFERRAL SUD RISK
VAL-OVERDOSE INITIATE MED SUD SBOR
VAL-OVERDOSE MH REFERRAL SBOR
VAL-OVERDOSE MH REFERRAL
VAL-EL PAIN MGMT SCH FU TO ADDRESS SBOR
VAL-OVERDOSE IMM CARE NEEDED WARM HANDOFF SBOR
VAL-OVERDOSE IMM CARE NEEDED WARM HANDOFF
VAL-OVERDOSE IMM CARE NEEDED ED SBOR
VAL-OVERDOSE IMM CARE NEEDED ED
VAL-OVERDOSE IMM CARE NEEDED OTHER SBOR
VAL-OVERDOSE IMM CARE NEEDED OTHER
VAL-OVERDOSE REFERRAL PCP SBOR
VAL-OVERDOSE REFERRAL PCP
VAL-OVERDOSE REFERRAL MH SBOR

VAL-OVERDOSE REFERRAL MH
VAL-OVERDOSE REFERRAL SUD PROVIDER SBOR
VAL-OVERDOSE REFERRAL SUD
VAL-OVERDOSE REFERRAL PAIN SBOR
VAL-OVERDOSE REFERRAL PAIN
VAL-OVERDOSE OTHER REFERRAL SBOR

Install Details

This update is being distributed as a web host file. The address for the host file is:
https://REDACTED/UPDATE_2_0_222.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take less than 10 minutes.

Install Example

To Load the exchange file, use LWH. The URL is
https://REDACTED/UPDATE_2_0_222.PRD

```
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                 LMM  Load MailMan Message
CMM  Create MailMan Message           LWH  Load Web Host File
DFE  Delete Exchange File Entry       RI   Reminder Definition Inquiry
IFE  Install Exchange File Entry       RP   Repack
IH   Installation History
Select Action: Next Screen// LWH   Load Web Host File
Input the URL for the .prd file: https://[REDACTED]/UPDATE_2_0_222.PRD
```

You should see a message that the file was loaded successfully.

```
https://[REDACTED]/UPDATE_2_0_222.PRD successfully loaded.
```

Search and locate an entry titled UPDATE_2_0_222 VA-OEND REMINDER in reminder exchange.

+Item	Entry	Source	Date Packed
215	UPDATE_2_0_222 VA-OEND REMINDER		11/16/2021@10:51:46
216	UPDATE_2_0_223 VA-REMOTE TEMPERATURE MONITORING		07/27/2021@14:32:53
217	UPDATE_2_0_224 VA-DBT AND DISCHARGE SUMMARY		08/05/2021@11:30:33
218	UPDATE_2_0_224 VA-DBT AND DISCHARGE SUMMARY		09/22/2021@10:29:47
219	UPDATE_2_0_225 VA-OSP TH INTAKE ASSESMENT UPDATE		08/05/2021@11:09:44
+ + Next Screen - Prev Screen ?? More Actions			
CFE	Create Exchange File Entry		LHF Load Host Fil
CHF	Create Host File		LMM Load MailMan
CMM	Create MailMan Message		LR List Reminder
DFE	Delete Exchange File Entry		LWH Load Web Host
IFE	Install Exchange File Entry		RI Reminder Defi
IH	Installation History		RP Repack
Select Action: Next Screen// IFE Install Exchange File Entry			
Enter a list or range of numbers (1-435): 215			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
Enter the number that corresponds with your entry titled UPDATE_2_0_222 VA-OEND
REMINDER (in this example it is entry 215, it will vary by site) that is dated 11/16/2021.

```

Component                                     Category      Exists
Source:
Date Packed: 11/16/2021@10:51:46
Package Version: 2.0P42

Description:
The following Clinical Reminder items were selected for packing:
REMINDER ORDER CHECK ITEMS GROUP
  VA-MEDICATION FOR OPIOID USE DISORDER
  VA-OPIOID MEDICATION NON MOUD

REMINDER DIALOG
  VA-NALOXONE PRESCRIBING
  VA-GP SBOR UPDATE 2021

REMINDER TERM
  VA-REMINDER UPDATE_2_0_222
+      Enter ?? for more actions
IA  Install all Components                      IS  Install
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.

For all new entries in any category you will choose **I to Install**

Skip any items in any category you are prompted to overwrite **with two exceptions** listed below, **all other items if prompted to overwrite choose SKIP**

1. For the TIU template field VA-NALOXONE STORM LINK, if you are prompted, you can overwrite it:

TIU TEMPLATE FIELD entry named **VA-NALOXONE STORM LINK** already exists

but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// overwrite the current entry**

Are you sure you want to overwrite? **N// YES**

2. For the reminder definition VA-NALOXONE TREATING PROVIDER, the print name changed so you will need to overwrite the definition:

REMINDER DEFINITION entry named **VA-NALOXONE TREATING PROVIDER** already

exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// overwrite the current entry**

Are you sure you want to overwrite? **N// YES**

You will then be prompted to install the first dialog component. You will choose IA to install all even though some items will already have an X to indicate they exist.

```
Packed reminder dialog: VA-GP SBOR UPDATE 2021 [NATIONAL DIALOG]
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-GP SBOR UPDATE 2021 Finding: *NONE*	group	
2	5	VA-GP OVERDOSE EDUCATION MAIN SBOR Finding: *NONE*	group	X
3	5.5	VA-OVERDOSE EDUCATION NOT PROVIDED SBOR Finding: VA-SBOR OD EDUCATION NOT PROVIDED (HEALTH FACTOR)	element	X
4	5.10	VA-GP OVERDOSE EDUCATION PROVIDED SBOR Finding: *NONE*	group	X
5	5.10.5	VA-GP OVERDOSE EDUCATION SBOR Finding: *NONE*	group	X
6	5.10.5.5	VA-OVERDOSE EDUCATION PROVIDED TO PATIENT SBOR Finding: VA-SBOR OD EDUCATION TO PATIENT (HEALTH FACTOR)	element	X
7	5.10.5.10	VA-OVERDOSE EDUCATION PROVIDED TO OTHER	element	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details		DT	Dialog Text
DF	Dialog Findings		DU	Dialog Usage
DS	Dialog Summary		IA	Install All

Select Action: Next Screen// IA

At the **Select Action** prompt, type **IA** to install the dialog – **VA-GP SBOR UPDATE 2021**

```
Packed reminder dialog: VA-GP SBOR UPDATE 2021 [NATIONAL DIALOG]
VA-GP SBOR UPDATE 2021 (group) installed from exchange file.
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-GP SBOR UPDATE 2021 Finding: *NONE*	group	X
2	5	VA-GP OVERDOSE EDUCATION MAIN SBOR Finding: *NONE*	group	X
3	5.5	VA-OVERDOSE EDUCATION NOT PROVIDED SBOR Finding: VA-SBOR OD EDUCATION NOT PROVIDED (HEALTH FACTOR)	element	X
4	5.10	VA-GP OVERDOSE EDUCATION PROVIDED SBOR Finding: *NONE*	group	X
5	5.10.5	VA-GP OVERDOSE EDUCATION SBOR Finding: *NONE*	group	X
6	5.10.5.5	VA-OVERDOSE EDUCATION PROVIDED TO PATIENT SBOR Finding: VA-SBOR OD EDUCATION TO PATIENT (HEALTH FACTOR)	element	X
7	5.10.5.10	VA-OVERDOSE EDUCATION PROVIDED TO OTHER	element	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details		DT	Dialog Text
DF	Dialog Findings		DU	Dialog Usage
DS	Dialog Summary		IA	Install All

Select Action: Next Screen// Q

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will then be prompted to install the NEXT dialog component. You will choose IA to install all even though some items will already have an X to indicate they exist.

```
Packed reminder dialog: VA-NALOXONE PRESCRIBING [NATIONAL DIALOG]
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-NALOXONE PRESCRIBING	dialog	
2	10	VA-NALOXONE PRESCRIBING VERSION 1.1 Finding: *NONE*	element	
3	15	VA-GP NALOXONE PRESCRIPTION INDICATION Finding: *NONE*	group	
4	15.5	VA-NALOXONE PRESCRIPTION IND OPIOIOD RX Finding: VA-NALOXONE RX FOR OPIOIOD RX (HEALTH FACTOR)	element	X
5	15.10	VA-NALOXONE PRESCRIPTION IND OPIOIOD DC Finding: VA-NALOXONE RX FOR OPIOIOD DISCONT (HEALTH FACTOR)	element	X
6		PXRM COMMENT	prompt	X
7	15.15	VA-NALOXONE PRESCRIPTION IND OUD Finding: VA-NALOXONE RX FOR OUD (HEALTH FACTOR)	element	X
8		PXRM COMMENT	prompt	X

```
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details          DT  Dialog Text
DF  Dialog Findings        DU  Dialog Usage
DS  Dialog Summary         IA  Install All
Select Action: Next Screen// IA
```

At the **Select Action** prompt, type **IA** to install the dialog – **VA-NALOXONE PRESCRIBING**

```
Packed reminder dialog: VA-NALOXONE PRESCRIBING [NATIONAL DIALOG]
VA-NALOXONE PRESCRIBING (reminder dialog) installed from exchange file.
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-NALOXONE PRESCRIBING	dialog	X
2	10	VA-NALOXONE PRESCRIBING VERSION 1.1 Finding: *NONE*	element	X
3	15	VA-GP NALOXONE PRESCRIPTION INDICATION Finding: *NONE*	group	X
4	15.5	VA-NALOXONE PRESCRIPTION IND OPIOIOD RX Finding: VA-NALOXONE RX FOR OPIOIOD RX (HEALTH FACTOR)	element	X
5	15.10	VA-NALOXONE PRESCRIPTION IND OPIOIOD DC Finding: VA-NALOXONE RX FOR OPIOIOD DISCONT (HEALTH FACTOR)	element	X
6		PXRM COMMENT	prompt	X
7	15.15	VA-NALOXONE PRESCRIPTION IND OUD Finding: VA-NALOXONE RX FOR OUD (HEALTH FACTOR)	element	X
8		PXRM COMMENT	prompt	X

```
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details          DT  Dialog Text
DF  Dialog Findings        DU  Dialog Usage
DS  Dialog Summary         IA  Install All
Select Action: Next Screen// Q
```

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will then be prompted to install the NEXT dialog component. You will choose IA to install all even though some items will already have an X to indicate they exist.

```
Packed reminder dialog: VA-NALOXONE TREATMENT PROVIDER [NATIONAL DIALOG]
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-NALOXONE TREATMENT PROVIDER	dialog	X
2	3	VA-NALOXONE TREATMENT PROVIDER VERSION Finding: *NONE*	element	
3	5	VA-NALOXONE OVERDOSE PRIOR Finding: *NONE*	element	X
4	10	VA-GP OVERDOSE RISK FACTORS TREATING PROVIDER Finding: VA-NALOXONE RISK FACTORS (HEALTH FACTOR)	group	X
5	10.5	VA-GP OVERDOSE RISK FACTOR PREVIOUS OVERDOSE Finding: VA-OVERDOSE RISK FACTOR PRIOR OVERDOSE (HEALTH FACTOR)	group	X
6	10.10	VA-GP OVERDOSE RISK FACTOR TAPERING Finding: VA-OVERDOSE RISK FACTOR PRIOR ABSTINENCE (HEALTH	group	X

```
+ + Next Screen - Prev Screen ?? More Actions
DD Dialog Details DT Dialog Text
DF Dialog Findings DU Dialog Usage
DS Dialog Summary IA Install All
Select Action: Next Screen// IA
```

At the **Select Action** prompt, type **IA** to install the dialog – **VA-NALOXONE TREATMENT PROVIDER**

```
Packed reminder dialog: VA-NALOXONE TREATMENT PROVIDER [NATIONAL DIALOG]
VA-NALOXONE TREATMENT PROVIDER (reminder dialog) installed from exchange file.
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-NALOXONE TREATMENT PROVIDER	dialog	X
2	3	VA-NALOXONE TREATMENT PROVIDER VERSION Finding: *NONE*	element	X
3	5	VA-NALOXONE OVERDOSE PRIOR Finding: *NONE*	element	X
4	10	VA-GP OVERDOSE RISK FACTORS TREATING PROVIDER Finding: VA-NALOXONE RISK FACTORS (HEALTH FACTOR)	group	X
5	10.5	VA-GP OVERDOSE RISK FACTOR PREVIOUS OVERDOSE Finding: VA-OVERDOSE RISK FACTOR PRIOR OVERDOSE (HEALTH FACTOR)	group	X
6	10.10	VA-GP OVERDOSE RISK FACTOR TAPERING Finding: VA-OVERDOSE RISK FACTOR PRIOR ABSTINENCE (HEALTH	group	X

```
+ + Next Screen - Prev Screen ?? More Actions
DD Dialog Details DT Dialog Text
DF Dialog Findings DU Dialog Usage
DS Dialog Summary IA Install All
Select Action: Next Screen// Q
```

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will then be prompted to install the NEXT dialog component. You will choose IA to install all even though some items will already have an X to indicate they exist.

```
Packed reminder dialog: VA-NALOXONE OFFER PRESCRIPTION [NATIONAL DIALOG]
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-NALOXONE OFFER PRESCRIPTION	dialog	
2	10	VA-NALOXONE OFFER PRESCRIPTION VERSION 1.1 Finding: *NONE*	element	
3	20	VA-GP OFFER NALOXONE ED MAIN Finding: *NONE*	group	X
4	20.5	VA-OFFER NALOXONE ED UNABLE TO COMPLETE Finding: *NONE*	element	X
5	20.10	VA-GP OFFER NALOXONE ED COMPLETED Finding: *NONE*	group	X
6	60	VA-GP NALOXONE PRESCRIPTION Finding: *NONE*	group	X

```

+ Next Screen  - Prev Screen  ?? More Actions
DD Dialog Details      DT Dialog Text
DF Dialog Findings    DU Dialog Usage
DS Dialog Summary     IA Install All
Select Action: Quit// IA

```

At the **Select Action** prompt, type **IA** to install the dialog – **VA-NALOXONE OFFER PRESCRIPTION**

Hit enter when prompted to link to the definition:

Install reminder dialog and all components with no further changes: Y// ES....

Reminder Dialog VA-NALOXONE OFFER PRESCRIPTION is not linked to a reminder.

Select Reminder to Link: VA-NALOXONE OFFER PRESCRIPTION//

```
Packed reminder dialog: VA-NALOXONE OFFER PRESCRIPTION [NATIONAL DIALOG]
```

VA-NALOXONE OFFER PRESCRIPTION (reminder dialog) installed from exchange file.

Item	Seq.	Dialog Findings	Type	Exists
1		VA-NALOXONE OFFER PRESCRIPTION	dialog	X
2	10	VA-NALOXONE OFFER PRESCRIPTION VERSION 1.1 Finding: *NONE*	element	X
3	20	VA-GP OFFER NALOXONE ED MAIN Finding: *NONE*	group	X
4	20.5	VA-OFFER NALOXONE ED UNABLE TO COMPLETE Finding: *NONE*	element	X
5	20.10	VA-GP OFFER NALOXONE ED COMPLETED Finding: *NONE*	group	X
6	60	VA-GP NALOXONE PRESCRIPTION Finding: *NONE*	group	X

```

+ Next Screen  - Prev Screen  ?? More Actions
DD Dialog Details      DT Dialog Text
DF Dialog Findings    DU Dialog Usage
DS Dialog Summary     IA Install All
Select Action: Quit// Q

```

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

```

Component                                     Category      Exists
Source:
Date Packed: 11/16/2021@10:51:46
Package Version: 2.0P42

Description:
The following Clinical Reminder items were selected for packing:
REMINDER ORDER CHECK ITEMS GROUP
  VA-MEDICATION FOR OPIOID USE DISORDER
  VA-OPIOID MEDICATION NON MOUD

REMINDER DIALOG
  VA-NALOXONE PRESCRIBING
  VA-GP SBOR UPDATE 2021

REMINDER TERM
  VA-REMINDER UPDATE 2_0_222
+      + Next Screen  - Prev Screen  ?? More Actions
IA  Install all Components                               IS  Install
Select Action: Next Screen// Q

```

You will then be returned to this screen. At the **Select Action** prompt, type **Q**.

Install complete.

Post Installation

1. Setup of Note Title.

The note title to create to associate with the new template is:

NALOXONE PRESCRIBING

VHA Enterprise Standard Title: **MEDICATION MGT NOTE**

You can add these to your document class where progress notes are located.

***Note:** Comprehensive information on Creating new Document Classes and Titles can be found beginning on page 54 of the TIU/ASU Implementation Guide at the following link: [http://www.va.gov/vdl/documents/Clinical/CPRS-Text Integration Utility \(TIU\)/tiuim.pdf](http://www.va.gov/vdl/documents/Clinical/CPRS-Text%20Integration%20Utility%20(TIU)/tiuim.pdf)*

2. Add the new reminder to the cover sheet for the appropriate users. The print name is **Offer Naloxone Prescription**. Your site should determine who they would like to use this new reminder.

3. Make the Dialog templates available to be attached to a Personal or Shared templates or to be able to attach the dialog to a progress note title.

Select Reminder Managers Menu <TEST ACCOUNT> Option: **CP CPRS**

Reminder Configuration

- CA Add/Edit Reminder Categories
- CL CPRS Lookup Categories
- CS CPRS Cover Sheet Reminder List

MH Mental Health Dialogs Active
PN Progress Note Headers
RA Reminder GUI Resolution Active
TIU TIU Template Reminder Dialog Parameter
DEVL Evaluate Coversheet List on Dialog Finish
DL Default Outside Location
PT Position Reminder Text at Cursor
LINK Link Reminder Dialog to Template
TEST CPRS Coversheet Time Test
NP New Reminder Parameters
GEC GEC Status Check Active
WH WH Print Now Active

Select CPRS Reminder Configuration <TEST ACCOUNT> Option: **TIU TIU**
Template Reminder Dialog Parameter

Reminder Dialogs allowed as Templates may be set for the following:

- 1 User USR [choose from NEW PERSON]
- 3 Service SRV [choose from SERVICE/SECTION]
- 4 Division DIV [SALT LAKE CITY]
- 5 System SYS [NATREM.FO-SLC.MED.VA.GOV]

Enter selection: **5** *Choose the appropriate number for your site. Your site may do this by System or other levels. The example below uses SYSTEM level.*

Setting Reminder Dialogs allowed as Templates for System: NATREM.FO-SLC.MED.VA.GOV

Select Display Sequence: **?**

388 VA-COVID-19 TELEPHONE FOLLOW-UP

389 VA-SRA-CONSULT RESPONSE (D)

*When you type a question mark above, you will see the list of #'s (with dialogs) that are already taken. Choose a number **NOT** on this list. For this example, 390 is not present so I will use 390.*

Select Display Sequence: **490**


Are you adding 490 as a new Display Sequence? Yes// **YES**

Display Sequence: 490// **<Enter>** 390

Clinical Reminder Dialog: **VA-NALOXONE PRESCRIBING** reminder dialog
NATIONAL

...OK? Yes// **<Enter>** (Yes)

4. **Associate the reminder dialogs with the note title in CPRS**
 - a. In CPRS, open the Template Editor, expand Document Titles, select the appropriate folder (if applicable), then click New Template (top right-hand corner).



Type in the following information:

- Name: **NALOXONE PRESCRIBING**
- Template Type: **Reminder Dialog**
- Reminder Dialog: **VA-NALOXONE PRESCRIBING**

Next, type in the Associated Title name – **NALOXONE PRESCRIBING** – then click Apply.

5. **Add local orderable items that represent an order for naloxone to the reminder term VA-NALOXONE ORDER.** The findings that you add should be OI type findings. Ex: OI.NALOXONE. You do not need to add a status or info in any other field.
6. **Add naloxone order identified in pre-install to reminder dialog.** Using the Vista Menu, Reminder Dialog Manager, DI- Reminder Dialog, change view to GROUP view edit the reminder dialog GROUP VAL-NALOXONE REQUEST, add the quick order identified in the pre-install as a finding item.

7. **Add referral orders identified in pre-install to reminder dialog.** Using the Vista Menu, Reminder Dialog Manager, DI- Reminder Dialog, change view to Element view and edit the reminder dialog elements. You will need to make any text changes or add the referral orders identified in pre-install.

VAL-OVERDOSE REFERRAL SUD SBOR
VAL-OVERDOSE REFERRAL SUD RISK
VAL-OVERDOSE INITIATE MED SUD SBOR
VAL-OVERDOSE MH REFERRAL SBOR
VAL-OVERDOSE MH REFERRAL
VAL-EL PAIN MGMT SCH FU TO ADDRESS SBOR
VAL-OVERDOSE IMM CARE NEEDED WARM HANDOFF SBOR
VAL-OVERDOSE IMM CARE NEEDED WARM HANDOFF
VAL-OVERDOSE IMM CARE NEEDED ED SBOR
VAL-OVERDOSE IMM CARE NEEDED ED
VAL-OVERDOSE IMM CARE NEEDED OTHER SBOR
VAL-OVERDOSE IMM CARE NEEDED OTHER
VAL-OVERDOSE REFERRAL PCP SBOR
VAL-OVERDOSE REFERRAL PCP
VAL-OVERDOSE REFERRAL MH SBOR
VAL-OVERDOSE REFERRAL MH
VAL-OVERDOSE REFERRAL SUD PROVIDER SBOR
VAL-OVERDOSE REFERRAL SUD
VAL-OVERDOSE REFERRAL PAIN SBOR
VAL-OVERDOSE REFERRAL PAIN
VAL-OVERDOSE OTHER REFERRAL SBOR

8. **Add referral orders for a referral for HIV treatment (Infectious disease) to the reminder dialog element VAL-OVERDOSE RISK FACTOR HIV REFERRAL as an additional finding.**

9. **Add referral orders for a referral for social work to the reminder dialog element VAL-OVERDOSE REFERRAL SOCIAL WORK as an additional finding.**

10. **Add referral orders for a referral for medical issues to the reminder dialog element VAL-OVERDOSE RISK FACTOR COMORBIDITY REFERRAL as an additional finding.** You will map this element only if your site utilizes a referral or consult ordering process for medical issues.

11. **Add referral orders for a referral for infectious disease to the reminder dialog element VAL-OVERDOSE REFERRAL ID as an additional finding.**

12. **Disable reminder dialog element that instructs users to complete a local fall clinical reminder (Optional).** If your site **does not** have a local clinical reminder for falls, you can disable this element VAL-OVERDOSE RISK FACTOR FALLS REMINDER by editing the reminder dialog element and adding 2 DISABLE AND DO NOT SEND MESSAGE in the disable field.

13. **ADD two items to the reminder order check group VA-OPIOID MEDICATION NON MOUD** – the following VA Products need to be added to the reminder order check group VA-OPIOID MEDICATION NON MOUD:

OXYCODONE HCL 5MG/ACETAMINOPHEN 325MG TAB
HYDROMORPHONE HCL 10MG/ML INJ

The option represented here is Add/Edit Reminder Order Check Items Group **[PXRM ORDER CHECK GROUP EDIT]**.

Select Reminder Order Check Items Group by: (N/C/D/G/I/O/P/R/Q): N//
ORDER CHECK ITEM GROUP NAME

Reminder Order Check Item Group: **VA-OPIOID MEDICATION NON MOUD**

```
GROUP NAME : VA-OPIOID MEDICATION NON MOUD
ORDER CHECK ITEM LIST (308 entries)
REMINDER ORDER CHECKS RULES LIST (1 entry)

CLASS : NATIONAL
SPONSOR :
REVIEW DATE :

Press Enter to edit the Order Check Item List.
Hit Enter to enter the order check items list:
```



```

Order Check Item List
+TAPENTADOL HCL 75MG TAB
TRAMADOL HCL 100MG (EQV-RYZOLT) TAB,SA
TRAMADOL HCL 100MG (EQV-ULTRAM ER) TAB,SA
TRAMADOL HCL 100MG CAP,SA
TRAMADOL HCL 200MG (EQV-RYZOLT) TAB,SA
TRAMADOL HCL 200MG (EQV-ULTRAM ER) TAB,SA
TRAMADOL HCL 200MG CAP,SA
TRAMADOL HCL 300MG (EQV-RYZOLT) TAB,SA
TRAMADOL HCL 300MG (EQV-ULTRAM ER) TAB,SA
TRAMADOL HCL 300MG CAP,SA
TRAMADOL HCL 37.5MG/ACETAMINOPHEN 325MG TAB
TRAMADOL HCL 37.5MG/ACETAMINOPHEN 325MG TAB,UD
TRAMADOL HCL 50MG TAB
TRAMADOL HCL 50MG TAB,UD
DP.HYDROMORPHONE HCL 10MG/ML INJ

```

Add the first entry using a prefix DP. :

DP. HYDROMORPHONE HCL 10MG/ML INJ

```

Searching for a VA PRODUCT, (pointed-to by ITEM)
Searching for a VA PRODUCT
1 HYDROMORPHONE HCL 10MG/ML INJ
2 HYDROMORPHONE HCL 10MG/ML INJ JUL 19, 1999
Choose 1-2 or '^' to quit: 1

```

Choose the first entry that does not show the inactive date

```

HYDROMORPHONE HCL 10MG/ML INJ
Are you adding 'HYDROMORPHONE HCL 10MG/ML INJ' as
a new ORDER CHECK ITEMS? No// Y

```

Yes to add

Repeat these steps for the VA Product:
OXYCODONE HCL 5MG/ACETAMINOPHEN 325MG TAB

Save and Exit

14. Activate the Reminder Order Check Rules (optional)

The installation of CLINICAL REMINDER UPDATE_2_0_222 will require the STATUS of the Reminder Order Check Rules, VA-NALOXONE FOR OPIOID USE DISORDER and VA-MEDICATION FOR OPIOID USE DISORDER to be changed to PROD. Shown below are the steps to make this change, which should be done for both rules if your site decides to use the national version of these order checks.

The option represented here is **Add/Edit Reminder Order Check Rule [PXRMR ORDER CHECK RULE EDIT]**.

Select Reminder Order Check Menu Option: **RE** Add/Edit Reminder Order Check Rule

Select Reminder Order Check Rule by: (N/R/T/Q): N// **N** ORDER CHECK RULE NAME

Select Reminder Order Check Rule: VA-NALOXONE FOR OPIOID USE DISORDER

RULE NAME: VA-NALOXONE FOR OPIOID USE DISORDER

DISPLAY NAME: **NALOXONE RECOMMENDED FOR OPIOID USE DISORDER**

STATUS: **PROD**

[^] *change to PROD to activate Production Mode*

CLASS: **NATIONAL**

SPONSOR:

REVIEW DATE:


I=INACTIVE, P=PRODUCTION, T=TESTING

Save and Exit

Repeat for the Reminder Order Check Rule VA-MEDICATION FOR OPIOID USE DISORDER.

NOTE: the STATUS property is for a specific Clinical Reminder Order Check (CROC). This is separate from the setting of Enabled/Disabled for ALL CROCs which is shown below as 'Clinical Reminder Live' on the Order Checks Tab of the CPRS Options screen. Individual providers cannot enable or disable individual CROCs separately.

It is therefore recommended that these order checks are enabled for all users **and set to 'mandatory'** by the Clinical Application Coordinator (CAC) using the option 'Set Order Checks to be Uneditable By Users [ORK EDITABLE BY USER]'. If there are users with the Clinical Reminder Live order check set to disabled when the setting is made mandatory/uneditable, the CAC can manually enable it for those users with option 'Enable/Disable an Order Check [ORK PROCESSING FLAG]'.



15. Test reminder order checks (optional)

If you would like to test the reminder order checks, here is a way you can test them after you have turned them on.

On a test patient that does not have a naloxone prescription

1. Add a diagnosis of F11.20 to an encounter within the past year
2. Using the Non VA Meds Order option, attempt to document a NON VA Morphine Tab, SA prescription
 - a. Choose a dosage, schedule and explanation
 - b. Choose Accept Order

3. You should see the new order check, NALOXONE RECOMMENDED FOR OPIOID USE DISORDER. (you may or not see the other ones listed here, we are testing only the new one that is number 3 of 3 in the illustration below)

4. Choose Cancel order

5. Change drug name to BUPRENORPHINE/NALOXONE FILM,SUBLINGUAL NF
 - a. Choose a dosage, schedule and explanation
 - b. Choose Accept Order

Document Herbal/OTC/Non-VA Medications

BUPRENORPHINE/NALOXONE FILM,SUBLINGUAL NF Change

Dosage	Route	Schedule
2 FILMS BUPRENORPHINE 2MG/NALOX 0.5MG SL FILM		PRN <input type="checkbox"/> PRN
1 FILM BUPRENORPHINE 2MG/NALOX 0.5MG SL FILM		PRN
2 FILMS BUPRENORPHINE 2MG/NALOX 0.5MG SL FILM		07-20 PRN
		08
		12X/DAY
		2-3X/DAY
		3XW
		5 TIMES DAILY
		5 TIMES/DAY

Comments:

Statement/Explanation

Non-VA medication not recommended by VA provider.

Non-VA medication recommended by VA provider.

Patient wants to buy from Non-VA pharmacy.

Medication prescribed by Non-VA provider.

Start Date:

BUPRENORPHINE/NALOXONE FILM,SUBLINGUAL BUPRENORPHINE 2MG/NALOX 0.5MG SL FILM
2 FILMS AS NEEDED
Non-VA medication not recommended by VA provider.

Accept Order
Quit

6. You should see the new order check - MEDICATION FOR OPIOID USE DISORDER (you may or not see the other ones listed here, we are testing only the new one that is number 6 of 6 in the illustration below)

Order Checking

(2 of 6) Duplicate opioid medications: [1] CODEINE TAB 30MG TAKE ONE TABLET BY MOUTH Q14D [PENDING]

(3 of 6) Potential dangerous drug combination with a BENZODIAZEPINE
The Combination of Benzodiazepines and Opioids May Result in Dangerous Drug Interactions

(4 of 6) SIGNIFICANT drug-drug interaction: BUPRENORPHINE 2MG/NALOX 0.5MG SL FILM and TEMAZEPAM 30MG CAP [UNRELEASED] - Concomitant use of these two drugs may result in additive side effects. - Monograph Available

(5 of 6) SIGNIFICANT drug-drug interaction: BUPRENORPHINE 2MG/NALOX 0.5MG SL FILM and CODEINE SULFATE 30MG C.T. [PENDING] - Concurrent use of buprenorphine with other opioids in opioid dependent patients may result in withdrawal symptoms. Concurrent use in other patients may result in additive or decreased analgesia and decreased opioid side effects. - Monograph Available

(6 of 6) MEDICATION FOR OPIOID USE DISORDER

ACTION: Strongly consider prescribing naloxone

Use the NALOXONE PRESCRIBING progress note -OR- the OFFER NALOXONE PRESCRIPTION reminder (Check Due/Applicable Sections) to document overdose education and to order naloxone

RATIONALE: Patient being prescribed a med for OUD -AND- no naloxone ordered in the previous 335 days.

Accept Order Cancel Order Drug Interaction Monograph

7. Cancel order.
8. Testing is complete after you have confirmed the two order checks will appear as indicated.