



**Update \_2\_0\_332**

**Clinical Reminders**

**VA-ECOE EPILEPSY SEIZURE FORM  
Install Guide**

**September 2023**

Product Development  
Office of Information Technology  
Department of Veterans Affairs

**Table of Contents**

**INTRODUCTION ..... 1**  
**INSTALL DETAILS ..... 2**  
**INSTALL EXAMPLE ..... 3**  
**POST INSTALLATION ..... 6**

# Introduction

---

This dialog will primarily be used by neurologists to document care for patients with epilepsy or seizures in an office, clinic, ER, or inpatient encounter. The dialog is a replica of a Powerform developed and approved by the Office of Neurology for the new EHR. This dialog has been developed after the input of a national workgroup sponsored and supported by the Epilepsy Centers of Excellence and the Neurology Cerner Workgroup.

**The exchange file contains the following components:**

## **TIU TEMPLATE FIELD**

WORD PROCESSING FIELD  
ACTUAL/APPROXIMATE  
DATE (\*)  
DAY/WEEK/MONTH/YEAR  
TEXT (1-4)R  
WORD 4 LINES

## **HEALTH FACTORS**

VA-REMINDER UPDATES [C]  
VA-UPDATE\_2\_0\_332  
VA-ECOЕ EXAM [C]  
VA-ECOЕ EEG ROUTINE  
VA-ECOЕ EEG EMU  
VA-ECOЕ EEG CONTINUOUS  
VA-ECOЕ EEG AMBULATORY  
VA-ECOЕ INDICATIONS FOR REFERRAL/RE-REFERRAL PRESENT  
VA-ECOЕ EVAL COMMUNITY CARE EPILEPSY CENTER  
VA-ECOЕ EVAL VA EPILEPSY CENTER  
VA-ECOЕ ETIOLOGY UNKNOWN  
VA-ECOЕ [C]  
VA-ECOЕ ETIOLOGY ALCOHOL  
VA-ECOЕ ETIOLOGY SUBSTANCE ABUSE  
VA-ECOЕ ETIOLOGY OTHER  
VA-ECOЕ ETIOLOGY STROKE  
VA-ECOЕ ETIOLOGY POST-NEUROSURGICAL INTRACRANIAL INTERVENT  
VA-ECOЕ ETIOLOGY MIGRATION DEFECT/CORTICAL DYSPLASIA  
VA-ECOЕ ETIOLOGY METABOLIC  
VA-ECOЕ ETIOLOGY HIPPOCAMPAL SCLEROSIS  
VA-ECOЕ ETIOLOGY HEAD TRAUMA  
VA-ECOЕ ETIOLOGY GENETIC SYNDROME  
VA-ECOЕ ETIOLOGY BIRTH/EARLY DEVELOPMENT COMPLICATIONS

VA-ECOE ETIOLOGY CNS INFECTION  
VA-ECOE ETIOLOGY BRAIN TUMOR  
VA-ECOE STATUS EPILEPTICUS HISTORY NO  
VA-ECOE STATUS EPILEPTICUS HISTORY YES  
VA-ECOE PERSISTENT SEIZURE NO  
VA-ECOE PERSISTENT SEIZURE YES  
VA-ECOE SEIZURE TYPE UNKNOWN  
VA-ECOE SEIZURE PSYCHOGENIC NON-EPILEPTIC  
VA-ECOE SEIZURE GENERALIZED ONSET  
VA-ECOE SEIZURE FOCAL ONSET WITH SECOND GENERALIZATION  
VA-ECOE SEIZURE FOCAL ONSET  
VA-UPDATE\_2\_0\_332

### **EDUCATION TOPICS**

VA-ECOE EPILEPSY EDUCATION OTHER  
VA-ECOE EPILEPSY SUDEP  
VA-ECOE EPILEPSY SEIZURE MEDICATIONS  
VA-ECOE EPILEPSY SAFETY PRECAUTIONS  
VA-ECOE EPILEPSY AND EFFECTS ON WOMEN'S HEALTH  
VA-ECOE EPILEPSY NATURE AND COURSE

### **REMINDER SPONSOR**

VA-EPILEPSY CENTERS OF EXCELLENCE

### **REMINDER DIALOG**

VA-ECOE SEIZURE EPILEPSY FORM

### **REMINDER TERM**

VA-REMINDER UPDATE\_2\_0\_332

## **Install Details**

This update is being distributed as a web host file. The address for the host file is:

**[https://REDACTED /UPDATE\\_2\\_0\\_332.PRD](https://REDACTED /UPDATE_2_0_332.PRD)**

Installation:

=====

This update can be loaded with users on the system. Installation will take less than **5** minutes.

# Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista

```
CFE Create Exchange File Entry      LHF Load Host File
CHF Create Host File                LMM Load MailMan Message
CMM Create MailMan Message          LR List Reminder Definitions
DFE Delete Exchange File Entry      LWH Load Web Host File
IFE Install Exchange File Entry     RI Reminder Definition Inquiry
IH Installation History              RP Repack
Select Action: Next Screen// lwh Load Web Host File
Input the URL for the .prd file: https://[REDACTED]/UPDATE_2_0_332.PRD
```

At the **Select Action:** prompt, enter **LWH** for Load Web Host File  
At the **Input the url for the .prd file:** prompt, type the following web address:  
**https://REDACTED/UPDATE\_2\_0\_332.PRD**

You should see a message at the top of your screen that the file successfully loaded.

```
+Item  Entry                               Source                               Date Packed
470    UPDATE_2_0_332 VA-ECOE              [REDACTED]                          [REDACTED]
      EPILEPSY SEIZURE FORM
471    UPDATE_2_0_334 VA-PGX
      (PHASER) TEMPLATE UPDATE
472    UPDATE_2_0_335 VA-PERSONAL
      HEALTH INVENTORY (PHI) NOTE
      UPDATE
473    UPDATE_2_0_336 VA-SLEEP
      TEMPLATES
474    UPDATE_2_0_34 VA-WH PAP SMEAR
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE Create Exchange File Entry      LHF Load Host File
CHF Create Host File                LMM Load MailMan Message
CMM Create MailMan Message          LR List Reminder Definitions
DFE Delete Exchange File Entry      LWH Load Web Host File
IFE Install Exchange File Entry     RI Reminder Definition Inquiry
IH Installation History              RP Repack
Select Action: Next Screen// IFE Install Exchange File Entry
Enter a list or range of numbers (1-719): 470
```

Search and locate an entry titled **UPDATE\_2\_0\_332 VA-ECOE EPILEPSY SEIZURE FORM** in reminder exchange.

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry

Enter the number that corresponds with your entry UPDATE\_2\_0\_332 VA-ECOE EPILEPSY SEIZURE FORM.

(In this example it is entry 470. It will vary by site). The date of the exchange file should be 08/15/2023.

```
Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-ECOE SEIZURE EPILEPSY FORM

REMINDER TERM
  VA-REMINDER UPDATE_2_0_332

Keywords:

Components:

+ Enter ?? for more actions >>>
IA Install all Components          IS Install Selected Component
Select Action: Next Screen// IA Install all Components .
```

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.  
Select Action: Next Screen// **IA Install all Components**

You will see several prompts, for all new entries you will choose **I to Install**

**Skip any TIU Template fields that exist, but the packed component is different.**

For all other components that already exists but the packed component is different,  
choose **O to Overwrite**.

**If an error similar to the one below appears, then you must select “Install Selected Component”, select the item number for the sponsor (Item 51), then after it has installed, Select “Install all Components”**

```
MSG("DIERR",1,"TEXT",1)=The value 'VA-EPILEPSY CENTERS OF EXCELLENCE' for field
SPONSOR in file EDUCATION TOPICS is not valid.
MSG("DIERR","E",701,1)=
```

You will be prompted to install the reminder dialog component (**VA-ECOE EPILEPSY SEIZURE FORM**). You will choose to install all even though some components may have an X to indicate that they exist.

```
Packed reminder dialog: VA-ECOE SEIZURE EPILEPSY FORM [NATIONAL DIALOG]
```

+Item	Seq.	Dialog Findings	Type	Exists		
		Finding: VA-ECOE SEIZURE GENERALIZED ONSET (HEALTH FACTOR)		X		
8	10.5.20	VA-ECOE SEIZURE TYPE PSYCH NON-EPILEPTIC	element			
		Finding: VA-ECOE SEIZURE PSYCHOGENIC NON-EPILEPTIC (HEALTH FACTOR)		X		
9	10.5.25	VA-ECOE SEIZURE TYPE UNKNOWN	element			
		Finding: VA-ECOE SEIZURE TYPE UNKNOWN (HEALTH FACTOR)		X		
10	10.10	VA-ECOE SEIZURE INFORMATION	group			
		Finding: *NONE*				
11	10.10.5	VA-ECOE SEIZURE FREQ	element			
		Finding: *NONE*				
12	10.15	VA-ECOE SEIZURE PERSISTENT	group			
		Finding: *NONE*				
13	10.15.5	VA-ECOE SEIZURE PERSISTENT YES	group			
		Finding: VA-ECOE PERSISTENT SEIZURE YES (HEALTH FACTOR)		X		
14	10.15.5.5	VA-ECOE SEIZURE CONTROL	group			
+      + Next Screen    - Prev Screen    ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// IA    Install All						

At the **Select Action** prompt, type **IA** to install the dialog. Install reminder dialog and all components with no further changes: **Yes**

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-ECOE SEIZURE EPILEPSY FORM	dialog	X		
2	5	VA-ECOE SEIZURE VERSION	element	X		
		Finding: *NONE*				
3	10	VA-ECOE SEIZURE HISTORY	group	X		
		Finding: *NONE*				
4	10.5	VA-ECOE SEIZURE TYPE	group	X		
		Finding: *NONE*				
5	10.5.5	VA-ECOE SEIZURE TYPE FOCAL	element	X		
		Finding: VA-ECOE SEIZURE FOCAL ONSET (HEALTH FACTOR)		X		
6	10.5.10	VA-ECOE SEIZURE TYPE FOCAL W/SEC GEN	element	X		
		Finding: VA-ECOE SEIZURE FOCAL ONSET WITH SECOND GENERALIZATION (HEALTH FACTOR)		X		
7	10.5.15	VA-ECOE SEIZURE TYPE GEN ONSET	element	X		
+      + Next Screen    - Prev Screen    ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// Q    Quit						

After completing this dialog install, you will type **Q**.

```

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-ECOE SEIZURE EPILEPSY FORM

REMINDER TERM
  VA-REMINDER UPDATE_2_0_332

Keywords:

Components:

+      + Next Screen  - Prev Screen  ?? More Actions  >>>
IA  Install all Components          IS  Install Selected Component
Select Action: Next Screen// Q  Q

```

You will then be returned to this screen. At the **Select Action** prompt, type **Q**.

Install complete.

## Post Installation

---

1. **Make the Dialog template available to be attached to a Personal or Shared template or to be able to attach the dialog to a progress note title.**

Select Reminder Managers Menu <TEST ACCOUNT> Option: **CP CPRS**

**Reminder Configuration**

- CA Add/Edit Reminder Categories
- CL CPRS Lookup Categories
- CS CPRS Cover Sheet Reminder List
- MH Mental Health Dialogs Active
- PN Progress Note Headers
- RA Reminder GUI Resolution Active
- TIU TIU Template Reminder Dialog Parameter**
- DEVL Evaluate Coversheet List on Dialog Finish
- DL Default Outside Location
- PT Position Reminder Text at Cursor
- LINK Link Reminder Dialog to Template
- TEST CPRS Coversheet Time Test
- NP New Reminder Parameters
- GEC GEC Status Check Active
- WH WH Print Now Active

Select CPRS Reminder Configuration <TEST ACCOUNT> Option: **TIU TIU**

**Template Reminder Dialog Parameter**

Reminder Dialogs allowed as Templates may be set for the following:

- 1 User                   USR                   [choose from NEW PERSON]
- 3 Service               SRV                   [choose from SERVICE/SECTION]
- 4 Division              DIV                   [SALT LAKE CITY]



5 System SYS [NATREM.FO-SLC.MED.VA.GOV]

Enter selection: **5** Choose the appropriate number for your site. Your site may do this by System or other levels. The example below uses SYSTEM level.

Setting Reminder Dialogs allowed as Templates for System: NATREM.FO-SLC.MED.VA.GOV

Select Display Sequence: **?**

388 VA-COVID-19 TELEPHONE FOLLOW-UP  
389 VA-SRA-CONSULT RESPONSE (D)

*When you type a question mark above, you will see the list of #'s (with dialogs) that are already taken. Choose a number **NOT** on this list. For this example, 390 and 391 are not present so those numbers can be used.*

Select Display Sequence: **390**

Are you adding 390 as a new Display Sequence? Yes// **YES**

Display Sequence: 390// **<Enter>**

Clinical Reminder Dialog: **VA-ECOE SEIZURE EPILEPSY FORM**

reminder dialog NATIONAL

...OK? Yes// **Yes**

## 2. Setup of Note Title (optional). The dialog can be linked to a local title or a shared template.

The note title to create to associate with this template is: **EPILEPSY SEIZURE HISTORY**


VHA Enterprise Standard Title: NEUROLOGY NOTE

You can add this to the appropriate document class.

**Note:** Comprehensive information on Creating new Document Classes and Titles can be found beginning on page 54 of the TIU/ASU Implementation Guide at the following link: [http://www.va.gov/vdl/documents/Clinical/CPRS-Text\\_Integration\\_Utility\\_\(TIU\)/tiuim.pdf](http://www.va.gov/vdl/documents/Clinical/CPRS-Text_Integration_Utility_(TIU)/tiuim.pdf)

## 3. Associate the reminder dialog with the note title in CPRS

In CPRS, open the Template Editor, expand Document Titles, select the appropriate folder (if applicable), then click New Template (top right-hand corner).



Type in the following information:

Name: **EPILEPSY SEIZURE HISTORY**

Template Type: **Reminder Dialog**

Reminder Dialog: **VA-ECOE SEIZURE EPILEPSY FORM**

Next, type in the Associated Title name — then click Apply.