



**Update\_2\_0\_385**

**Clinical Reminders**

**VA-MISC Update 24**

**Install Guide**

**October 2023**

Product Development  
Office of Information Technology  
Department of Veterans Affairs

**Table of Contents**

**INTRODUCTION ..... 1**

**PRE-INSTALLATION ..... 5**

**INSTALL DETAILS ..... 7**

**INSTALL EXAMPLE ..... 7**

**POST INSTALLATION ..... 16**

## **Introduction**

---

This update contains minor spelling corrections and other changes/edits to existing clinical reminder content, a full list of the changes can be found in the Document **MISC UPDATE 24 CHANGES**.

**UPDATE\_2\_0\_385 contains 1 Reminder Exchange entry:**

UPDATE\_2\_0\_385 VA-MISC UPDATE 24

**The exchange file contains the following components:**

### **ROUTINE**

PXRMPDEM

### **VA DRUG CLASS**

CN101

CN302

### **REMINDER GENERAL FINDINGS**

VIEW PROGRESS NOTE TEXT

### **TIU TEMPLATE FIELD**

VA-RHS SCREEN RESOURCES

VA-RHS SCREEN THE HOTLINE

GEN WORD PROCESSING LARGE

VA-WORD

OTHER NON-VA

OTHER TEXT

VA-RHS SCREENING LINK

NCP INFLUENZA IMMUNIZATION GUIDANCE

VA-ONC PATHWAYS SHAREPOINT

YES OR NO

WP 2 LINES

REACH VET NOT APPROPRIATE

EDIT 20+ REQ

DATE (REQ)

TEXT (1-40 CHAR) REQ

WORD 2 LINES INDENT 2 REQ

DATE (\*)

TEXT (1-15 CHAR)REQ

TEXT (1-30 CHAR) REQ

### **HEALTH FACTORS**

VA-REMINDER UPDATES [C]

VA-UPDATE\_2\_0\_385

DOMESTIC/INTERPERSONAL VIOLENCE SCREEN [C]

VA-IPVAP/S-RES/RESOURCES DECLINES CONSULT

VA-IPVAP/S-RES/SAME DAY CONSULT BY CHAMPION  
VA-IPVAP/S-RES/RESOURCES ACCEPTS FUTURE CONSULT  
VA-IPVAP/S-RES/RESOURCES - OTHER  
VA-IPVAP/S-RES/RESOURCES - NO  
VA-IPVAP/S-RES/RESOURCES YES/OTHER  
VA-IPVAP/S-RES/RESOURCES YES/CONTACT INFO  
VA-IPVAP/S-RES/RESOURCES YES/FLYER INFO  
VA-IPVAP/S-RES/RESOURCES YES/VERBAL EDU  
VA-IPVAP/S-RES/RESOURCES - YES  
VA-IPVAP/S-SAFETY PLAN COMPLETED - DECLINED  
VA-IPVAP/S-SAFETY PLAN COMPLETED - NO  
VA-IPVAP/S-SAFETY PLAN COMPLETED - YES  
VA-IPVAP/S-RES/EDUCATION OTHER  
VA-IPVAP/S-RES/EDUCATION READINESS TO LEARN  
VA-IPVAP/S-PRIMARY SCREEN RESULT - NEGATIVE  
VA-TECS TECHNICIAN [C]  
VA-TECS TECH PT RESULT INSTRUCTIONS  
VA-TECS EYE CAT SURG EVAL-NO  
VA-TECS EYE CAT SURG EVAL-N/A  
VA-TECS EYE CAT SURG EVAL-YES  
VA-TECS EYE COMM CARE-NO  
VA-TECS EYE COMM CARE-YES  
VA-REACH VET [C]  
VA-REACH VET CLINICALLY INAPPROPRIATE OUTREACH  
VA-REACH VET RV CONTINUED  
VA-REACH VET PROV UNABLE TO REACH OUT UNKNOWN INFO  
VA-REACH VET UNABLE TO REACH OUT LETTER  
VA-REACH VET NO VM PHONE OUTREACH  
VA-REACH VET LEFT VOICEMAIL  
VA-REACH VET MISSED CALL  
REACH VET ACCESS TO CARE DISCUSSED  
REACH VET TREATMENT PLAN DISCUSSED  
REACH VET CLINICAL RISK DISCUSSED  
REACH VET STATISTICAL RISK DISCUSSED  
VA-SCI/D PQD [C]  
VA-SCI/D PQD-MOTOR NEURON OTHER  
VA-SCI/D PQD-MOTOR NEURON POLIOMYELITIS  
VA-SCI/D PQD-MOTOR NEURON PLS  
VA-SCI/D PQD-MOTOR NEURON ALS  
VA-SCI/D KURTZKE SCALE [C]  
VA-SCI/D KURTZKE SCALE 10.0  
VA-SCI/D KURTZKE SCALE 9.5  
VA-SCI/D KURTZKE SCALE 9.0  
VA-SCI/D KURTZKE SCALE 8.5  
VA-SCI/D KURTZKE SCALE 8.0  
VA-SCI/D KURTZKE SCALE 7.5

VA-SCI/D KURTZKE SCALE 7.0  
VA-SCI/D KURTZKE SCALE 6.5  
VA-SCI/D KURTZKE SCALE 6.0  
VA-SCI/D KURTZKE SCALE 5.5  
VA-SCI/D KURTZKE SCALE 5.0  
VA-SCI/D KURTZKE SCALE 4.5  
VA-SCI/D KURTZKE SCALE 4.0  
VA-SCI/D KURTZKE SCALE 3.5  
VA-SCI/D KURTZKE SCALE 3.0  
VA-SCI/D KURTZKE SCALE 2.5  
VA-SCI/D KURTZKE SCALE 2.0  
VA-SCI/D KURTZKE SCALE 1.5  
VA-SCI/D KURTZKE SCALE 1.0  
VA-SCI/D KURTZKE SCALE 0.0  
VA-SCI/D PQD MS-DATE OF DX  
VA-SCI/D PQD-MULTIPLE SCLEROSIS  
VA-SCI/D ETIOLOGY [C]  
VA-SCI/D ETIOLOGY-OTH NON-TRAUMA  
VA-SCI/D ETIOLOGY-RADIATION  
VA-SCI/D ETIOLOGY-TOXIC  
VA-SCI/D ETIOLOGY-GENETIC  
VA-SCI/D ETIOLOGY-AUTOIMMUNE  
VA-SCI/D ETIOLOGY-METABOLIC  
VA-SCI/D ETIOLOGY-TUMOR  
VA-SCI/D ETIOLOGY-SYRINGOMYELIA  
VA-SCI/D ETIOLOGY-ARTHRITIC DZ  
VA-SCI/D ETIOLOGY-COLUMNAR DEGEN  
VA-SCI/D ETIOLOGY-INFECTON  
VA-SCI/D ETIOLOGY-VASC CHNG  
VA-SCI/D ETIOLOGY-OTH TRAUMA  
VA-SCI/D ETIOLOGY-VIOLENCE  
VA-SCI/D ETIOLOGY-VEHICULAR  
VA-SCI/D ETIOLOGY-SPORTS  
VA-SCI/D ETIOLOGY-FALL  
VA-GEC PERSONAL CARE REVIEW [C]  
VA-GEC PCS MONTH 1 CONTACT NO CONTACT MADE  
VA-GEC PCS MONTH 1 CONTACT VIRTUAL  
VA-GEC PCS MONTH 1 CONTACT IN PERSON  
VA-GEC PCS MONTH 1 CONTACT PHONE  
VA-2 DAY POST DISCHARGE [C]  
VA-2 DAY POST DC FU SERV DIET/NUTR  
VA-IPVAP/S-PRIMARY SCREEN RESULT - POSITIVE  
VA-IPVAP/S-CONSENT TO SCREEN - NO  
VA-IPVAP/S-SCREEN NOT COMPLETED  
VA-IPVAP/S-CONSENT TO SCREEN - YES

**REMINDER SPONSOR**

NATIONAL CENTER FOR HEALTH PROMOTION AND DISEASE PREVENTION  
(NCP)  
OFFICE OF TELEHEALTH SERVICES STORE AND FORWARD TELEHEALTH  
OFFICE OF MENTAL HEALTH SERVICES  
OFFICE OF NURSING SERVICE  
SOCIAL WORK/CASE MANAGEMENT- INTIMATE PARTNER VIOLENCE  
ASSISTANCE PROGRAM

**REMINDER COMPUTED FINDING**

VA-AGE

**REMINDER TERM**

VA-OPIOID DRUG CLASS (CN101) (TERM)  
VA-BENZODIAZEPINE DRUG CLASS (CN302) (TERM)  
VA-REMINDER UPDATE\_2\_0\_385  
VA-SCI/D MOTOR NEURON (OBJ)  
VA-SCI/D MS-KURTZKE SCALE (OBJ)  
VA-SCI/D PQD-MS (OBJ)  
VA-SCI/D ETIOLOGY (OBJ)  
VA-RHS SCREEN AGE  
VA-IPVAP/S-PRIMARY RESCREEN - 6MO  
VA-IPVAP/S DOES NOT CONSENT  
VA-IPVAP/S SCREEN NOT COMPLETED  
VA-IPVAP/S CONSENT/SCREENING COMPLETED

**REMINDER DEFINITION**

VA-BENZODIAZEPINE (CN302) BUT NOT OPIOID (CN101)  
VA-OPIOID (CN101) BUT NOT BENZODIAZEPINE (CN302)  
VA-OBJ SCI/D PQD MN  
VA-OBJ SCI/D MS-KURTZKE SCALE  
VA-OBJ SCI/D PQD-MS  
VA-OBJ SCI/D ETIOLOGY  
VA-RELATIONSHIP HEALTH AND SAFETY SCREEN

**HEALTH SUMMARY COMPONENT**

CLINICAL REMINDERS FINDINGS

**HEALTH SUMMARY TYPE**

VA-SCI/D MOTOR NEURON D/O  
VA-SCI/D MS KURTZKE SCALE  
VA-SCI/D PQD-MS  
VA-SCI/D ETIOLOGY

## HEALTH SUMMARY OBJECTS

VA-SCI/D MOTOR NEURON D/O  
VA-SCI/D MS KURTZKE SCALE (TIU)  
VA-SCI/D PQD-MS (TIU)  
VA-SCI/D ETIOLOGY

## TIU DOCUMENT DEFINITION

VA-SCI/D MOTOR NEURON D/O  
VA-SCI/D MS KURTZKE SCALE  
VA-SCI/D PQD-MS  
VA-SCI/D ETIOLOGY

## REMINDER ORDER CHECK RULES

VA-BENZODIAZEPINE DRUG CLASS (CN302) (RULE)  
VA-OPIOID DRUG CLASS (CN101) (RULE)

## REMINDER DIALOG

VA-GP MISC UPDATE 24

# Pre-Installation

---

1. Check the **Reminder Exchange** Install History (IH) and ensure your facility has installed the following (previously released) Updates:
  - UPDATE\_2\_0\_293 VA-TECHNOLOGY BASED EYE CARE SERVICES UPDATE
  - UPDATE\_2\_0\_372 VA-TELESTROKE REMINDER DIALOGS
  - UPDATE\_2\_0\_390 VA-INFLUENZA REMINDER UPDATE

2. From the **Reminder Dialog Management** menu, Inquire/Print (INQ) and capture/save the following ELEMENT:

ELEMENT: VAL-OPC 2 DAY FS DIETICIAN

*(Identify any order that you have mapped as an additional finding. Re-mapping steps of this order are outlined in the post-Installation steps.)*

3. From the **Reminder Dialog Management** menu, Inquire/Print (INQ) and capture/save the following ELEMENTS:

ELEMENT: VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG

ELEMENT: VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG 2

*(Identify any order that you have mapped as an additional finding. Re-mapping steps of this order are outlined in the post-Installation steps.)*

- From the **Reminder Definition Management** menu, Inquire/Print (INQ) and capture/save the following REMINDER DEFINITION:

DEFINITION: **VA-RELATIONSHIP HEALTH AND SAFETY SCREEN**

*(You will use the saved inquiry to confirm the reminder terms (in the definition) have the same mapped findings post-install. The installation steps will instruct you to SKIP those specific reminder terms, which should be unchanged and will likely require no action on your part. However, in case any of the reminder terms are overwritten during installation, you will have a saved inquiry to know what terms require editing/re-mapping when you reach the post-installation steps in this install guide.)*

- In CPRS, save the link entered in the 'default' field within following template field:

TEMPLATE FIELD: **VA-RHS SCREEN RESOURCES**

The screenshot shows the 'Template Field Editor' window. On the left, a list of template fields is displayed, with 'VA-RHS SCREEN RESOURCES' selected. The right pane shows the configuration for this field: Name: VA-RHS SCREEN RESOURCES, Type: Hyperlink, and Default: <<PLACEHOLDER for link to local resources>>. The 'Address' field is empty. Below the configuration are options for 'Miscellaneous' (Inactive, Separate Lines, Required, Exclude From Note) and 'Indent' (Indent Field: 0, Indent Text). At the bottom, there are buttons for 'Preview', 'Check for Errors', 'OK', 'Cancel', and 'Apply'.



## Install Details

---

This update is being distributed as a web host file. The address for the host file is:

**https://REDACTED/UPDATE\_2\_0\_385.PRD**

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:


=====

This update can be loaded with users on the system. Installation will take less than 30 minutes.

## Install Example

---

To Load the Web Host File. Navigate to Reminder exchange in Vista




```
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                 LMM  Load MailMan Message
CMM  Create MailMan Message           LR   List Reminder Definitions
DFE  Delete Exchange File Entry       LWH  Load Web Host File
IFE  Install Exchange File Entry      RI   Reminder Definition Inquiry
IH   Installation History             RP   Repack
Select Action: Next Screen// LWH  Load Web Host File
Input the URL for the .prd file: https://REDACTED/UPDATE_2_0_385.PRD
```

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

**https://REDACTED/UPDATE\_2\_0\_385.PRD**

You should see a message at the top of your screen that the file successfully loaded.



```
https://REDACTED/UPDATE_2_0_385.PRD successfully loaded.
```

Search for and locate the reminder exchange entry titled UPDATE\_2\_0\_385 VA-MISC UPDATE 24.

*(see screenshot on the next page)*

+Item	Entry	Source	Date Packed
485	UPDATE_2_0_385 VA-MISC UPDATE 24		10/05/2023@06:09
486	UPDATE_2_0_386 VA-COVID-19 EMERGENCY DEPT TRIAGE UPDATE		07/21/2023@06:49
487	UPDATE_2_0_389 VA-ORACLE CERNER DATA ORDER CHECK		07/27/2023@05:19
488	UPDATE_2_0_39 VA-OSP SUICIDE SAFETY PLAN		03/30/2018@10:36
489	UPDATE_2_0_390 FLU REMINDER 2023-2024		07/31/2023@09:25
+    + Next Screen   - Prev Screen   ?? More Actions    >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History	RP	Repack
Select Action: Next Screen// IFE    Install Exchange File Entry			
Enter a list or range of numbers (1-685): 485			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry  
Enter the number that corresponds with your entry titled **UPDATE\_2\_0\_385 VA-MISC UPDATE 24** (in this example it is entry 485, it will vary by site). The exchange file date is 10/05/2023@06:09.

Component	Category	Exists
Source: [REDACTED]		
Date Packed: 10/05/2023@06:09:20		
Package Version: 2.0P65		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER ORDER CHECK RULES		
VA-OPIOID DRUG CLASS (CN101) (RULE)		
VA-BENZODIAZEPINE DRUG CLASS (CN302) (RULE)		
REMINDER DIALOG		
VA-GP MISC UPDATE 24		
REMINDER TERM		
VA-REMINDER UPDATE_2_0_385		
+    Enter ?? for more actions    >>>		
IA	Install all Components	IS    Install Selected Component
Select Action: Next Screen// <b>IA</b>		

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.  
Select Action: Next Screen// **IA** Install all Components

(You will see several prompts. Refer to the next page for responses to each prompt.)

**You will see several prompts:**

Individual components for which you may (or may not) be prompted are listed below, along with the response you should provide.

**Install:**

All new components

**Skip:**

<b>REMINDER DEFINITIONS:</b> VA-BENZODIAZEPINE (CN302)	<b>HEALTH SUMMARY TYPES:</b> VA-SCI/D MOTOR NEURON D/O VA-SCI/D MS KURTZKE SCALE VA-SCI/D PQD-MS VA-SCI/D ETIOLOGY
<b>REMINDER TERMS:</b> VA-IPVAP/S CONSENT/SCREENING COMPLETED VA-IPVAP/S SCREEN NOT COMPLETED VA-IPVAP/S DOES NOT CONSENT VA-RHS SCREEN AGE	

**Overwrite:**

<b>TIU TEMPLATE FIELDS:</b> VA-RHS SCREENING LINK NCP INFLUENZA IMMUNIZATION GUIDANCE	<b>REMINDER DEFINITIONS:</b> VA-RELATIONSHIP HEALTH AND SAFETY SCREEN
<b>REMINDER ORDER CHECK RULES:</b> VA-BENZODIAZEPINE DRUG CLASS (CN302) (RULE) VA-OPIOID DRUG CLASS (CN101) (RULE)	

*(Each of the above components are also listed out individually, starting on the next page.)*

**Take Note: Any component NOT listed individually should be skipped.**

**TIU TEMPLATE FIELD** entry named **VA-RHS SCREENING LINK** already exists

but the packed component is different, what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
O	Overwrite the current entry
U	Update
Q	Quit the install
S	Skip, do not install this entry

Enter response: O// **Overwrite the current entry**

Are you sure you want to overwrite? N// Y

**TIU TEMPLATE FIELD** entry named **NCP INFLUENZA IMMUNIZATION GUIDANCE** already exists but the packed component is different, what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
O	Overwrite the current entry
U	Update
Q	Quit the install
S	Skip, do not install this entry

Enter response: O// **Overwrite the current entry**

Are you sure you want to overwrite? N// Y

**HEALTH FACTORS** entry **VA-UPDATE\_2\_0\_385** is NEW, what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
I	Install
Q	Quit the install
S	Skip, do not install this entry

Enter response: I// **Install**

**HEALTH FACTORS** entry **VA-TECS TECH PT RESULT INSTRUCTIONS** is NEW, what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
I	Install
Q	Quit the install
S	Skip, do not install this entry

Enter response: I// **Install**

**REMINDER TERM** entry **VA-REMINDER UPDATE\_2\_0\_385** is NEW,

what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
I	Install
Q	Quit the install
S	Skip, do not install this entry

Enter response: I// **Install**

**REMINDER TERM** entry named **VA-IPVAP/S CONSENT/SCREENING COMPLETED** already exists but the packed component is different, what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
I	Install
Q	Quit the install
S	Skip, do not install this entry

Enter response: I// **Skip**

**REMINDER TERM** entry named **VA-IPVAP/S SCREEN NOT COMPLETED** already exists but the packed component is different, what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
I	Install
Q	Quit the install
S	Skip, do not install this entry

Enter response: I// **Skip**

**REMINDER TERM** entry named **VA-IPVAP/S DOES NOT CONSENT** already exists but the packed component is different, what do you want to do?

Select one of the following:

C	Create a new entry by copying to a new name
I	Install
Q	Quit the install
S	Skip, do not install this entry

Enter response: I// **Skip**

**REMINDER TERM** entry named **VA-RHS SCREEN AGE** already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// Skip

REMINDER DEFINITION entry named VA-BENZODIAZEPINE (CN302) BUT NOT OPIOID (CN101) already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Skip

REMINDER DEFINITION entry named VA-RELATIONSHIP HEALTH AND SAFETY SCREEN already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Overwrite the current entry

Are you sure you want to overwrite? N// Y

HEALTH SUMMARY TYPE entry named VA-SCI/D MOTOR NEURON D/O already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Skip

HEALTH SUMMARY TYPE entry named VA-SCI/D MS KURTZKE SCALE already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Skip

HEALTH SUMMARY TYPE entry named VA-SCI/D PQD-MS already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Skip

HEALTH SUMMARY TYPE entry named VA-SCI/D ETIOLOGY already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Skip

REMINDER ORDER CHECK RULES entry named VA-BENZODIAZEPINE DRUG CLASS (CN302) (RULE) already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Overwrite the current entry

Are you sure you want to overwrite? N// Y

REMINDER ORDER CHECK RULES entry named VA-OPIOID DRUG CLASS (CN101) (RULE) already exists but the packed component is different, what do

you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// **Overwrite the current entry**

Are you sure you want to overwrite? N// Y

### You will be prompted to install the dialog component:

```
Packed reminder dialog: VA-GP MISC UPDATE 24 [NATIONAL DIALOG]
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-GP MISC UPDATE 24 Finding: *NONE*	group	
2	10	VAL-OPC 2 DAY FS DIETICIAN Finding: VA-2 DAY POST DC FU SERV DIET/NUTR (HEALTH FACTOR)	element	X
3	20	VA-GP COMMUNITY CARE RFS INFORMATION Finding: *NONE*	group	X
4	30	VA-GP COMMUNITY CARE RFS INFORMATION SCANNED Finding: *NONE*	group	X
5	40	VA-GEC PCS REVIEW VDC MONTH 1 Finding: *NONE*	group	X
6	40.10	VA-GEC PCS REVIEW VDC MONTH 1 PHONE	element	X

+      + Next Screen      - Prev Screen      ?? More Actions

DD	Dialog Details	DT	Dialog Text	IS	Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU	Quit
DS	Dialog Summary	IA	Install All		

Select Action: Next Screen// **IA**

At the **Select Action** prompt, type **IA** to install the dialog – **VA-GP MISC UPDATE 24**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: **Y// ES**



```

Packed reminder dialog: VA-GP MISC UPDATE 24 [NATIONAL DIALOG]
VA-GP MISC UPDATE 24 (group) installed from exchange file.
  Item  Seq. Dialog Findings                                     Type  Exists
  ----  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -  -
    1    VA-GP MISC UPDATE 24                                   group  X
        Finding: *NONE*
    2    10 VAL-OPC 2 DAY FS DIETICIAN                          element X
        Finding: VA-2 DAY POST DC FU SERV DIET/NUTR (HEALTH FACTOR) X
    3    20 VA-GP COMMUNITY CARE RFS INFORMATION                 group  X
        Finding: *NONE*
    4    30 VA-GP COMMUNITY CARE RFS INFORMATION SCANNED        group  X
        Finding: *NONE*
    5    40 VA-GEC PCS REVIEW VDC MONTH 1                       group  X
        Finding: *NONE*
    6    40.10 VA-GEC PCS REVIEW VDC MONTH 1 PHONE              element X
+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings     DU  Dialog Usage     QU  Quit
DS  Dialog Summary      IA  Install All
Select Action: Next Screen// Q

```

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

```

Component                                     Category  Exists
Source:
Date Packed: 10/05/2023@06:09:20
Package Version: 2.0P65

Description:
The following Clinical Reminder items were selected for packing:
REMINDER ORDER CHECK RULES
  VA-OPIOID DRUG CLASS (CN101) (RULE)
  VA-BENZODIAZEPINE DRUG CLASS (CN302) (RULE)

REMINDER DIALOG
  VA-GP MISC UPDATE 24

REMINDER TERM
  VA-REMINDER UPDATE_2_0_385
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
IA  Install all Components      IS  Install Selected Component
Select Action: Next Screen// Q

```

You will be returned to this screen. Type Q to quit.

Install Completed

# Post Installation

---

1. Refer to the Inquire/Print (INQ) you saved during the Pre-Installation steps for the following ELEMENT:

Map the consult order or orderable item identified in the pre-installation step to the element's additional finding, if needed.

**ELEMENT: VAL-OPC 2 DAY FS DIETICIAN**

DISABLE:

CLASS: LOCAL//

FINDING ITEM: HF.VA-2 DAY POST DC FU SERV DIET/NUTR

Additional findings:

Select ADDITIONAL FINDING: Enter "Q.", then name of local consult quick order

*(Note: This ELEMENT is intended for sites to add a local consult (as an additional finding) to alert Dietitian/Nutrition Services, if local processes allow for it.)*

2. Refer to the Inquire/Print (INQ) you saved during the Pre-Installation steps for the following ELEMENTS:

Map the consult order identified in the pre-installation step to both element's additional findings, if needed.

Element: **VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG**

DISABLE:

CLASS: LOCAL//

FINDING ITEM: HF.VA-IPVAP/S-RES/RESOURCES ACCEPTS FUTURE CONSULT

Additional findings:

Select ADDITIONAL FINDING: Enter "Q.", then name of local consult quick order

Element: **VAL-TXTZ RHS FUTURE CONSULT PLACED PRIM NEG 2**

DISABLE:

CLASS: LOCAL//

FINDING ITEM: HF.VA-IPVAP/S-RES/RESOURCES ACCEPTS FUTURE CONSULT

Additional findings:

Select ADDITIONAL FINDING: Enter "Q.", then name of local consult quick order

3. Add your site's **Patient (Veteran) Name** data object to the dialog text in the following ELEMENT and GROUP:

Element: **VAL-REACH VET PROV INFORMED VETERAN**

DIALOG/PROGRESS NOTE TEXT:

Informed **[Veteran name]** that they have been identified as being at high statistical risk for suicide and other adverse outcomes.

Group: **VAL-GP REACH VET PROV REACHED OUT VIA PHONE**

GROUP HEADER DIALOG TEXT:

I reached out to **[Veteran NAME]** over the phone and took the following steps:

4. Refer to the Inquiry/Print (INQ) you saved during the Pre-Installation steps for the following REMINDER DEFINITION: **VA-RELATIONSHIP HEALTH AND SAFETY SCREEN**

- a. Confirm all Reminder Terms have the same finding items mapped. If not, add any 'local' finding items to each term, as needed.
- b. For Reminder Term **VA-RHS SCREEN AGE (FI(5))**, confirm the **condition** field is set to the value you saved during the Pre-Installation steps. If not, you will need to edit the condition field to match what was previously set. Below is the **default** condition setting.

**VA-RHS SCREEN AGE (FI(5))=RT(2701)**  
Finding Type: REMINDER TERM  
Condition Case Sensitive: NO  
Not Found Text: Veteran patient does not meet the birth sex and/or age criteria.  
  
Mapped Findings: CF.VA-AGE  
**Condition: I (V<48)&(PXRMSSEX="F")**  
Condition Case Sensitive: NO

- c. Confirm the reminder dialog is linked to the definition. To do so, go to the Reminder Definition Management Menu and perform a Reminder Inquiry (RI) to confirm the linkage (see **highlighted text** below).

REMINDER DEFINITION INQUIRY

VA-RELATIONSHIP HEALTH AND SAFETY SCREEN  
-----

Print Name: RHS Screen  
Class: NATIONAL  
Sponsor: SOCIAL WORK/CASE MANAGEMENT-INTIMATE PARTNER  
VIOLENCE ASSISTANCE PROGRAM  
Review Date:  
Rescission Date:  
Usage: CPRS, DATA EXTRACT, REPORTS  
Related VA-\* Reminder:  
Reminder Dialog: **VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN**

- d. If the dialog is not linked to the definition (as outlined above), you will need to link the VA-IPVAP RELATIONSHIP HEALTH AND SAFETY reminder dialog to the VA-RELATIONSHIP HEALTH AND SAFETY SCREEN reminder definition.

- To do, so go to the Reminder Dialog Management Menu and follow these steps:

- Step 1: Type DI (Reminder Dialogs)
- Step 2: In Reminder View, type SL to search
- Step 3: Type VA-RELATIONSHIP HEALTH AND SAFETY

Step 4: Select the Item number (see example screenshot below)

```
Dialog List                               Sep 21, 2023@11:03
REMINDER VIEW (ALL REMINDERS BY NAME)
+Item Reminder Name                       Linked
571 VA-RELATIONSHIP HEALTH AND SAFETY
572 VA-REPLACE DEFINITION
573 VA-SARS COV-2 IMMUNIZATION             VA-SARS
574 VA-SARS COV-2 IMMUNIZATION BIVALEN   VA-SARS
575 VA-SARS COV-2 IMMUNIZATION BOOSTER
576 VA-SARS COV-2 IMMUNIZATION BOOSTER   VA-SARS
577 VA-SARS COV-2 IMMUNIZATION COUNT E
578 VA-SARS COV-2 IMMUNIZATION COUNT F
579 VA-SARS COV-2 IMMUNIZATION COUNT F
580 VA-SARS COV-2 IMMUNIZATION COUNT O
581 VA-SARS COV-2 IMMUNIZATION COUNT O
582 VA-SARS COV-2 IMMUNIZATION COUNT S
583 VA-SARS COV-2 IMMUNIZATION COUNT S
584 VA-SARS COV-2 IMMUNIZATION COUNT T
+      + Next Screen  - Prev Screen  ?? More
AR  All reminders      LR  Linked Reminders
CV  Change View       RN  Name/Print Name
Select Item: Next Screen// 571
```

Step 5: Type LR to Link Reminder

Step 6: At the LINK REMINDER DIALOG prompt, type VA-IPVAP  
RELATIONSHIP HEALTH AND SAFETY SCREEN

```
LR  Link Reminder          QU  Quit
Select Item: Quit// LR  Link Reminder
REMINDER NAME: VA-RELATIONSHIP HEALTH AND SAFETY SCREEN
LINKED REMINDER DIALOG: VA-IPVAP RELATIONSHIP HEALTH AND SAFETY SCREEN
```

Step 7: Done! You've linked the dialog to the definition.

5. Add your site's Patient Telephone and Patient Address object to the dialog text in the following ELEMENTS:

Element: VAL-TH VVC TELEPHONE TRIAGE CONTACT PHONE OBJECT

Text: \*PHONE OBJECT HERE\*


Element: VAL-TH VVC TELEPHONE TRIAGE PATIENT LOCATION HOME

Text: Home \*PATIENT ADDRESS OBJECT HERE\*

6. In CPRS, enter the link you saved from the Pre-Installation steps into the default field in the following template field:

Template Field: VA-RHS SCREEN RESOURCES

(refer to the screenshot on the next page)



7. Reminder Order Check Rule: **VA-OPIOID DRUG CLASS (CN101)**

**Ensure the “Status” is set to PRODUCTION. If not edit from Inactive to Production**

**BEFORE:**

RULE NAME: **VA-OPIOID DRUG CLASS (CN101)**  
 DISPLAY NAME: ISSUE: Potential dangerous drug combination with an OPIOID  
 STATUS: **INAC<<< change to PRODUCTION**

CLASS: NATIONAL  
 SPONSOR:  
 REVIEW DATE:

---

I=INACTIVE, P=PRODUCTION, T=TESTING

**AFTER:**

RULE NAME: **VA-OPIOID DRUG CLASS (CN101)**  
 DISPLAY NAME: ISSUE: Potential dangerous drug combination with an OPIOID  
 STATUS: **PROD**

CLASS: **NATIONAL**  
 SPONSOR:  
 REVIEW DATE:

---

I=INACTIVE, P=PRODUCTION, T=TESTING

8. Reminder Order Check Rule: **VA-BENZODIAZEPINE DRUG CLASS (CN302)**

**Ensure the “Status” is set to PRODUCTION. If not edit from Inactive to Production**

**BEFORE:**

RULE NAME: **VA-BENZODIAZEPINE DRUG CLASS (CN302)**

DISPLAY NAME: ISSUE: Potential dangerous drug combination with a Benzodiazepine

STATUS: **INAC<<< change to PRODUCTION**

CLASS: NATIONAL

SPONSOR:

REVIEW DATE:

---

I=INACTIVE, P=PRODUCTION, T=TESTING

**AFTER:**

RULE NAME: **VA-BENZODIAZEPINE DRUG CLASS (CN302)**

DISPLAY NAME: ISSUE: Potential dangerous drug combination with a Benzodiazepine

STATUS: **PROD**

CLASS: NATIONAL

SPONSOR:

REVIEW DATE: