



Update_2_0_88

Clinical Reminders

VA-Opioid Use Disorder Buprenorphine Initiation

Install Guide

January 2020

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION 1
INSTALL DETAILS 3
INSTALL EXAMPLE 3
POST INSTALLATION 7

Introduction

The dramatic rise in opioid prescribing has been accompanied by parallel increases in nonmedical opioid use, overdose deaths, opioid use disorders (OUD) and treatment initiations for OUD. One initiative to address this problem in the Veteran Affairs (VA) healthcare system is the Stepped Care for Opioid Use Disorder (OUD) Train-the-Trainer (SCOUTT) initiative, which aims to improve access to OUD treatment across primary care, pain management, mental health, and other health care settings. This template is part of the national roll-out of SCOUTT and is designed to guide and support documentation of the initial prescription of buprenorphine for OUD. It is the second of three templates that will be released: OUD assessment, buprenorphine initiation and buprenorphine follow up.

UPDATE_2_0_88 contains 1 Reminder Exchange entry:

UPDATE_2_0_88 VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE

The exchange file contains the following components:

TIU TEMPLATE FIELD

BLANK SPACE1
VA-MH OUD OTHER NO INDENT
VA-MH SAMHSA TIP 63 URL
VA-MH OUD PROVIDER GUIDE BUPE HOME
VA-MH OUD EXAM PSYCH TEXT
WP-2LINES
VA-MH OUD EXAM DERM TEXT
VA-MH OUD EXAM MSK TEXT
VA-MH OUD EXAM GI TEXT
VA-MH OUD EXAM RESP TEXT
VA-MH OUD EXAM CV TEXT
VA-MH OUD EXAM HEENT TEXT
GEN WORD PROC NARROW
MH OUD STORM REPORT
VA-MH OUD IMED CONSENT BUPE ED
VA-MH OUD MAT
VA-MH OUD HANDOUT BUPE CLINIC
VA-MH OUD HANDOUT BUPE HOME
WP 3/70
WP FREE TEXT
VA-MH FILM/TAB
VA-MH OUD MEDS MAX MG
VA-MH OUD HOURS
VA-MH OUD MED DOSE 1/2 1
VA-MH OUD MED DOSE 1-2
COMMENT 35
COMMENT 15
COMMENT 10
WP 1 LINE
YES/NO

00 EDIT BOX 70X5
WP 2 LINE1
VA-MH ADDITIONAL INFORMATION
GEN TEXT BOX 50
VA-MH DOCUMENT NEXT STEPS
TEXT (1-60 CHAR)
VA-MH OUD OTHER
VA-MH EMPLOYMENT HX2
VA-MH HOUSING SITUATION
VA-MH RELATIONSHIP HX
VA-MH DIAGNOSIS HX
VA-MH OUD SPECIFY TEXT
VA-MH OUD FREQUENCY TEXT3
VA-MH OUD FREQUENCY TEXT1
VA-MH OUD FREQUENCY TEXT2
VA-MH OUD MILD MOD SEVERE
00 EDIT BOX 12

HEALTH FACTORS

VA-REMINDER UPDATES
VA-UPDATE_2_0_88
VA-MH OUD TEMPLATES
VA-MH OUD BUPE INITIATION UDAS ORDERED
VA-NALOXONE
VA-PATIENT DECLINED NALOXONE
VA-MH OUD BUPE INITIATION INPATIENT
VA-MH OUD BUPE INITIATION OFFICE EDUCATE
VA-MH OUD BUPE INITIATION OBSERVE
VA-MH OUD BUPE INITIATION HOME EDUCATE
VA-MH OUD BUPE INITIATION HOME
VA-MH OUD BUPE INITIATION TEMPLATE
VA-MH OUD ASSESS TREATMENT ACCEPTED
VA-MH OUD ASSESS TREATMENT OFFERED
VA-MH OUD ASSESS MEETS CRITERIA
VA-MH OUD ASSESS DOES NOT MEET CRITERIA
VA-MH OUD ASSESS DSM 5-2 REDUCE USE
VA-MH OUD ASSESS DSM 5-11 WITHDRAWAL
VA-MH OUD ASSESS DSM 5-10 TOLERANCE
VA-MH OUD ASSESS DSM 5-9 PHYSICAL PROB
VA-MH OUD ASSESS DSM 5-8 HAZARDOUS
VA-MH OUD ASSESS DSM 5-7 ACTIVITIES
VA-MH OUD ASSESS DSM 5-6 SOCIAL PROBLEMS
VA-MH OUD ASSESS DSM 5-5 FAILURE
VA-MH OUD ASSESS DSM 5-4 CRAVING
VA-MH OUD ASSESS DSM 5-3 OBTAIN OPIOIDS
VA-MH OUD ASSESS DSM 5-1 LARGER AMOUNT

REMINDER SPONSOR

Mental Health Services
Office of Mental Health Services

REMINDER TERM

VA-REMINDER UPDATE_2_0_88

REMINDER DIALOG

VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE

HEALTH SUMMARY TYPE

VA-BUPRENORPHINE INDUCTION LAB
OB AUDC

HEALTH SUMMARY OBJECTS

VA-BUPRENORPHINE INDUCTION LAB REVIEW (TIU)
AUDC (TIU)

TIU DOCUMENT DEFINITION

VA-BUPRENORPHINE INITIATION LAB REVIEW (TIU)
AUDIT-C

Install Details

This update is being distributed as a web host file. The address for the host file is:

http://vista.med.va.gov/reminders/UPDATE_2_0_88.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take less than 20 minutes.

Install Example

If your site is unable to use LWH functionality, you will use vista mail to install the exchange file. The subject of the email will be UPDATE_2_0_88. You will see a message similar to this one.

MailMan message 131677 successfully loaded.

To Load the Web Host File. Navigate to Reminder exchange in Vista

```
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                 LMM  Load MailMan Message
CMM  Create MailMan Message           LR   List Reminder Definitions
DFE  Delete Exchange File Entry       LWH  Load Web Host File
IFE  Install Exchange File Entry      RI   Reminder Definition Inquiry
IH   Installation History             RP   Repack
Select Action: Next Screen// LWH  Load Web Host File ←
Input the URL for the .prd file: http://[REDACTED]/UPDATE_2_0_88.PRD
```

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

http://vista.med.va.gov/reminders/UPDATE_2_0_88.PRD

You should see a message at the top of your screen that the file successfully loaded.

Search and locate an entry titled **UPDATE_2_0_88 VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE** in reminder exchange

```
http://vista.med.va.gov/reminders/UPDATE_2_0_88.PRD successfully loaded.
+-----+-----+-----+-----+
+Item  Entry                                     Source                                     Date Packed
+-----+-----+-----+-----+
192    UPDATE_2_0_88 VA-MH OUD                 [REDACTED]                               01/02/2020@11:09
      BUPRENORPHINE INITIATION
      TEMPLATE
193    UPDATE_2_0_89 VA-COMMUNITY              [REDACTED]                               07/19/2019@07:29
      CARE EMERGENCY CARE REFERRED
194    UPDATE_2_0_9 VA-COLORECTAL             [REDACTED]                               03/20/2018@08:45
      CANCER SCREENING
195    UPDATE_2_0_90 VA-COMMUNITY              [REDACTED]                               07/15/2019@12:58
      CARE RFS RESPONSE LETTER
196    UPDATE_2_0_91 VA-VCC BLOOD              [REDACTED]                               09/17/2019@14:03
+-----+-----+-----+-----+
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                 LMM  Load MailMan Message
CMM  Create MailMan Message           LR   List Reminder Definitions
DFE  Delete Exchange File Entry       LWH  Load Web Host File
IFE  Install Exchange File Entry      RI   Reminder Definition Inquiry
IH   Installation History             RP   Repack
Select Action: Next Screen// IFE  Install Exchange File Entry
Enter a list or range of numbers (1-322): 192
```

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry

Enter the number that corresponds with your entry titled **UPDATE_2_0_88 VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE** (in this example it is entry 192, it will vary by site). Make sure the date of the exchange file is 01/02/2020@11:09:17

```

Component                                     Category      Exists
Source:
Date Packed: 01/02/2020@11:09:17
Package Version: 2.0P35

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE

REMINDER TERM
  VA-REMINDER UPDATE_2_0_88
Non-exchangeable TIU object(s):
-----
TIU Object: ACTIVE MEDICATIONS
Object Method: S X=$$LIST^TIULMED(DFN,"^TMP("TIUMED",$J)",1)

+      + Next Screen  - Prev Screen  ?? More Actions  >>>
IA  Install all Components          IS  Install Selected Component
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.
 Select Action: Next Screen// **IA Install all Components**

During the installation, you will see several prompts: *Note that you will **install** all new components*

You will be prompted to install the dialog component:

```

Packed reminder dialog: VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE [NATIONAL DI

```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE	dialog	
2	1	VA-MH OUD BUPR NOTE VERSION Finding: *NONE*	element	
3	3	VA-MH OUD BUPE INITIATION TITLE TEXT Finding: VA-MH OUD BUPE INDUCTION TEMPLATE (HEALTH FACTOR)	element	X
4	4	VA-MH OUD INDUCTION TEXT Finding: *NONE*	element	
5	5	BLANK LINE NOTE ONLY Finding: *NONE*	element	X
6	6	VA-MH OUD ASSESS STORM REPORT	element	X

```

+      + Next Screen  - Prev Screen  ?? More Actions
DD  Dialog Details      DT  Dialog Text      IS  Install Selected
DF  Dialog Findings    DU  Dialog Usage    QU  Quit
DS  Dialog Summary     IA  Install All
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** to install the dialog – **VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: **Y// ES**

VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE (reminder dialog) installed from exc

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE	dialog	X		
2	1	VA-MH OUD BUPR NOTE VERSION Finding: *NONE*	element	X		
3	3	VA-MH OUD BUPE INITIATION TITLE TEXT Finding: VA-MH OUD BUPE INDUCTION TEMPLATE (HEALTH FACTOR)	element	X		
4	4	VA-MH OUD INDUCTION TEXT Finding: *NONE*	element	X		
5	5	BLANK LINE NOTE ONLY Finding: *NONE*	element	X		
6	6	VA-MH OUD ASSESS STORM REPORT	element	X		
+ + Next Screen - Prev Screen ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// Q						

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will then be prompted to install the remaining components:

HEALTH SUMMARY TYPE ENTRY VA-BUPRENORPHINE INITIATION LAB IS NEW,
WHAT DO YOU WANT TO DO?

SELECT ONE OF THE FOLLOWING:

- C CREATE A NEW ENTRY BY COPYING TO A NEW NAME
- I INSTALL
- Q QUIT THE INSTALL
- S SKIP, DO NOT INSTALL THIS ENTRY

ENTER RESPONSE: I// NSTALL

HEALTH SUMMARY TYPE ENTRY NAMED OB AUDC ALREADY EXISTS BUT THE PACKED
COMPONENT IS DIFFERENT, WHAT DO YOU WANT TO DO?

SELECT ONE OF THE FOLLOWING:

- C CREATE A NEW ENTRY BY COPYING TO A NEW NAME
- O OVERWRITE THE CURRENT ENTRY
- U UPDATE
- Q QUIT THE INSTALL
- S SKIP, DO NOT INSTALL THIS ENTRY

ENTER RESPONSE: O// **SKIP, DO NOT INSTALL THIS ENTRY**

HEALTH SUMMARY OBJECTS ENTRY VA-BUPRENORPHINE INDUCTION LAB REVIEW (TIU) IS
NEW, WHAT DO YOU WANT TO DO?


SELECT ONE OF THE FOLLOWING:

- C CREATE A NEW ENTRY BY COPYING TO A NEW NAME
- I INSTALL


```

Q      QUIT THE INSTALL
S      SKIP, DO NOT INSTALL THIS ENTRY
ENTER RESPONSE: I// NSTALL.
TIU DOCUMENT DEFINITION ENTRY VA-BUPRENORPHINE INITIATION LAB REVIEW IS NEW,
WHAT DO YOU WANT TO DO?
SELECT ONE OF THE FOLLOWING:
C      CREATE A NEW ENTRY BY COPYING TO A NEW NAME
I      INSTALL
Q      QUIT THE INSTALL
S      SKIP, DO NOT INSTALL THIS ENTRY
ENTER RESPONSE: I// NSTALL.

```



You will be returned to this screen. Type Q to quit.

Install Completed

Post Installation

1. Make the Dialog templates available to be attached to a Personal or Shared template or to be able to attach the dialog to a progress note title.

From the Reminders Manager Menu:

Select Reminder Managers Menu Option: **CP CPRS Reminder Configuration**

- CA Add/Edit Reminder Categories
- CL CPRS Lookup Categories
- CS CPRS Cover Sheet Reminder List
- MH Mental Health Dialogs Active
- PN Progress Note Headers
- RA Reminder GUI Resolution Active
- TIU TIU Template Reminder Dialog Parameter**
- DL Default Outside Location

PT Position Reminder Text at Cursor

Select CPRS Reminder Configuration Option: **TIU** TIU Template Reminder Dialog
Parameter

Reminder Dialogs allowed as Templates may be set for the following:

- 1 User USR [choose from NEW PERSON]
- 3 Service SRV [choose from SERVICE/SECTION]
- 4 Division DIV [choose from INSTITUTION]
- 5 System SYS [NATREM.FO-SLC.MED.VA.GOV]

Enter selection: **5** Choose the appropriate number for your site. Your site may do this by System or other levels. The example below uses SYSTEM level

Setting Reminder Dialogs allowed as Templates for System:

Select Display Sequence: **?**

- 148 VA-VETERANS CHOICE NOTE
- 149 VA-TBI SCREENING
- 151 VACO TRANSPLANT REFERRAL (D)

*When you type a question mark above, you will see the list of #'s (with dialogs) that are already taken. Choose a number **NOT** on this list. For this example, looking above I see the number 150 is not present, so I will use 150.*

Select Display Sequence: **150**

Are you adding 150 as a new Display Sequence? Yes// **Y YES**

Display Sequence: 150// **<Enter>**

Clinical Reminder Dialog: **VA-MH OUD BUPRENOPRHINE INITIATION**

TEMPLATE<ENTER>

OK? Yes// **<Enter>** (Yes)

2. Setup of Note title

The new note title that needs to be created is:

OPIOID USE DISORDER BUPRENORPHINE INITIATION

This note title is to be mapped to the following VHA Enterprise Standard Title:
MENTAL HEALTH NOTE

Comprehensive information on Creating Document Definitions can be found beginning on page 47 of the [TIU/ASU Implementation Guide](#)

Your site can also set up the template in your shared template folder. Staff may access the template either through the note title or the shared template folder.

3a. Associate the reminder dialog with the note title in CPRS


To do this, go to Template Editor, then Document Titles, select the appropriate folder (if applicable), and choose New Template (top right-hand corner).

Type in the following information:

Name: **OPIOID USE DISORDER BUPRENORPHINE INITIATION**

Template Type: Reminder Dialog

Reminder Dialog: VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE



Next, type in the Associated Title, which in this case is **OPIOID USE DISORDER BUPRENORPHINE INITIATION** and hit Apply.

3b. Add the dialog to a shared template in CPRS.


To do this, go to Template Editor, then Shared Templates, select the appropriate folder (if applicable), and choose New Template (top right-hand corner).

Type in the following information:

Name: **OPIOID USE DISORDER BUPRENORPHINE INITIATION**

Template Type: Reminder Dialog

Reminder Dialog: VA-MH OUD BUPRENORPHINE INITIATION TEMPLATE



Hit Apply.

3. Add your local PDMP hyperlink txml field

Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element. VAL-MH OUD PDMP LINK. Insert your local existing txml template field.

If one does not exist, you will need to create a txml template field hyperlink to your state's PDMP (prescription drug monitoring program) website. Look up your state's PDMP website [here](#).

4. Add your local DATA OBJECT FOR ACTIVE MEDICATIONS to the following element:

Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Element. Search for and edit the following group: VAL-MH OUD ACTIVE MEDICATIONS If you prefer to use your local ACTIVE MEDICATIONS object, you can replace it with the current object in this element (i.e. |ACTIVE MEDICATIONS|).

5. Add the local labs to the health summary type VA-BUPRENORPHINE INDUCTION LAB as selection items in the SLT component. **CONTACT YOUR LOCAL LAB ADPAC TO FIND OUT WHAT YOUR LOCAL LAB TESTS ARE.** These are the lab tests that you should add:

Hepatitis A Ab

Hepatitis B Core Ab

Hepatitis B Surface Ab

Hepatitis C Ab

SGOT

SGPT

HIV Screen (Note, this is a Group so additional local elements for verbal consent can be added)

UDAS (Urine Drug of Abuse Screen) – add lab panel components

6. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Group. Search for and edit the following group: VAL-MH OUD BUPE INITIATION ORDER LABS Add appropriate lab orders to the following elements:

VAL-MH OUD BUPE INITIATION ORDER LABS CBC

VAL-MH OUD BUPE INITIATION ORDER LABS BMP

VAL-MH OUD BUPE INITIATION ORDER LABS HEPATITIS A

VAL-MH OUD BUPE INITIATION ORDER LABS HEPATITIS B

VAL-MH OUD BUPE INITIATION ORDER LABS HEPATITIS C

VAL-MH OUD BUPE INITIATION ORDER LABS LFT

VAL-MH OUD BUPE INITIATION ORDER LABS HIV-GP

VAL-MH OUD BUPE INITIATION ORDER LABS UDAS

VAL-MH OUD BUPE INITIATION ORDER LABS HCG (qualitative, urine or blood per your facility preference)

Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD ASSESS NALOXONE ORDERED . Add your local quick order for NALOXONE. The drug from national drug file is DR.NALOXONE HCL 4MG/SPRAY SOLN NASAL SPRAY

7.

8. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION MEDS 2 MG TABS Add your local quick order for BUPRENORPHINE 2MG/NALOXONE .5 MG TAB

9. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION MEDS 8 MG TABS Add your local quick order for BUPRENORPHINE 8MG/NALOXONE 2 MG TAB

10. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION MEDS 2 MG FILM Add your local quick order for BUPRENORPHINE 2 MG/NALOXONE .5 MG FILM

11. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION MEDS 8 MG FILM Add your local quick order for BUPRENORPHINE 8 MG/NALOXONE 2 MG FILM

12. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION MEDS 2 MG TABS DISCHARGE. Add your local quick order for BUPRENORPHINE 2MG/NALOXONE .5 MG TAB

13. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following VAL-MH OUD BUPE INITIATION MEDS 8 MG TABS DISCHARGE Add your local quick order for BUPRENORPHINE 8MG/NALOXONE 2 MG TAB

14. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION MEDS 2 MG FILM DISCHARGE Add your local quick order for BUPRENORPHINE 2 MG/NALOXONE .5 MG FILM

15. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION MEDS 8 MG FILM DISCHARGE Add your local quick order for BUPRENORPHINE 8 MG/NALOXONE 2 MG FILM

16. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION WITHDRAWAL CLONIDINE Add your local quick order for CLONIDINE 0.1 MG

17. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION WITHDRAWAL ACETAMINOPHEN. Add your local quick order for ACETAMINOPHEN 500 MG

18. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION WITHDRAWAL ONDANSETRON. Add your local quick order for ONDANSETRON 4 MG

19. Using the menu Reminder Dialog Management, Reminder Dialogs, change your view to Elements. Search for and edit the following element VAL-MH OUD BUPE INITIATION WITHDRAWAL LOPERAMIDE. Add your local quick order for LOPERAMIDE 4 MG