



Update_2_0_14

Clinical Reminders

Human Papillovirus (HPV)

INSTALLATION and SETUP GUIDE

February 2017

Product Development
Department of Veterans Affairs

Contents

Introduction.....	3
Install Details	9
Pre-Install	9
Install Example	9
Post-Install Set-up Instructions.....	22
Acronyms	Error! Bookmark not defined.

Introduction

UPDATE_2_0_14 includes a new National Clinical reminder for HPV. It contains 1 Reminder Exchange entry: UPDATE_2_0_14 VA-HPV IMMUNIZATION

This update will update the following reminder content:

1. Reminders Definitions:
 - VA-HPV PRIOR IMMUNIZATIONS (OBJECT)
 - VA-HPV DECLINE PERMANENTLY
 - VA-HPV BL SERIES 2 VACCINES
 - VA-HUMAN PAPILLOMAVIRUS (HPV) IMMUNIZATION
2. Reminder Dialog
 - VA-HUMAN PAPILLOMAVIRUS (HPV) VACCINE
3. Reminder Taxonomies
 - VA-IMMUNOCOMPROMISED
 - VA-TERMINAL CANCER PATIENTS
4. Terms
 - VA-HPV VACCINES
 - VA-HPV DECLINE VACCINE PERMANENTLY (BL)
 - VA-HPV ADMINISTRATION SUPPRESSION
 - VA-HPV BL SERIES 2 VACCINES
 - VA-HPV ORDER SUPPRESSION
 - VA-HPV VACCINE PRECAUTION
 - VA-HPV VACCINE ORDERED
 - VA-HPV VACCINE DECLINED
 - VA-HPV VACCINE DECLINED PERMANENTLY
 - VA-HPV VACCINE CONTRAINDICATED
 - VA-HPV VACCINES SERIES 2
 - VA-HPV VACCINES SERIES COMPLETE
 - VA-LIFE EXPECTANCY < 6 MONTHS
 - VA-IMMUNOCOMPROMISED
5. Health Factors
 - HPV
 - HPV DECLINED PERMANENTLY
 - HPV PRECAUTION
 - HPV CONTRAINDICATED
 - HPV DECLINED
 - REMINDER FACTORS

LIFE EXPECTANCY < 6 MONTHS

6. TIU Template Field
BLANK SPACE1
BLANK TEXT FIELD FOR DIALOGS
VIS HPV GARDASIL-9
IM VIS HPV GARDASIL-9 DT
IM COMMENT COMPLICATONS
IM HPV LOT# EXP DATE
IM HPV MANUF
IM INJECTION SQ SITE
IM INJECTION RIGHT/LEFT
CDC HPV VACCINE RECOMMENDATIONS
NCP HPV GUIDANCE
7. Health Summary Type
HPV IMMUNIZATIONS
8. TIU Object
HPV IMMUNIZATIONS

New national reminder VA-HUMAN PAPILOMAVIRUS (HPV) VACCINE

Description:



VHA recommends HPV immunization (unless contraindicated) for women ages 19-26 and men ages 19-21 who have not been previously vaccinated and/or who have not completed the full 3 dose series.



VHA recommends HPV immunization (unless contraindicated) for men ages 22-26 who are:

- immunocompromised including those with HIV or
- men who have sex with men (MSM)

and who have not been previously vaccinated and/or who have not completed the full 3 dose series. Other men in this age group *may receive* the vaccine (permissive recommendation) on a case by case basis based on patient preference.

How the HPV reminder work:

1. Only one reminder definition, but will be due a maximum of three different times for each of the three series vaccinations.
 - a. 1st Dose due with no vaccine history
 - b. 2nd Dose due 2 months after 1st dose
 - c. 3rd Dose due 4 months after 2nd dose
2. Any documented HPV product (2vHPV (HPV, BIVALENT), 4vHPV (HPV, QUADRIVALENT), or 9vHPV (HPV9)) will resolve the reminder for each series.
3. Branching logic within in the dialog displays the appropriate series needed. A suppressed option will be replaced with a statement to author that dose has been given previously.
 - a. 1st dose option will be suppressed if patient has received any HPV vaccine at any point in time (example below).
 - b. 2nd dose option will be suppressed if patient has received any HPV vaccine documented as “Series 2” or any 2 HPV vaccines with administration dates within at least 1 month apart.

HPV VACCINE

Order HPV vaccine

Document administration of HPV vaccine today

The first dose if the HPV vaccine has been documented previously. See HPV vaccine history below for details.

2nd dose (series 2)

3rd dose (series complete)

Record prior HPV vaccination (historical)
(Note: written documentation is required before entering this information.)

Deferral/Refusal

View prior HPV immunizations

Prior HPV Immunizations

Information:
Immunization: HPV9
11/06/2015@06:45:54 series - SERIES 1

4. Each vaccine series option has an embedded forced value to properly document series number with immunization finding, so the series prompt will not display to the author.
5. The dialog section for documenting historical HPV vaccines offers the author the ability to document multiple vaccinations and provides choices for HPV-2, HPV-4, HPV-9, and unspecified formulation vaccine (displayed below).

2nd dose (series 2) given previously

Unspecified formulation


HPV-2 (Bivalent)

HPV-4 (Quadrivalent)

HPV-9

6. Cohort is men and women 19-26 years old, excluding those with an allergy or life expectancy <6 months. This cohort varies slightly from the VHA recommendation for males. There is no consistent way to capture the criteria for males age 22-26. This will be up to the provider to decide if the Immunization is appropriate

7. Resolved with documentation of vaccination, vaccination order, patient declines, and a contraindication or precaution documentation.
 - a. A vaccination order resolves the reminder for 3 months. Elements are in the dialog for ordering a single dose up to three doses at the appropriate interval. Sites will need to map to appropriate local orders (displayed below). The order options can be turned off through branching logic for sites that need to remove the ability to order vaccinations from the dialog.



- b. Two options for documenting that a patient declines are in the dialog. One option resolves the reminder for 3 months; the second is for the patient to decline the vaccination permanently. The option to decline permanently will only display for patients within the permissive category, which includes males, 22-26 years old, and not immunocompromised.
 - c. A documented contraindication will make the reminder not applicable.
 - d. A documented precaution will resolve the reminder for 6 months.
8. The reminder dialog attached to the definition contains five groups with embedded branching logic. Instructions are located in the post-install section of the install guide.
 - a. **VAL-HPV ORDER OPTIONS** group has branching logic to suppress the ordering capability in the dialog if needed.
 - b. **VA-HPV ADMIN TODAY SERIES** group has branching logic to suppress the capability to document vaccine administration if needed.
 - c. **VA-HPV ADMIN TODAY SERIES 1** group has branching logic to suppress the option of documenting a HPV series 1 vaccination if this has already been documented in the patient's record.
 - d. **VA-HPV ADMIN TODAY SERIES 2** group has branching logic to suppress the option of documenting a HPV series 2 vaccination if this has already been documented in the patient's record.
 - e. **VA-HPV DECLINE VACCINE PERMANENTLY** group has branching logic to suppress the option to permanently decline HPV vaccinations.

Terms used in the logic:

VA-HPV ADMINISTRATION SUPPRESSION

This term is released with two computed findings, VA-ASU USER CLASS and VA-AGE for sites to suppress the vaccine administration documentation options in the reminder dialog if needed. The dialog is deployed with these options displaying in the note.

VA- HPV ORDER SUPPRESSION

This term is released with two computed findings, VA-ASU USER CLASS and VA-AGE for sites to suppress the ordering options in the reminder dialog if needed. The dialog is deployed with these options displaying in the note.

VA-HPV VACCINE CONTRAINDICATED

This term is released with the health factor HPV CONTRAINDICATED and computed findings mapped to allergy ingredients. The term is used to permanently resolve the reminder. Map any local findings that meet the intent of this term.

VA-HPV VACCINE DECLINED

This term is released with the health factors HPV DECLINED. HPV DECLINED has a Beginning Date/Time of “T-3M” to resolve the reminder for 3 months. Map any local findings that meet the intent of this term.

VA-HPV VACCINE DECLINED PERMANENTLY

This term is released with the health factor HPV DECLINED PERMANENTLY. Map any local findings that meet the intent of this term.

VA-HPV VACCINE PRECAUTION

This term is released with the health factor HPV PRECAUTION. The term is used to resolve the reminder for 6 months due to a vaccine precaution. Map any local findings that meet the intent of this term.

VA-HPV VACCINE ORDERED

This term is released without any findings. The term is used in the reminder definition to resolve the reminder for 2 months for an active order to administer the HPV vaccine. Map any local findings, including orderable items that meet the intent of this term. Any orderable item added will be evaluated as true is the order status is Active, Pending, Renewed, or Scheduled.

VA-HPV VACCINES

This term is released with the immunization findings listed below. The term is used in the reminder definition to search for up to three occurrences of any of the immunization findings for the HPV vaccine. Map any local findings that meet the intent of this term.

Finding Item: HPV, BIVALENT (FI(1))
Finding Type: IMMUNIZATION

Finding Item: HPV, QUADRIVALENT (FI(2))
Finding Type: IMMUNIZATION

Finding Item: HPV, UNSPECIFIED FORMULATION (FI(3))
Finding Type: IMMUNIZATION

Finding Item: HPV9 (FI(4))
Finding Type: IMMUNIZATION

VA-HPV VACCINES SERIES 2

This term is released with the immunization findings listed below with the condition set to look only for series 2 immunizations. The term is used in the reminder definition to search for HPV immunizations documented as series 2 doses. Map any local findings that meet the intent of this term ensuring to set the Condition fields as below.

Finding Item: HPV, BIVALENT (FI(1)=IM(1118))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")=2

Finding Item: HPV, QUADRIVALENT (FI(2)=IM(1062))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")=2

Finding Item: HPV, UNSPECIFIED FORMULATION (FI(3)=IM(1137))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")=2

Finding Item: HPV9 (FI(4)=IM(1808))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")=2

VA-HPV VACCINES SERIES COMPLETE

This term is released with the immunization findings listed below with the condition set to look only for series 3 or complete immunizations. The term is used in the reminder definition to search for HPV immunizations documented as series 3 or that completes the vaccination. Map any local findings that meet the intent of this term ensuring to set the Condition fields as below.

Finding Item: HPV, BIVALENT (FI(1)=IM(1118))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")="C"!(V("SERIES")="3")

Finding Item: HPV, QUADRIVALENT (FI(2)=IM(1062))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")="C"!(V("SERIES")="3")

Finding Item: HPV, UNSPECIFIED FORMULATION (FI(3)=IM(1137))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")="C"!(V("SERIES")="3")

Finding Item: HPV9 (FI(4)=IM(1808))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")="C"!(V("SERIES")="3")

VA-LIFE EXPECTANCY <6 MONTHS

This term is released with the health factor LIFE EXPECTANCY < 6 MONTHS and taxonomy VA-TERMINAL CANCER PATIENTS. Map any local findings that identify patients with a terminal illness.

VA-IMMUNOCOMPROMISED

This term is released with the taxonomy VA-IMMUNOCOMPROMISED. Map any local findings that meet the intent of this term.

Install Details

This update is being distributed as a web host file. The address for the host file is:
http://vista.med.va.gov/reminders/UPDATE_2_0_14.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take less than five minutes.

Pre-Install

1. Check local reminders for a HPV reminder.
 - a) Identify any local health factors that represent the same concept as health factors included in this patch. After installation add the appropriate health factor to the appropriate term described.
 - b) Identify local orderable items used in orders for HPV vaccine administration. After installation add appropriate orderable items to the appropriate terms described.
 - c) Make a copy of the reminder inquiry details of any local HPV reminders. This information can be used to ensure the new reminders include local findings from previous versions.

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista

Item	Entry	Source	Date Packed
1	691 PALLIATIVE CONSULT VERSION 3.0 (3/9/11)	AUSTIN@WEST LA VAMC	03/09/2011@10:42
2	AJM IMMUNIZATION SERIES	MONTGOMERY@BEDFORD VAMC	03/22/2011@10:57
3	AJM PN FOR BECKY	MONTGOMERY@BEDFORD VAMC	04/13/2011@19:09
4	AJM PN FOR BECKY	MONTGOMERY@BEDFORD VAMC	04/14/2011@09:49
5	AJM PXNAT TEST	MONTGOMERY@BEDFORD VAMC	04/11/2011@15:56
6	BOINUR NHCU ADL REMINDER	MOORE@BOISE VAMC	03/13/2007@14:41
7	DEPRESSION/PTSD REMINDER TERM UPDATES - PATCH 17	VOLPP@NORTHERN CAL	02/26/2010@12:07
8	ECOE REMINDER DIALOGS	CARTER@SALT LAKE CI	08/28/2013@09:38
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History		
Select Action: Next Screen// LWH Load Web Host File ←			
Input the url for the .prd file: http://vista.med.va.gov/reminders/UPDATE_2_0_14.PRD			

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

http://vista.med.va.gov/reminders/UPDATE_2_0_14.PRD

http://vista.med.va.gov/reminders/UPDATE_2_0_14.PRD successfully loaded.

You should see a message at the top of your screen that the file successfully loaded.

Search and locate an entry titled UPDATE_2_0_14 VA-HPV IMMUNIZATION in reminder exchange

+Item	Entry	Source	Date Packed
61	UPDATE_2_0_14 VA-HPV IMMUNIZAT ION	GRIFFITH@SALT LAKE CI	07/20/2016@08:40
62	UPDATE_2_0_14 VA-HPV IMMUNIZAT ION	BOHNER@SALT LAKE CI	12/20/2016@11:11
63	UPDATE_2_0_17 VA-WH PRECONCEPT ION CARE	GRIFFITH@SALT LAKE CI	09/22/2016@07:53
64	UPDATE_2_0_17 VA-WH PRECONCEPT ION CARE	GRIFFITH@SALT LAKE CI	11/14/2016@09:36
65	UPDATE_2_0_18 MISC UPDATE 2	GRIFFITH@SALT LAKE CI	10/20/2016@12:42
66	UPDATE_2_0_19 VA-CSC INITIAL	GRIFFITH@SALT LAKE CI	01/31/2017@12:14
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History		
Select Action: Next Screen// 62			

In the example above, there are 2 entries for UPDATE_2_0_14 VA-HPV IMMUNIZATION. Make sure you choose the one with date of **12/20/2016@11:11**
Your system should only have 1 entry, but in the event there are more than 1, follow step above.

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
 Enter the number that corresponds with your entry titled UPDATE_2_0_14 VA- HPV
 IMMUNIZATION (in this example it is entry 62, it will vary by site)

```

Component                                     Category   Exists
Source:    FAHNER,JEFF at SALT LAKE CITY
Date Packed: 12/20/2016@11:11:30
Package Version: 2.0P62

Description:
HPV IMMUNIZATION:
One complete series consisting of 3 doses is recommended (unless
contraindicated) for:

- Women ages 19-26;
- Men ages 19-21 who have not been previously vaccinated and/or who have
  not completed the full 3 dose series;
- Men ages 22-26 who are immunocompromised including those with HIV or
  men who have sex with men (MSM) and who have not been previously
  vaccinated and/or who have not completed the full 3 dose series. Other
  men in this age group may receive the vaccine (permissive
+      Enter ?? for more actions                                     >>>
IA  Install all Components          IS  Install Selected Component
Select Action: Next Screen// IA
  
```

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.

Here is the detail on the installation including the prompts you could see during installation and how you should answer them. It is possible you will not see exactly what is below...Here are a few rules to follow when doing the install.

1. If a component is NEW, use the INSTALL action
2. If a component exists, but the packed component is different, use the OVERWRITE action *unless* it is a REMINDER TERM, then use the MERGE option

TIU TEMPLATE FIELD entry named BLANK SPACE1 already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named BLANK TEXT FIELD FOR DIALOGS already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry VIS HPV GARDASIL-9 is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name

- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

TIU TEMPLATE FIELD entry IM VIS HPV GARDASIL-9 DT is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

TIU TEMPLATE FIELD entry named IM COMMENT COMPLICATONS already exists
and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry IM HPV LOT# EXP DATE is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

TIU TEMPLATE FIELD entry IM HPV MANUF is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

TIU TEMPLATE FIELD entry named IM INJECTION SQ SITE already exists
and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named IM INJECTION RIGHT/LEFT already exists
and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry CDC HPV VACCINE RECOMMENDATIONS is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

TIU TEMPLATE FIELD entry NCP HPV GUIDANCE is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name

- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

HEALTH FACTORS entry VA-HPV is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

HEALTH FACTORS entry HPV DECLINED PERMANENTLY is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

HEALTH FACTORS entry HPV PRECAUTION is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

HEALTH FACTORS entry HPV CONTRAINDICATED is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV VACCINE DECLINED PERMANENTLY is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install

- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

HEALTH FACTORS entry HPV DECLINED is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

HEALTH FACTORS entry named REMINDER FACTORS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named LIFE EXPECTANCY < 6 MONTHS already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named Office of Mental Health Services already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named National Center for Health Promotion and Disease Prevention (NCP) already exists and the packed component is identical, skipping.

REMINDER TAXONOMY entry named VA-IMMUNOCOMPROMISED already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// verwrite the current entry**

Are you sure you want to overwrite? **N// YES**

REMINDER TAXONOMY entry named VA-TERMINAL CANCER PATIENTS already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: **O// verwrite the current entry**

Are you sure you want to overwrite? **N// YES**

REMINDER TERM entry VA-HPV VACCINES is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV DECLINE VACCINE PERMANENTLY (BL) is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV ADMINISTRATION SUPPRESSION is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV BL SERIES 2 VACCINES is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV ORDER SUPPRESSION is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV VACCINE PRECAUTION is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV VACCINE ORDERED is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV VACCINE DECLINED is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV VACCINE CONTRAINDICATED is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV VACCINES SERIES 2 is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry VA-HPV VACCINES SERIES COMPLETE is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install

- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER TERM entry named VA-LIFE EXPECTANCY < 6 MONTHS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-IMMUNOCOMPROMISED already exists and the packed component is identical, skipping.

REMINDER DEFINITION entry VA-HPV PRIOR IMMUNIZATIONS (OBJECT) is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER DEFINITION entry VA-HPV DECLINE PERMANENTLY (BL) is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER DEFINITION entry VA-HPV BL SERIES 2 VACCINES is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

REMINDER DEFINITION entry VA-HUMAN PAPILLOMAVIRUS (HPV) IMMUNIZATION is NEW,

what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

You will then be prompted to install the dialog components:

```
Packed reminder dialog: VA-HUMAN PAPILOMAVIRUS (HPV) VACCINE
```

Item	Seq.	Dialog Findings	Type	Exists
1		VA-HUMAN PAPILOMAVIRUS (HPV) VACCINE	dialog	X
2	4	VA-TEXT HPV HEADER Finding: *NONE*	element	X
3	5	VA-HPV DETAILED GUIDANCE Finding: *NONE*	group	X
4	5.5	VA-HPV GUIDANCE DETAILS Finding: *NONE*	element	X
5	10	VA-TEXT BLANK LINE WITH TEMPLATE FIELD Finding: *NONE*	element	X
6	15	VA-HPV ADMIN OPTIONS Finding: *NONE*	group	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	

Select Action: Next Screen// IA

At the **Select Action** prompt, type **IA** to install the dialog – VA-HUMAN PAPILOMAVIRUS (HPV) VACCINE

Install reminder dialog and all components with no further changes: Y// YES

```
Packed reminder dialog: VA-HUMAN PAPILOMAVIRUS (HPV) VACCINE
VA-HUMAN PAPILOMAVIRUS (HPV) VACCINE (reminder dialog) installed from exchange
```

+Item	Seq.	Dialog Findings	Type	Exists
7	15.5	V-HPV ORDER OPTIONS Finding: *NONE*	group	X
8	15.5.5	VA-HPV ORDER SET 3 DOSES Finding: *NONE*	group	X
9	15.5.5.5	V-HPV ORDER ATTESTATION 3 DOSES Finding: *NONE*	element	X
10	15.5.10	V-HPV ORDER SET 2 DOSES Finding: *NONE*	group	X
11	15.5.10.5	V-HPV ORDER ATTESTATION 2 DOSES Finding: *NONE*	element	X
12	15.5.15	V-HPV ORDER 1 DOSE Finding: *NONE*	group	X
13	15.5.15.5	V-HPV ORDER ATTESTATION 1 DOSE Finding: *NONE*	element	X
14	15.10	VA-HPV ADMIN TODAY SERIES	group	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	

Select Action: Next Screen// Q

You will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will see these prompts:

HEALTH SUMMARY TYPE entry HPV IMMUNIZATIONS is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

HEALTH SUMMARY OBJECTS entry HPV IMMUNIZATIONS (TIU) is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

TIU DOCUMENT DEFINITION entry HPV IMMUNIZATIONS is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: **I// nstall**

Component	Category	Exists
Source: FAHNER,JEFF at SALT LAKE CITY		
Date Packed: 12/20/2016@11:11:30		
Package Version: 2.0P62		
Description:		
HPV IMMUNIZATION:		
One complete series consisting of 3 doses is recommended (unless contraindicated) for:		
<ul style="list-style-type: none"> - Women ages 19-26; - Men ages 19-21 who have not been previously vaccinated and/or who have not completed the full 3 dose series; - Men ages 22-26 who are immunocompromised including those with HIV or men who have sex with men (MSM) and who have not been previously vaccinated and/or who have not completed the full 3 dose series. Other men in this age group may receive the vaccine (permissive 		
+ + Next Screen - Prev Screen ?? More Actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// Q		

After all the dialogs have installed, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

Installation complete.

Post-Install Set-up Instructions

1. Map local orderable items

A. Map HPV vaccine orders

Map to this term: VA-HPV VACCINE ORDERED

Description:

This term is released without any findings. The term is used in the reminder definition to resolve the reminder for 2 months for an active order to administer the HPV vaccine.

Map local orderable items that meet the intent of this term. Any orderable item added will be evaluates as true is the order status is Active, Pending, Renewed, or Scheduled.

2. Map existing findings

A. Map any local health factor(s) representing HPV vaccine contraindications to the term VA-HPV VACCINE CONTRAINDICATED.

This term is released with the health factor HPV CONTRAINDICATED and computed findings mapped to allergy ingredients. The term is used to permanently resolve the reminder.

B. Map any local health factor(s) that represent the patient declined the HPV vaccine to the term VA-HPV VACCINE DECLINED.

This term is released with the health factors HPV DECLINED.

HPV DECLINED has a Beginning Date/Time of “T-3M” to resolve the reminder for 3 months.

C. Map any local health factor(s) that represent the patient declined the HPV vaccine permanently to the term VA-HPV VACCINE DECLINED PERMANENTLY.

This term is released with the health factors HPV DECLINED PERMANENTLY.

D. Map any local health factor(s) representing a HPV vaccine precaution to the term VA-HPV VACCINE PRECAUTION.

This term is released with the health factor HPV PRECAUTION. The term is used to resolve the reminder for 6 months.

E. Map any local HPV immunization(s) to the reminder term VA-HPV VACCINES.

This term is released with standard HPV vaccine immunization findings listed. The term is used in the reminder definition to search for up to three occurrences of any of the immunization findings for the HPV vaccine. Map any local findings that meet the intent of this term.

F. Map any local HPV immunization(s) to the reminder term VA-HPV VACCINES SERIES 2.

This term is released with standard HPV vaccine immunization findings listed with the condition set to look only for series 2 immunizations. The term is used in the reminder definition to search for HPV immunizations documented as series 2 doses. Map any local findings that meet the intent of this term ensuring to set the Condition fields as below.

Finding Item: HPV, BIVALENT (FI(1)=IM(1118))

Finding Type: IMMUNIZATION

Condition: I V("SERIES")=2

G. Map any local HPV immunization(s) to the reminder term VA-HPV VACCINES SERIES COMPLETE.

This term is released with standard HPV vaccine immunization findings listed with the condition set to look only for series 3 or complete immunizations. The term is used in the reminder definition to search for HPV immunizations documented as series 3 or that completes the vaccination. Map any local findings that meet the intent of this term ensuring to set the Condition fields as below.

Finding Item: HPV, BIVALENT (FI(1)=IM(1118))
Finding Type: IMMUNIZATION
Condition: I V("SERIES")="C"!(V("SERIES")="3")

3. Map any limited life expectancy health factors

Map any limited life expectancy health factors to the reminder term:
VA-LIFE EXPECTANCY < 6 MONTHS

4. Embed appropriate HPV vaccination quick order(s)

The dialog has three groups used to order the administration of the HPV vaccine. Sites can choose to use one, two, or all three of these groups as order options in the dialog depending on local practices. For example, a site that has an order set for ordering all three doses to be administered at the appropriate interval should map the order set to VAL-HPV ORDER SERIES 1/2/3 AT INTERVAL. The other two order option groups would either be inactivated or mapped to similar orders for the appropriate doses to be administered. Orders and/or order sets should be embedded in each group as appropriate.

These three groups are deployed as LOCAL, so sites can modify based on local ordering practices. Each site can modify the GROUP HEADER DIALOG TEXT and should add text to the GROUP HEADER ALTERNATE P/N TEXT based on local ordering practices. The EXCLUDE FROM PROGRESS NOTE field should be changed to “NO” if a group is used in the dialog.

- The VAL-HPV ORDER SINGLE SERIES group is used to order a single dose of the HPV vaccine. Sites should the appropriate dialog text and note text to the group
- The VAL-HPV ORDER SERIES 2/3 AT INTERVAL group is used to order the 2nd and 3rd doses of the vaccine at the appropriate interval. Remember the 3rd dose needs to be administered at least 4-5 months after the 2nd dose.
- The VAL-HPV ORDER SERIES 1/2/3 AT INTERVAL group is used to order all 3 doses of the HPV vaccine at the appropriate interval. Remember the 2nd dose should be administered at least 1-2 months after the 1st; and the 3rd at least 6 months after the 1st dose. Local sites can remove the 2-dose or 3-dose ordering options if needed.
- These groups are in the group VAL-HPV ORDER OPTIONS, which is designated as a LOCAL class.

To use the group(s) follow these instructions:

1. Find the VAL-HPV ORDER SINGLE SERIES group and select EDIT
2. Place the quick order name in the FINDING ITEM field (example below).
3. Add appropriate note text to the GROUP HEADER ALTERNATE P/N TEXT field
4. Change the EXCLUDE FROM PROGRESS NOTE field to “NO”

5. Find the VAL-HPV ORDER SERIES 2/3 AT INTERVAL group and select EDIT

6. Place the order/order set name in the FINDING ITEM field.
7. Add appropriate note text to the GROUP HEADER ALTERNATE P/N TEXT field
8. Change the EXCLUDE FROM PROGRESS NOTE field to “NO”

9. Find the VAL-HPV ORDER SERIES 1/2/3 AT INTERVAL group and select EDIT
10. Place the order/order set name in the FINDING ITEM field.
11. Add appropriate note text to the GROUP HEADER ALTERNATE P/N TEXT field
12. Change the EXCLUDE FROM PROGRESS NOTE field to “NO”

Example:

Select one of the following:

- E Edit
- C Copy and Replace current element
- D Delete element from this dialog

Select Dialog Element Action: // **Edit** (Enter EDIT)

NAME: VAL-HPV ORDER SINGLE SERIES

DISABLE:

CLASS: LOCAL//

SPONSOR:

REVIEW DATE:

RESOLUTION TYPE:

ORDERABLE ITEM:

FINDING ITEM: **Q.HPV VACCINE SINGLE DOSE** (Add appropriate order dialog)

Additional findings: none

Select ADDITIONAL FINDING:

GROUP CAPTION:

PUT A BOX AROUND THE GROUP: //

SHARE COMMON PROMPTS:

MULTIPLE SELECTION: //

HIDE/SHOW GROUP:

GROUP HEADER DIALOG TEXT:

Order single dose HPV vaccine.

Edit? NO//

GROUP HEADER ALTERNATE P/N TEXT:

HPV vaccination ordered.

Edit? NO// **YES** (Add appropriate note text)

EXCLUDE FROM PROGRESS NOTE: YES// **NO** (Change YES to NO)

HPV VACCINE

- Order HPV vaccine
- Order 3 doses of HPV vaccine.
- Order 2nd and 3rd doses of HPV vaccine.
- Order single dose HPV vaccine.

5. Suppress the ability to order HPV vaccine administration from the dialog (if appropriate)

The order option in the dialog can be suppressed for specific user classes or for everyone using the reminder terms: VA-HPV ORDER SUPPRESSION

Finding:

- VA-ASU USER CLASS
 - Enter the user class in the Computed Finding Parameter field that should NOT see the option to order the vaccine.
 - If more than one user class is needed, add additional findings of the CF VA-ASU USER CLASS for each one as needed.

What was exported:

- FINDING ITEM: VA-ASU USER CLASS//
BEGINNING DATE/TIME: T//
ENDING DATE/TIME: T//
OCCURRENCE COUNT:
COMPUTED FINDING PARAMETER: ****//
CONDITION:
CONDITION CASE SENSITIVE:
USE STATUS/COND IN SEARCH:

- VA-AGE
FINDING ITEM: VA-AGE//
BEGINNING DATE/TIME:
ENDING DATE/TIME:
OCCURRENCE COUNT:
COMPUTED FINDING PARAMETER:
CONDITION: I V<18//
CONDITION CASE SENSITIVE:
USE STATUS/COND IN SEARCH:

- To suppress the order from being seen by ANYONE, delete the Condition within the VA-AGE computed finding.
- To suppress for EVERYONE, in the above TERMS DELETE the VA-ASU USER CLASS finding and edit the VA-AGE computed finding.

- To suppress for specific user classes, in the above Terms configure the VA-ASU USER CLASS computed finding and DELETE the VA-AGE finding. NOTE: If the Age finding is not deleted, the user class settings will not work.

6. Suppress the ability to document HPV vaccine administration from the dialog (if appropriate)

The order option in the dialog can be suppressed for specific user classes or for everyone using the reminder terms: VA-HPV ADMINISTRATION SUPPRESSION

Finding:

- VA-ASU USER CLASS
 - Enter the user class in the Computed Finding Parameter field that should NOT see the option to document the administration of the vaccine.
 - If more than one user class is needed, add additional findings of the CF VA-ASU USER CLASS for each one as needed.

What was exported:

- FINDING ITEM: VA-ASU USER CLASS//
 BEGINNING DATE/TIME: T//
 ENDING DATE/TIME: T//
 OCCURRENCE COUNT:
 COMPUTED FINDING PARAMETER: ****//
 CONDITION:
 CONDITION CASE SENSITIVE:
 USE STATUS/COND IN SEARCH:
- VA-AGE
 FINDING ITEM: VA-AGE//
 BEGINNING DATE/TIME:
 ENDING DATE/TIME:
 OCCURRENCE COUNT:
 COMPUTED FINDING PARAMETER:
 CONDITION: I V<18//
 CONDITION CASE SENSITIVE:
 USE STATUS/COND IN SEARCH:
- To suppress the order from being seen by ANYONE, delete the Condition within the VA-AGE computed finding.
- To suppress for EVERYONE, in the above TERMS DELETE the VA-ASU USER CLASS finding and edit the VA-AGE computed finding.

- To suppress for specific user classes, in the above Terms configure the VA-ASU USER CLASS computed finding and DELETE the VA-AGE finding. NOTE: If the Age finding is not deleted, the user class settings will not work.

7. Edit template fields

Two template fields are used for Lot #s and expiration dates and manufacturer. They are exported as EDIT BOXES, for free text entry. Sites may choose to change the TYPE to a COMBO box and then populate the template fields with local lot #s and expiration dates.

- IM HPV LOT# EXP DATE
- IM HPV MANUF

Template fields in dialog CPRS view

Document administration of HPV vaccine today

1st dose (series 1)

The patient received 1st dose of human papillomavirus (HPV) vaccine 0.5 ml IM in deltoid area .

Manufacturer: *Merck

Lot # and Expiration Date: *

Changing the template field is done in CPRS under Template Editor on the Notes Tab.

Template Field Editor

Action:

Template Fields

IM HPV LOT# EXP DATE	* Edit Box
IM HPV MANUF	* Edit Box
IM INJECTION RIGHT/LEFT	Button
IM INJECTION SQ SITE	Combo Box
IM PCV13 LOT# EXP DATE	* Edit Box
IM PCV13 MANUF	* Edit Box
IM PCV13 MANUF LOT#	* Combo Box
IM PCV13 WARNING	Display Text
IM PNEUMO CONTRA WARNING	Display Text
IM PNEUMO PCV13 DIAGNOSES	Display Text
IM PNEUMO PCV13 OUTSIDE RECORD	Display Text
IM PNEUMO PPSV23 DIAGNOSES	Display Text
IM PNEUMO PPSV23 OUTSIDE RECORD	Display Text
IM PNEUMO PRECAUT WARNING	Display Text
IM PNEUMOC PCV13 CHEMOTHERAPY WARNING	Display Text
IM PNEUMOC PPSV23 CHEMOTHERAPY WARNING	Display Text
IM PNEUMOC PPSV23 ZOSTER WARNING	Display Text
IM PNEUMOCOCCAL VACCINE ALGORITHM	Hyperlink
IM PNEUMOCOCCAL VACCINE NCP GUIDANCE	Hyperlink
IM PPSV23 LOT# EXP DATE	* Edit Box
IM PPSV23 LOT# EXP DATEPVC	Combo Box
IM PPSV23 MANUF	* Edit Box

Name: IM HPV LOT# EXP DATE

Type: Edit Box Field Len: 30 Text Len: 70

Default:

LM Text:

Miscellaneous

Inactive Separate Lines Required Exclude From Note

Indents

Indents Field: 0 Indents Text: 0

Notes:

Hide Inactive Fields * Indicates a Required Field

If there are any questions or problems during the installation or setup, please call the national help desk and have them submit a national CA ticket to the Incident Area: **NTL.APP.VISTA.CLINICAL REMINDERS 2_0** and someone from national product support will contact you.