



Update_2_0_8

Clinical Reminders

MH Reminder Updates

INSTALLATION and SETUP GUIDE

February 2017

Product Development
Department of Veterans Affairs

Contents

Introduction.....	3
Install Details	7
Pre-Install	7
Install Example	8
Post-Install Set-up Instructions.....	31

Introduction

Many changes have been made to the MH clinical reminders and associated dialogs. We have also included a new national follow up reminder for positive PTSD/Depression as a combination clinical reminder and associated dialog. The follow-up for positive alcohol screen dialog has been updated completely to the DSM5 language.

DEPRESSION SCREENING

REQUIREMENTS: Effective October 1, 2016, the PHQ-2 is the required instrument for the purpose of completing annual screening for depression.

BACKGROUND:

VHA implemented annual screening for depression as a requirement for patients active in primary and MH care starting in 2002. Over time, the requirements have been modified, and the national clinical reminder is being updated to match current performance measure requirements.

In 2006, VA implemented a two-step screening approach, utilizing the PHQ-2 as the accepted screening instrument, and following positive screens with a PHQ-9. However, this proved to be very burdensome to staff, with complexity sufficient to interfere with effective screening. Requirements were modified to allow either the PHQ-2 or the PHQ-9, but all administrations of the selected screening instrument that are positive require a suicide risk evaluation.

In support of measurement based care in treatment of depression, the PHQ-9 is being utilized as the symptom monitor for depression. This means that patients being treated for depression are receiving regular PHQ-9's as part of their routine depression care. Initial implementation is occurring in FY17, but this will be expanded to all sites over time. Sites that have used the PHQ-9 as their screening instrument for depression are experiencing problems when administrations of the PHQ-9 used for clinical symptom monitoring trigger a requirement for suicide risk evaluation.

RATIONALE: VHA depression screening requirements are to screen for depressive symptoms at the overall population level. For this purpose, the PHQ-2 has been demonstrated to be a valid and reliable instrument that works as well as the PHQ-9 or other, longer instruments. The argument can certainly be made that a longer instrument gives more information, but it is important to weigh a number of variables, including the purpose of the assessment, the value added by the additional questions versus the burden on providers and patients, and what you are going to do with the information. It is important to recognize that this is a high level screen, and all positive screening results require a follow-up assessment for depression that includes a suicide risk evaluation. This screen is to detect the presence of depressive symptoms. It is not intended to be sufficient to make a diagnosis of depression or screen for suicidal ideation.

UPDATE_2_0_8 includes the following: Note: the text highlighted is not part of the actual name.

1. Reminders Definitions:

VA-DEPRESSION SCREENING (updated)

VA-PTSD SCREENING (updated)

VA-ALCOHOL USE SCREEN (AUDITC) (updated)

VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL (updated)
VA-FOLLOW-UP POS PTSD/DEP COMBINATION (new)

2. Reminder Dialog

VA-DEPRESSION SCREEN (updated)
VA-PTSD SCREENING (updated)
VA-ALCOHOL USE SCREENING (AUDIT-C) (updated)
VA-AUD-C POS BRIEF ALCOHOL COUNSELING (updated)
VA-FOLLOW-UP POS PTSD/DEP COMBINATION (new)

3. Reminder Taxonomies

VA-AUD DIAGNOSIS (new)
VA-DEMENTIA DIAGNOSIS (new)
VA-DEPRESSION DX OUTPT VISIT (updated)
VA-PTSD DX OUTPT VISIT (updated)
VA-TERMINAL CANCER PATIENTS (no change)

4. Terms

VA-PRIOR SUICIDE
VA-NO PRIOR SUICIDE ATTEMPT
VA-SUICIDE PLAN
VA-NO SUICIDE PLAN
VA-SUICIDAL THOUGHTS
VA-NO THOUGHTS OF SUICIDE
VA-HOPELESSNESS
VA-NO HOPELESSNESS
VA-PTSD/DEPRESSION ASSESSMENT COMPLETE
VA-PTSD/DEPRESSION SCREEN POS
VA-BL FOLLOW-UP POS PTSD/DEP COMBINATION
VA-BL SHOW COMBINED PTSD/DEPRESSION DISPO
VA-BL SHOW PTSD DISPO
VA-BL SHOW DEPRESSION DISPO
VA-MH ACUTE ILLNESS
VA-REFUSED DEPRESSION SCREENING
VA-DEP PHQ2
VA-COGNITIVE IMPAIRMENT
VA-DEPRESSION DIAGNOSIS
VA-VETERAN PATIENT
VA-PTSD DIAGNOSIS
VA-LIFE EXPECTANCY < 6 MONTHS
VA-REFUSED PTSD SCREEN
VA-PTSD SCREEN
VA-SEX
VA-BL AUDIT-C >7
VA-BL AUDC 5 SAFE LIMITS

VA-AUD DIAGNOSIS
VA-SUD CLINIC VISIT
VA-ALCOHOL NONE PAST 1 YR
VA-ALC MEDICAL PROBLEMS
VA-ALC USE INTERVENTIONS
VA-ALCOHOL USE INFORMATION
VA-REFUSED ALCOHOL SCREENING
VA-ALCOHOL USE SCREEN

5. Health Factors (only listing new HF's)
VA-PTSD/DEP OTHER DISPOSITIONS
VA-REFUSE INTERVENTION PTSD/DEP
VA-MANAGE PTSD/DEP IN PRIMARY CARE
VA-OUTSIDE EVAL/TREATMENT FOR PTSD/DEP
VA-CURRENT F/U OR RX FOR PTSD/DEP SCRIN
VA-NO INTERVENTION FOR PTSD/DEP SCRIN
VA-ALCOHOL OTHER
VA-ALCOHOL REFER TO SUD PROGRAM
VA-ALCOHOL REFER TO PCMH
VA-ALCOHOL TREAT IN PRIMARY CARE
VA-ALCOHOL SELF HELP/AA MEETINGS
VA-ALCOHOL USE AND MEDICAL PROBLEMS
VA-ALCOHOL ABSTAIN OTHER ADVICE
6. TIU Template Field (only listing new template fields)
VA-MH FREQ
VA-MH WHEN
VA-SUD CGP
7. Health Summary Type (no new Health Summary Types)
8. Education Topics (no new Education Topics)

Reminder Definition changes:

VA-DEPRESSION SCREENING: (updated)

1. VA-DEMENTIA DIAGNOSIS taxonomy was added to VA-COGNITIVE IMPAIRMENT term. This term was changed to a 1Y exclusion instead of permanent exclusion.
2. PHQ-9 will not resolve this reminder any longer, only the PHQ-2

VA-PTSD SCREENING: (updated)

1. VA-DEMENTIA DIAGNOSIS taxonomy was added to VA-COGNITIVE IMPAIRMENT term. This term was changed to a 1Y exclusion instead of permanent exclusion.

VA-ALCOHOL USE SCREEN (AUDIT C): (updated)

1. VA-DEMENTIA DIAGNOSIS taxonomy was added to VA-COGNITIVE IMPAIRMENT term. This term was changed to a 1Y exclusion instead of permanent exclusion.
2. updated broken URL
3. added URL for SUD CPG
4. changed instrument to optional open/required complete or cancel
5. modified PXRm AUDC Result group to add two new results:

1: negative

2: positive, score 3 or 4 for F, 4 for M--new pop up message, brief intervention not required.

Updated PXRm AUDC RESULT ELEMENT 2

3: positive, score of 5-7, new pop up message, brief intervention required. PXRm AUDC RESULT ELEMENT 3

4: positive, score of >7, new pop up message, bi required, further eval recom PXRm AUDC RESULT ELEMENT 4

VA-FOLLOW-UP POS PTSD/DEP COMBINATION: (new)

1. This definition was added as a national replacement for the 2 reminder definitions/dialogs that are possibly being used at your site. This reminder will be DUE NOW if *either* the Depression Screen or the PTSD screen are positive. The dialog uses branching logic to guide the users based on patient data in their chart. It was decided to streamline reminders by combining into 1 definition/dialog. The 2 definitions this replaces are below. You may not have these in your system as they are NOT national content.
 - a. EVALUATION OF + DEPRESSION SCREEN
 - b. EVALUATION OF + PTSD SCREEN
2. Definition is linked to dialog **VA-FOLLOW-UP POS PTSD/DEP COMBINATION (NEW)**

VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL: (updated)

1. Print name of this reminder was changed from "Pos Alcohol Scrn:" to "Follow-up Pos Alcohol"
2. Replaced definition URL from:
http://pubs.niaaa.nih.gov/publications/Practitioner/CliniciansGuide2005/clinicians_guide.htm to:
<http://www.healthquality.va.gov/guidelines/MH/sud/>
3. Associated dialog updated to meet DSM5 criteria
4. Added new branching logic to require offer of treatment for pts with score of >7 and AUD diagnosis.
5. Added new branching logic to toggle display of safe drinking limits based on gender
6. Removed VA-GP ALC SCREEN and replaced with VA-GP ALC OFFER TREATMENT to give providers multiple options for pts instead of just referral to specialty treatment programs
7. Part of the cohort logic is for patients with AUD diagnosis within last year and any AUDC score greater than 0 but less than 5

Install Details

This update is being distributed as a web host file. The address for the host file is:

http://vista.med.va.gov/reminders/UPDATE_2_0_8.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take less than five minutes.

Note: You may not see exactly what is listed in the install example. The rules to follow are:

1. Print or save a copy of the reminder definition inquiries prior to installing.
2. If there is a new component, use the INSTALL action.
3. If there is an existing TERM, but the incoming one is different, use the MERGE action. This will keep you from overwriting your mapped items in the term.
4. If a component, **other than a TERM** exists, but the incoming one is different, use the OVERWRITE action.
5. There is a known bug when installing taxonomies. You will be prompted that the component is different regardless of whether it is or not. Always use the OVERWRITE action. If the taxonomy is new, use the INSTALL action (see item 2 above)


Pre-Install

1. Print or save reminder inquiry for the following reminder definitions to remap to any terms if necessary. If you have a locally built reminder for any MH screenings or follow-up, print or save the reminder inquiry.
 - a) VA-DEPRESSION SCREENING
 - b) VA-PTSD SCREENING
 - c) VA-ALCOHOL USE SCREEN (AUDIT-C)
 - d) VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL
 - e) Evaluation of + Depression Screen **(local and may not exist in your system)**
 - f) Evaluation of + PTSD Screen **(local and may not exist in your system)**
-

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista Exchange File Entries.

Item	Entry	Source	Date Packed
1	691 PALLIATIVE CONSULT VERSION 3.0 (3/9/11)	AUSTIN@WEST LA VAMC	03/09/2011@10:42
2	AJM IMMUNIZATION SERIES	MONTGOMERY@BEDFORD VAMC	03/22/2011@10:57
3	AJM PN FOR BECKY	MONTGOMERY@BEDFORD VAMC	04/13/2011@19:09
4	AJM PN FOR BECKY	MONTGOMERY@BEDFORD VAMC	04/14/2011@09:49
5	AJM PXNAT TEST	MONTGOMERY@BEDFORD VAMC	04/11/2011@15:56
6	BOINUR NHCU ADL REMINDER	MOORE@BOISE VAMC	03/13/2007@14:41
7	DEPRESSION/PTSD REMINDER TERM UPDATES - PATCH 17	VOLPP@NORTHERN CAL	02/26/2010@12:07
8	ECOE REMINDER DIALOGS	CARTER@SALT LAKE CI	08/28/2013@09:38
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History		
Select Action: Next Screen// LWH Load Web Host File			
Input the url for the .prd file: http://vista.med.va.gov/reminders/UPDATE_2_0_8.PRD			



At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type or copy/paste the following web address:

http://vista.med.va.gov/reminders/UPDATE_2_0_8.PRD

http://vista.med.va.gov/reminders/UPDATE_2_0_8.PRD successfully loaded.

You should see a message at the top of your screen that the file successfully loaded.

Search and locate an entry titled UPDATE_2_0_8 MH UPDATES in reminder exchange

+Item	Entry	Source	Date Packed
81	UPDATE_2_0_8 ALC FOLLOW-UP ONLY	MONTGOMERY@SALT LAKE CI	02/03/2017@09:26
82	UPDATE_2_0_8 MH UPDATES	MONTGOMERY@SALT LAKE CI	01/20/2017@12:26
83	UPDATE_2_0_8 MH UPDATES	MONTGOMERY@SALT LAKE CI	02/16/2017@12:49
84	UPDATE_2_0_9 VA-COLORECTAL CANCER SCREENING	GRIFFITH@SALT LAKE CI	06/14/2016@13:29
85	VA BRANCHING LOGIC REMINDER UPDATES OEF/OIF	VOLPP@NORTHERN CAL	09/13/2010@11:42
86	VA MH SCREENING REMINDERS UPDATE	VOLPP@NORTHERN CAL	09/13/2010@11:36
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History		
Select Action: Next Screen// 83			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry

Enter the number that corresponds with your entry titled UPDATE_2_0_8 MH UPDATES *(in this example it is entry 83 it will vary by site)* If your system has more than one entry for this exchange file, be SURE and use the one with date/time of 2/16/2017@12:49

Component	Category	Exists
Source: MONTGOMERY,ALAN at SALT LAKE CITY		
Date Packed: 11/16/2016@07:38:02		
Package Version: 2.0P62		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DEFINITION		
VA-FOLLOW-UP POS PTSD/DEP COMBINATION		
VA-DEPRESSION SCREENING		
VA-PTSD SCREENING		
VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL		
VA-ALCOHOL USE SCREEN (AUDIT-C)		
Keywords:		
Components:		
+ Enter ?? for more actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen//		

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.

Here is the detail on the installation including the prompts you could see during installation and how you should answer them. **NOTE: YOUR PROMPTS MAY NOT BE EXACTLY THE SAME AS WHAT IS SHOWN HERE**

You will then be prompted to install the dialog components:

- Notes:**
- If a Reminder Term exists, but is different, use the **MERGE** option
 - If a Reminder Definition exists but is different, use the **OVERWRITE** option
 - If a Health Factor exists, but is different, use the **OVERWRITE** option
 - If a TIU TEMPLATE FIELD exists but is different, use the **OVERWRITE** option
 - If a Reminder Taxonomy exists but is different, use the **OVERWRITE** option
 - If a Reminder Locaton List exists but is different, use the **OVERWRITE** option
 - If a Health Summary component exists but is different, use the **OVERWRITE** option
 - For all components that do not exist, use the **INSTALL** option

Select Action: Next Screen// IA Install all Components
 TIU TEMPLATE FIELD entry named VA-MH FREQ already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named VA-MH WHEN already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named VA-PTSD CPG already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named BLANK TEXT FIELD FOR DIALOGS already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named VA-PTSD PCL INFO already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named BLANK SPACE1 already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named VA-URL PHQ9 already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named VA-DEP CPG already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named VA-SUD CPG already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named VA-URL AUDIT-C already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named YES/NO already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named NUMB1-16 already exists and the packed component is identical, skipping.

TIU TEMPLATE FIELD entry named BLANK TEXT FOR DIALOGS already exists and the packed component is identical, skipping.

EDUCATION TOPICS entry named ALCOHOL USE AND MEDICAL PROBLEMS already exists and the packed component is identical, skipping.

EDUCATION TOPICS entry named MEDICAL PROBLEMS OF ALCOHOL (SCREENING) already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named SUICIDE RISK SCREEN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named PRIOR SUICIDE ATTEMPT already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named NO PRIOR SUICIDE ATTEMPT already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named SUICIDE PLAN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named NO SUICIDE PLAN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named SUICIDAL THOUGHTS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named NO THOUGHTS OF SUICIDE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named HOPELESSNESS PRESENT/FUTURE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named NO HOPELESSNESS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named MENTAL HEALTH already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named PTSD ASSESSMENT COMPLETE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named DEPRESSION ASSESS COMPLETE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-PTSD/DEP OTHER DISPOSITIONS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-REFUSE INTERVENTION PTSD/DEP already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-MANAGE PTSD/DEP IN PRIMARY CARE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFERRAL TO MHC NON-URGENT already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFERRAL TO MHC IMMEDIATE (EMERGENT) already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-OUTSIDE EVAL/TREATMENT FOR PTSD/DEP

already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-CURRENT F/U OR RX FOR PTSD/DEP SCRIN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-NO INTERVENTION FOR PTSD/DEP SCRIN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named PTSD SCREEN POSITIVE OTHER already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFUSES MH REFERRAL FOR PTSD already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named PTSD TO BE MANAGED IN PC already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named OUTSIDE EVAL/TREATMENT FOR PTSD already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named CURRENT F/U OR RX FOR PTSD already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named NO INTERVENTION NEEDED FOR PTSD SCRIN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named DEPRESSION SCREEN POSITIVE PC MANAGED already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named DEPRESSION SCREEN POSITIVE OTHER already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFUSE DEPRESSION INTERVENTION already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named OUTSIDE EVAL/TREATMENT FOR DEPRESSION already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named CURRENT F/U OR RX FOR DEPRESSION already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named NO INTERVENTION NEEDED FOR DEP SCRIN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFUSED PTSD SCREEN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named SEVERE CHRONIC COGNITIVE IMPAIRMENT already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named UNABLE TO SCREEN-ACUTE MED CONDITION already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named UNABLE TO SCREEN - ACUTE ILLNESS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REMINDER FACTORS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named LIFE EXPECTANCY < 6 MONTHS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFUSED DEPRESSION SCREENING already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL USE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFUSED ALCOHOL USE SCREENING already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL COUNSELING - PT. RESPONSE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL - RESPONSE TO COUNSELING already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL - ADVISE TO ABSTAIN already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL - ADVISE ON SAFE LIMITS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFUSED REFERRAL TO SUBSTANCE ABUSE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-ALCOHOL OTHER already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-ALCOHOL REFER TO SUD PROGRAM already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-ALCOHOL REFER TO PCMHI already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-ALCOHOL TREAT IN PRIMARY CARE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named VA-ALCOHOL SELF HELP/AA MEETINGS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry VA-ALCOHOL USE AND MEDICAL PROBLEMS is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

HEALTH FACTORS entry named ALCOHOL USE WITHIN SAFE LIMITS already exists and the packed component is identical, skipping.

HEALTH FACTORS entry VA-ALCOHOL ABSTAIN OTHER ADVICE is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

HEALTH FACTORS entry named NON-DRINKER (NO ALCOHOL FOR >1 YR) already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named REFER FOR ALCOHOL TREATMENT already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL - PRIOR TREATMENT already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL - ADDL ASSESSMENT OF USE already

exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL - ASSESS USE already exists and the packed component is identical, skipping.

HEALTH FACTORS entry named ALCOHOL - NO PRIOR TREATMENT already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named Mental Health Services already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named Office of Patient Care Services already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named Office of Quality & Performance already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named National Clinical Practice Guideline Council already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named Mental Health and Behavioral Science Strategic Group already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named National Center for Health Promotion and Disease Prevention (NCP) already exists and the packed component is identical, skipping.

REMINDER SPONSOR entry named Office of Public Health and Environmental Hazards already exists and the packed component is identical, skipping.

REMINDER TAXONOMY entry VA-DEMENTIA DIAGNOSIS is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER TAXONOMY entry named VA-PTSD DX OUTPT VISIT already exists

but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER TAXONOMY entry named VA-TERMINAL CANCER PATIENTS already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER TAXONOMY entry named VA-DEPRESSION DX OUTPT VISIT already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER TAXONOMY entry named VA-AUD DIAGNOSIS already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update

- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER LOCATION LIST entry named VA-SUD CLINICS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-PRIOR SUICIDE ATTEMPT already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-NO PRIOR SUICIDE ATTEMPT already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-SUICIDE PLAN already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-NO SUICIDE PLAN already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-SUICIDAL THOUGHTS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-NO THOUGHTS OF SUICIDE already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-HOPELESSNESS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-NO HOPELESSNESS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-PTSD/DEPRESSION ASSESSMENT COMPLETE already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-PTSD/DEPRESSION SCREEN POS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-BL FOLLOW-UP POS PTSD/DEP COMBINATION already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-BL SHOW COMBINED PTSD/DEPRESSION DISPO already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-BL SHOW PTSD DISPO already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-BL SHOW DEPRESSION DISPO already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-VETERAN PATIENT already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-MH ACUTE ILLNESS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-COGNITIVE IMPAIRMENT already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- M Merge findings
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Merge findings

REMINDER TERM entry named VA-PTSD DIAGNOSIS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-LIFE EXPECTANCY < 6 MONTHS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-REFUSED PTSD SCREEN already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-PTSD SCREEN already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- M Merge findings
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Merge findings

REMINDER TERM entry named VA-REFUSED DEPRESSION SCREENING already

exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-DEP PHQ2 already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-DEPRESSION DIAGNOSIS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-REFUSED ALCOHOL SCREENING already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-ALCOHOL USE SCREEN already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- M Merge findings
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Merge findings

REMINDER TERM entry VA-AUDC SCORE=0 is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER TERM entry VA-BL AUD-C>7/NO AUD DX is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER TERM entry named VA-SEX already exists and the packed component is identical, skipping.

REMINDER TERM entry VA-BL AUD-C 5-7/NO AUD DX is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER TERM entry named VA-BL AUDIT-C >7 already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-BL AUDC 5 SAFE LIMITS already exists and the packed component is identical, skipping.

REMINDER TERM entry VA-BL AUD DIAGNOSIS is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER TERM entry named VA-AUD DIAGNOSIS already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-SUD CLINIC VISIT already exists and the packed component is identical, skipping.

REMINDER TERM entry named VA-ALCOHOL NONE PAST 1YR already exists and the packed component is identical, skipping.

REMINDER TERM entry VA-ALC MEDICAL PROBLEMS is NEW,

what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER TERM entry named VA-ALC USE INTERVENTIONS already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- M Merge findings
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// Merge findings

REMINDER TERM entry named VA-ALCOHOL USE INFORMATION already exists and the packed component is identical, skipping.

REMINDER DEFINITION entry named VA-FOLLOW-UP POS PTSD/DEP COMBINATION already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// verwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER DEFINITION entry named VA-BL SHOW COMBINED PTSD/DEPRESSION DISPO already exists and the packed component is identical, skipping.

REMINDER DEFINITION entry named VA-BL SHOW PTSD DISPO already exists

and the packed component is identical, skipping.

REMINDER DEFINITION entry named VA-BL SHOW DEPRESSION DISPO already exists and the packed component is identical, skipping.

REMINDER DEFINITION entry named VA-PTSD SCREENING already exists and the packed component is identical, skipping.

REMINDER DEFINITION entry named VA-DEPRESSION SCREENING already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER DEFINITION entry named VA-ALCOHOL USE SCREEN (AUDIT-C) already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER DEFINITION entry VA-BL AUD-C>7/NO AUD DX is NEW, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER DEFINITION entry VA-BL AUD-C 5-7/NO AUD DX is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER DEFINITION entry named VA-BL ALCOHOL WITHIN SAFE LIMIT
already exists but the packed component is different, what do you
want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// verwrite the current entry

Are you sure you want to overwrite? N// YES

REMINDER DEFINITION entry VA-BL AUD-C>0 & AUD DX is NEW,
what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- I Install
- Q Quit the install
- S Skip, do not install this entry

Enter response: I// nstall

REMINDER DEFINITION entry named VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL
already exists but the packed component is different, what do you
want to do?

Select one of the following:

- C Create a new entry by copying to a new name

- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

Packed reminder dialog: VA-FOLLOW-UP POS PTSD/DEP COMBINATION

Item	Seq. Dialog Findings	Type	Exists		
1	VA-FOLLOW-UP POS PTSD/DEP COMBINATION	dialog			
2	5 VA-PTSD/DEPRESSION COMBINATION MASTER GP* Finding: *NONE*	group			
3	5.5 VA-POS PTSD/DEP HEADER Finding: *NONE*	element			
4	5.10 VA-SUICIDE RISK EVALUATION GP Finding: *NONE*	group			
5	5.10.5 VA-SUICIDE RISK EVAL QUESTION 1 GP Finding: *NONE*	group			
6	5.10.5.5 VA-SUICIDE RISK EVAL QUESTION 1 NO Finding: NO HOPELESSNESS (HEALTH FACTOR)	element	X		
7	5.10.5.10 VA-SUICIDE RISK EVAL QUESTION 1 YES Finding: HOPELESSNESS PRESENT/FUTURE (HEALTH FACTOR)	element	X		
8	5.10.10 VA-SUICIDE RISK EVAL QUESTION 2 GP	group			
+ + Next Screen - Prev Screen ?? More Actions					
DD	Dialog Details	DT	Dialog Text	IS	Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU	Quit
DS	Dialog Summary	IA	Install All		
Select Action: Next Screen// IA					

At the **Select Action** prompt, type **IA** to install the dialog – VA-FOLLOW-UP POS PTSD/DEP COMBINATION

Install reminder dialog and all components with no further changes: Y// YES

THEN At the **Select Action** prompt, type **Q**.

You will then be prompted to install the next dialog.

Packed reminder dialog: VA-DEPRESSION SCREEN

Item	Seq.	Dialog Findings	Type	Exists
1		VA-DEPRESSION SCREEN	dialog	X
2	5	VA-DEP PHQ2	group	X
		Finding: *NONE*		
3	5.10	VA-MH PHQ2	element	X
		Finding: PHQ-2 (MH TESTS AND SURVEY)		X
4		PXRM PHQ2 RESULT GROUP	rs.group	X
5		PXRM PHQ2 RESULT ELEMENT 1	rs.element	X
6		PXRM PHQ2 RESULT ELEMENT 2	rs.element	X
7	5.15	VA-TEXT BLANK LINE WITH TEMPLATE FIELD	element	X
		Finding: *NONE*		
8	5.20	VA-GP DEP UNABLE TO SCREEN	group	X
		Finding: *NONE*		
9	5.20.5	VA-HF ACUTE ILLNESS	element	X
		Finding: UNABLE TO SCREEN - ACUTE ILLNESS (HEALTH FACTOR)		X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details		DT	Dialog Text
IS	Install Selected			
DF	Dialog Findings		DU	Dialog Usage
QU	Quit			
DS	Dialog Summary		IA	Install All
Select Action: Next Screen// IA				

At the **Select Action** prompt, type **IA** to install the dialog – VA-DEPRESSION SCREEN
 Install reminder dialog and all components with no further changes: Y// YES

THEN At the **Select Action** prompt, type **Q**.

You will then be prompted to install the next dialog.

Packed reminder dialog: VA-ALCOHOL USE SCREENING (AUDIT-C)				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-ALCOHOL USE SCREENING (AUDIT-C)	dialog	X
2	5	VA-TEXT ALCOHOL MISUSE SCREEN INSTRUCTIONS Finding: *NONE*	element	
3	10	VA-GP ALC SCREEN AUDC Finding: *NONE*	group	X
4	10.5	VA-MH AUDC Finding: AUDC (MH TESTS AND SURVEY)	element	X X
5		PXRM AUDC RESULT GROUP	rs.group	X
6		PXRM AUDC RESULT ELEMENT 1	rs.element	X
7		PXRM AUDC RESULT ELEMENT 2	rs.element	X
8		PXRM AUDC RESULT ELEMENT 3	rs.element	
9		PXRM AUDC RESULT ELEMENT 4	rs.element	
10	10.10	VA-TEXT BLANK LINE WITH TEMPLATE FIELD	element	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details		DT	Dialog Text
DF	Dialog Findings		DU	Dialog Usage
DS	Dialog Summary		IA	Install All
Select Action: Next Screen// IA				

At the **Select Action** prompt, type **IA** to install the dialog – VA-ALCOHOL USE SCREENING (AUDIT-C)

Install reminder dialog and all components with no further changes: Y// YES

THEN At the **Select Action** prompt, type **Q**.

You will then be prompted to install the next dialog.

Packed reminder dialog: VA-AUD-C POS BRIEF ALCOHOL COUNSELING [NATIONAL DIALOG]				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-AUD-C POS BRIEF ALCOHOL COUNSELING	dialog	
2	3	TEXT AUDC PRIOR RESULTS Finding: *NONE*	element	X
3	5	VA-GP ALCOHOL AUDIT C POSITIVE Finding: *NONE*	group	X
4	5.10	VA-GP ALCOHOL AUDIT C 5-7* Finding: *NONE*	group	X
5	5.10.10	VA-GP ALC AUDIT C 5-7 Finding: *NONE*	group	X
6	5.10.10.5	VA-GP ALC ABOVE SAFE LIMITS QUESTION* Finding: *NONE*	group	X
7	5.10.10.5.5	VA-GP ALC DRINKS WITHIN SAFE LIMITS Finding: ALCOHOL USE WITHIN SAFE LIMITS (HEALTH FACTOR)	group	X X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details		DT	Dialog Text
DF	Dialog Findings		DU	Dialog Usage
DS	Dialog Summary		IA	Install All
Select Action: Next Screen// IA				
			IS	Install Selected
			QU	Quit

At the **Select Action** prompt, type **IA** to install the dialog – VA-AUD-C POS BRIEF ALCOHOL COUNSELING

Install reminder dialog and all components with no further changes: Y// YES

THEN At the **Select Action** prompt, type **Q**.

You will then be prompted to install the next dialog.

Packed reminder dialog: VA-PTSD SCREENING [NATIONAL DIALOG]					
Item	Seq.	Dialog Findings	Type	Exists	
1		VA-PTSD SCREENING	dialog	X	
2	10	VA-PTSD SCREEN Finding: *NONE*	group	X	
3	10.10	VA-MH PC PTSD SCREEN Finding: PC PTSD (MH TESTS AND SURVEY)	element	X	
4		PXRM PTSD RESULT GROUP	rs.group	X	
5		PXRM PTSD RESULT ELEMENT 1	rs.element	X	
6		PXRM PTSD RESULT ELEMENT 2	rs.element	X	
7	10.15	VA-TEXT BLANK LINE WITH TEMPLATE FIELD Finding: *NONE*	element	X	
8	10.20	VA-GP PTSD UNABLE TO SCREEN Finding: *NONE*	group	X	
9	10.20.5	VA-HF ACUTE ILLNESS Finding: UNABLE TO SCREEN - ACUTE ILLNESS (HEALTH FACTOR)	element	X	
+ + Next Screen - Prev Screen ?? More Actions					
DD	Dialog Details		DT	Dialog Text	IS Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU Quit
DS	Dialog Summary		IA	Install All	
Select Action: Next Screen// IA					

At the **Select Action** prompt, type **IA** to install the dialog – VA-PTSD SCREENING
Install reminder dialog and all components with no further changes: Y// YES

NEXT you will be prompted to install the final components.

HEALTH SUMMARY TYPE entry named OB PC-PTSD PCL already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// **verwrite the current entry**

Are you sure you want to overwrite? N// YES

HEALTH SUMMARY TYPE entry named OB PHQ2 PHQ9 already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

HEALTH SUMMARY TYPE entry named OB AUDC already exists but the packed component is different, what do you want to do?

Select one of the following:

- C Create a new entry by copying to a new name
- O Overwrite the current entry
- U Update
- Q Quit the install
- S Skip, do not install this entry

Enter response: O// overwrite the current entry

Are you sure you want to overwrite? N// YES

HEALTH SUMMARY OBJECTS entry named PC-PTSD PCL (TIU) already exists and the packed component is identical, skipping.

HEALTH SUMMARY OBJECTS entry named PHQ2 PHQ9 (TIU) already exists and the packed component is identical, skipping.

HEALTH SUMMARY OBJECTS entry named AUDC (TIU) already exists and the packed component is identical, skipping.

TIU DOCUMENT DEFINITION entry named PC-PTSD PCL already exists and the packed component is identical, skipping.

TIU DOCUMENT DEFINITION entry named PHQ2 PHQ9 already exists and the packed component is identical, skipping.

TIU DOCUMENT DEFINITION entry named AUDIT-C already exists and the packed component is identical, skipping.

Component	Category	Exists
Source: MONTGOMERY,ALAN at SALT LAKE CITY		
Date Packed: 11/16/2016@07:38:02		
Package Version: 2.0P62		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DEFINITION		
VA-FOLLOW-UP POS PTSD/DEP COMBINATION		
VA-DEPRESSION SCREENING		
VA-PTSD SCREENING		
VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL		
VA-ALCOHOL USE SCREEN (AUDIT-C)		
Keywords:		
Components:		
+ + Next Screen - Prev Screen ?? More Actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// Q		

After all the dialogs have installed, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

Installation complete.

Post-Install Set-up Instructions

There is a known “bug” where sometimes dialogs are not attached to their corresponding reminder definition. Please ensure that all dialogs are attached to their appropriate reminder definitions.

Reminder Definition	Reminder Dialog
VA-FOLLOW-UP POS PTSD/DEP COMBINATION	VA-FOLLOW-UP POS PTSD/DEP COMBINATION
VA-ALCOHOL USE SCREEN (AUDIT-C)	VA-ALCOHOL USE SCREEN (AUDIT-C)
VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL	VA-AUD-C POS BRIEF ALCOHOL COUNSELING
VA-DEPRESSION SCREENING	VA-DEPRESSION SCREEN
VA-PTSD SCREENING	VA-PTSD SCREENING

NOTE: If you require further technical assistance, please notify your local IT support to log a national CA Service Desk Manager (SDM) ticket (previously a Remedy™ ticket) or contact the VA Service Desk at 1-888-596-4357 and have them submit a national CA ticket to the Incident Area: **N.T.L.A.P.P.V.I.S.T.A.C.L.I.N.I.C.A.L.R.E.M.I.N.D.E.R.S.2_0** and we will contact you.